

FOREST CREW

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring **Cuddly Crew
Flannel**



Finished quilt measures: 44" x 44"

Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	F019-1387 WHITE	1-3/8 yards		J	SRKF-19130-6 PURPLE	one fat eighth
	B	SRKF-19130-3 RED	one fat eighth		K	F019-1551 RICH RED	1/8 yard or one fat eighth
	C	SRKF-19131-10 PINK	one fat eighth		L	F019-1225 MED. PINK	1/8 yard or one fat eighth
	D	SRKF-19130-12 GREY	one fat eighth		M	F019-1071 CHARCOAL	1/8 yard or one fat eighth
	E	SRKF-19131-13 TAN	one fat eighth		N	F019-1369 TAN	1/8 yard or one fat eighth
	F	SRKF-19129-1 WHITE	one fat eighth		O	F019-1157 GREY	1/8 yard or one fat eighth
	G	SRKF-19129-70 AQUA	one fat eighth		P	F019-960 BLUE YONDER	1/8 yard or one fat eighth
	H	SRKF-19129-32 MINT	one fat eighth		Q	F019-1192 LIME	1/8 yard or one fat eighth
	I	SRKF-19131-70 AQUA	one fat eighth		R	F019-1005 AQUA	1/8 yard or one fat eighth

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	S	F019-258 PANSY	1/8 yard or one fat eighth		Binding	FIN-9255-186 SILVER	1/2 yard
<p>Copyright 2019, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 3 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

- four 4" x WOF strips. Sew together, end-to-end, then trim:
 - thirty-six 4" squares for the HSTs
- seven 3-1/2" x WOF strips. Sew together, end-to-end, then trim:
 - two 3-1/2" x 44-1/2" top/bottom outer borders
 - two 3-1/2" x 38-1/2" side outer borders
 - thirty-six 3-1/2" squares
- four 1-1/2" x WOF strips. Sew together, end-to-end, then trim:
 - two 1-1/2" x 38-1/2" row sashing strips
 - six 1-1/2" x 12-1/2" block sashing strips

From each of Fabrics B-J, cut:

- one 6-1/2" square

From each of Fabrics K-S, cut:

- four 4" squares

From the Binding Fabric, cut:


- five 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)


Step 1: Pair a 4" Fabric A square with a 4" Fabric K square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3-1/2" square. Repeat to make eight A/K HSTs.




Step 2: Repeat the process in Step 1 to make:




eight A/L HSTs




eight A/M HSTs




eight A/N HSTs




eight A/O HSTs




eight A/P HSTs



eight A/Q HSTs




eight A/R HSTs



eight A/S HSTs

Assemble the Blocks



Step 3: Gather:
 four 3-1/2" Fabric A squares
 eight A/K HSTs
 the Fabric B square

Arrange the units as shown. Sew the HSTs together in pairs. Press.

Arrange the units into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram. Sew together to form three rows. Press the seams away from the HST pairs.

Step 4: Sew the rows together, nesting the seams and pressing the seams to one side to form the block. Press.

Repeat Steps 3 and 4 to make the remaining eight blocks, referring to the Quilt Assembly Diagram for fabric pairings.

Assemble the Quilt



Step 5: Arrange the Blocks together as indicated in the Quilt Assembly Diagram. Sew each row together, using sashing strips between each block. Press seams toward the sashing. Repeat to make three block rows.

Step 6: Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.

Step 7: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2019. All rights reserved.