


# FRAMEWORKS

Designed by Nydia Kehnle

Featuring

**KONA**<sup>®</sup>  
cotton solids



Finished project measures 58" x 58"

**Pattern Level: Confident Beginner**

*"I have basic block construction down  
and would like to learn a new trick!"*

**ROBERTKAUFMAN**  
F A B R I C S

*For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).*

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	RU-722-40 KONA COTTON NEW COLORS 2017	1 roll-up		Binding	K001-856 QUICKSILVER	1/2 yard
	B	K001-862 GOTHAM GREY	3-1/2 yards	<div style="background-color: #cccccc; padding: 10px; border: 1px solid #ccc;">                     You will also need: 4 yards for backing                 </div>			
Copyright 2017, Robert Kaufman For individual use only - Not for resale							

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### Fabric A (Roll-up)

- Pull the Titanium strip out (you will not use this for the color blocks, but you can use it with the varied strips of background if you like).
- Cut one 2-1/2" x 14" strip from each fabric.  
Set aside one or two strips to stay 2-1/2" x 14".  
From the remaining strips:
  - Cut the strips lengthwise by randomly splitting the 2-1/2" into two smaller pieces. Cut them in any variation.  
For example:
    - 1" x 14" and 1-1/2" x 14"
    - 3/4" x 14" and 1-3/4" x 14"
    - 1-1/4" x 14" and 1-1/4" x 14"
  - If you cut any more narrow than 3/4", be sure to discard the small piece.
- Mix the strips up in a pile so you are grabbing completely at random.

## Fabric B

From 2 yards of fabric:

- Cut six strips lengthwise 6-1/2" x 72.  
From each strip subcut one strip 6-1/2 x 12". You will now have six strips 6-1/2" x 60" and six strips 6-1/2" x 12".
- Trim four 6-1/2" x 60" strips to 6-1/2" x 47".

From the remaining 1-1/2 yards of fabric:

- Cut nine strips 2-1/2" x WOF.
  - Subcut each strip into three strips 2-1/2" x 14". Set aside. These will be used later to make your blocks (Don't mix with the strips you are going to cut next).
- Cut up the remaining fabric into strips varying widths anywhere from 3/4" to 3-1/2" x 14".  
The quantity of these will vary depending on how large or small you make your strips.

## Binding Fabric


From the Binding Fabric, cut:

- Six 2-1/2" x WOF strips


## Assembly Instructions

1. Pair each Fabric A roll-up strip with a Fabric B varied strip. Sew the strips lengthwise together alternating Fabric A and Fabric B strips.


*Tip: For speed and efficiency consider chain piecing.*




2. Create one long rectangle of strips using all of the strips. Trim top and bottom to true up.



3. Cut the pieced rectangle lengthwise into 2-1/2" strips.




- From the 2-1/2" strips, cut twenty-seven striped strips 2-1/2" x 14". Cut the 14" strips from varying sections of the strips, so that they are randomized. (Do not just cut straight 14" sections or there will be less variation in your final blocks.)



The short, unused sections in diagram A were collected and sewn again to make new 14" strips, as shown in diagram B.


- Sew the 2-1/2" x 14" Fabric B pieces to the striped 2-1/2" x 14" strips. Alternate using three of each solid and striped.

Make nine blocks.



*Make nine*

- Trim each block to 12" x 12" ensuring you trim off of the background strip along the top. Try to avoid trimming the striped sections, except at the sides.




7. Sew three 12"x12" blocks to two Fabric B 6-1/2"x12" rectangles, alternating the pieces as pictured. Make three columns.

The stripes in each block should orient as follows:


1st Row: up & down/ side to side / up & down

2nd Row: side to side/ up & down/ side to side


3rd Row: up & down/ side to side/ up & down




8. Sew the Fabric B 6-1/2" x 47" strips to the three block columns and trim.



9. Sew Fabric B 6-1/2" x 60" strips to the top and bottom of the quilt center and trim off the extra length to even up.



10. The quilt is now 58-1/2" x 58-1/2".  
Trim off 1/4 inch around the quilt to make it 58" x 58".



Your quilt top is complete!  
Baste, quilt, bind and enjoy