

SLICED

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring

Full Speed Ahead! 

Fat Quarter
Friendly



Finished quilt measures: 70" x 87-1/2"






Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed


Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
		FQ-2333-24 FULL SPEED AHEAD	One Fat Quarter Bundle		C	K001-1031 BLUE GRASS	1/3 yard OR FAT QUARTER
	A	K001-454 PRUSSIAN	1-5/8 yards		Binding*	K001-454 PRUSSIAN	5/8 yard
	B*	SRKD-24035-73 LAKE	1-1/4 yards	You will also need: 7 yards for backing			
		*Also included in the Fat Quarter Bundle					
Copyright 2026, Robert Kaufman For individual use only - Not for resale							

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions



From each Fat Quarter and Fabric C, cut:

one 9-1/2" x WOF strip. Subcut:
two 9-1/2" squares.

one 5" x WOF strip. Subcut:
four 5" squares.

From Fabric A, cut:

- thirty-four 1-1/2" x WOF strips. Subcut:
 - thirty 1-1/2" x 9-1/2" short horizontal sashing strips.
 - thirty-five 1-1/2" x 15" vertical sashing strips.

Sew the remaining nine strips together, end-to-end, then trim:
six 1-1/2" x 61-1/2" long horizontal sashing strips.

From Fabric B, cut:

- eight 5" x WOF strips. Sew the strips together, end-to-end, then trim:
 - two 5" x 79" side borders
 - two 5" x 70-1/2" top/bottom borders

From the Binding Fabric, cut:

- eight 2-1/2" x WOF strips

Assemble the Blocks



Step 1: Gather:

- two 5" squares
- one 1-1/2" x 9-1/2" fabric A horizontal sashing strip
- one 9-1/2" square



Arrange the units as shown, forming an A Block.




Step 2: Sew the two 5" squares together. Press.




Step 3: Sew the 1-1/2" x 9-1/2" Fabric A horizontal sashing strip to the bottom of the unit. Press.

Step 4: Sew the 9-1/2" square to the bottom of the unit. Press to complete one A Block. Make a total of fifteen.





Step 5: Gather:
 one 9-1/2" square
 one 1-1/2" x 9-1/2" fabric A horizontal sashing strip
 two 5" squares



Arrange the units as shown, forming a B Block.



Step 6: Sew the two 5" squares together. Press.




Step 7: Sew the 1-1/2" x 9-1/2" Fabric A horizontal sashing strip to the top of the unit. Press.

Step 8: Sew the 9-1/2" square to the top of the unit. Press to complete one B Block. Make a total of fifteen.



Assemble the Quilt

Step 9: Arrange the blocks together as indicated in the Quilt Assembly Diagram. Notice how the A and B Blocks alternate across the rows and each row is alike. Sew each row together, using a 1-1/2" x 15" Fabric A vertical sashing strip between each block and on both ends. Press the seams towards the sashing. Repeat to make five rows.





Step 10: Sew the Fabric A 1-1/2" x 61-1/2" long horizontal sashing strips in between each row and on the top and bottom of the quilt center. Press towards the sashing strips.

Step 11: Sew the side borders to the sides of the quilt center. Press towards the borders. Sew the top and bottom borders to the quilt center. Press towards the borders.

Your quilt top is complete! Baste, quilt, and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2024. All rights reserved.