Garden Path

Designed by Robert Kaufman Fabrics





Finished quilt measures: 71" x 88"



Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	А	SRK-14857-185 STEEL	4-1/4 yards		K	SRK-14855-10 PINK	1/4 yard
	В	SRK-14852-3 RED	1/4 yard		L	SRK-14856-15 IVORY	1/4 yard
	С	SRK-14852-8 ORANGE	1/4 yard		М	SRK-14856-43 LEAF	1/4 yard
	D	SRK-14852-9 NAVY	1/2 yard		N	SRK-14856-47 GRASS	1/4 yard
	Е	SRK-14852-67 DENIM I	1/4 yard		0	SRK-14856-129 MARIGOLD	1/4 yard
	F	SRK-14852-280 WINE	1/2 yard		Р	SRK-14857-3 RED	1/4 yard
	G	SRK-14853-42 PALM	1/4 yard		Q	SRK-14857-23 LAVENDER	1/4 yard
	Н	SRK-14853-70 AQUA	1/4 yard		R	SRK-14905-128 DAFFODIL	1/4 yard
	I	SRK-14854-10 PINK	1/4 yard		S	SRK-14905-245 MIST	1/4 yard
	J	SRK-14854-192 SPRING	1/4 yard		T	SRK-14905-270 MEADOW	1/4 yard

For individual use only - Not for resale Copyright 2014, Robert Kaufman You will also need:
- 1/2 yard Binding Fabric
- 5-1/4 yards Backing Fabric

Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Press all seam allowances open after each seam is sewn, unless otherwise noted.
- Remember to measure twice and cut once!

Cutting Instructions

Fabric A

- Cut eleven strips 5-3/4" x WOF, then subcut each strip into eighteen rectangles 2-1/4" x 5-3/4".
- Cut ten strips 2-1/4" x WOF, then subcut each strip into eighteen squares 2-1/4" x 2-1/4".
- Cut Twenty-four strips 2-3/4" x WOF", then subcut each strip into fifteen squares 2-3/4" x 2-3/4".

Fabric B, I, L, N, O, Q, S and T

- Cut one strip 4" x WOF, then subcut into nine squares 4" x 4".
 - From remaining fabric, cut two squares 2-3/4" x 2-3/4".
- Cut one strips 2-3/4" x WOF, then subcut a total of sixteen squares 2-3/4" x 2-3/4".

Fabric E

- Cut one strip 4" x WOF, then subcut into eight squares 4" x 4".
- Cut one strip 2-3/4" x WOF, then subcut a total of sixteen squares 2-3/4" x 2-3/4".

Fabric C, J, M and P

- Cut one strip 4" x WOF, then subcut into eight squares 4" x 4".
- Cut one strip 2-3/4" x WOF, then subcut a total of sixteen squares 2-3/4" x 2-3/4".
- Cut five squares 2-1/4" x 2-1/4".

Fabric G, H, K, R

- Cut one strip 4" x WOF, then subcut into eight squares 4" x 4".
- Cut one strip 2-3/4" x WOF, then subcut a total of sixteen squares 2-3/4" x 2-3/4".
- Cut four squares 2-1/4" x 2-1/4".

Fabric D

- Cut two strips 4" x WOF, then subcut into a total of seventeen squares 4" x 4".
- Cut three strips 2-3/4" x WOF, then subcut a total of thirty-four squares 2-3/4" x 2-3/4".

Fabric F

- Cut two strips 4" x WOF, then subcut into a total of seventeen squares 4" x 4".
- Cut three strips 2-3/4" x WOF, then subcut a total of thirty-four squares 2-3/4" x 2-3/4".
- From remaining fabric cut four squares 2-1/4" x 2-1/4".

Assembly Instructions

Step One: Make Half Square Triangles (HSTs)

- Place a Fabric A 2-3/4" x 2-3/4" square right sides together with a Fabric B 2-3/4" x 2-3/4" square.
- Draw a diagonal line from corner to corner and then sew a scant 1/4" from each side of the line (fig. 1).
- Cut apart along the drawn line (fig. 2).
- You will now have 2 half square triangles.
- Trim to 2-1/4" x 2-1/4" (fig 3).
- Repeat to make HSTs with all of the 2-3/4" x 2-3/4" squares, always matching a Fabric A square with a Fabric B-T square.




fig. 1






fig. 2




Step Two: Make Bear Claw Units

- Sew four A/B HSTs and one Fabric A 2-1/4" x 2-1/4" square to a Fabric B 4" x 4" square as pictured (fig 4).



- Repeat to make one-hundred seventy-eight bear claw units, always matching the HSTs with a matching 4" x 4" square (fig. 5).
- Use the chart on page 5 to organize the HSTs and squares for ease in assembling.



Bear Claw Unit Assembly Chart

Fabric	# of HSTs	# of 4x4 squares	# of Fabric A squares (2-1/4")	# of bear claw units to make
В	36	9	9	9
С	32	8	8	8
D	68	17	17	17
E	32	8	8	8
F	68	17	17	17
G	32	8	8	8
Н	32	8	8	8
I	36	9	9	9
J	36	9	9	9
K	32	8	8	8
L	36	9	9	9
М	32	8	8	8
N	36	9	9	9
0	36	9	9	9
Р	32	8	8	8
Q	36	9	9	9
R	32	8	8	8
S	36	9	9	9
T	36	9	9	9

Step Three: Make Bear Claw Blocks

Use fig. 9 on page 6 as a guide to lay out the blocks.

- Sew a bear claw unit to each long side of a Fabric A 2-1/4" x 5-3/4" rectangle. Press seam allowance towards Fabric A (fig. 6).
- Repeat to make a second set.
- Sew a Fabric A 2-1/4" x 5-3/4" rectangle to opposite sides of a 2-1/4" x 2-1/4" square. Press seam allowance towards Fabric A (fig. 7).
- -Sew the three rows together as pictured (fig. 8).








fig. 7



Assemble the Bear Claw blocks as indicated below.

The blocks for the edges of the quilt will only have three bear claw units per block.





Step Four: Assemble the Quilt Top

- Sew the blocks into diagonal rows and then sew rows together to make the quilt top.




Fig. 10: Quilt Assembly Diagram

Step Five: Finishing

- True up all four sides of the quilt top to create straight edges (fig. 11).



fig. 11

Your quilt top is complete! Baste, quilt, bind & enjoy.