


GARDEN RINGS

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring

petite garden
SEVENBERRY®



Finished quilt measures: 84" x 96"

Pattern Level: Advanced Expert











*"My skills are sharp, so I'm ready to
take on the hard stuff."*

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	6-3/4 yard		F	SB-6116D4-2 BLUE	1/4 yard
	B	SB-6116D1-1 SPRING	1/2 yard		G	SB-6116D3-2 BLUE	3/8 yard
	C	SB-6116D1-3 BLUE	1/2 yard		H	SB-6116D3-1 SPRING	5/8 yard
	D	SB-6116D4-1 SPRING	1/2 yard		I	SB-6116D2-3 PURPLE	3/4 yard
	E	SB-6116D1-4 PURPLE	1/4 yard		J	SB-6116D2-1 PINK	7/8 yard
<p>Copyright 2016, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 7-3/4 yards for backing 3/4 yards for binding</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Prepare

Prior to cutting the fabric, decide which method of appliqué you will choose for the blocks: Raw Edge appliqué or Needle Turn. If choosing Raw Edge, cut the outer curves of the templates on the dotted lines before cutting the fabric. If choosing Needle Turn, cut the templates on the solid lines.

Cutting Instructions

From Fabric A, cut:

fourteen 12-1/2" x WOF strips. Subcut:

forty-two 12-1/2" squares

nine 4-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

two 4-1/2" x 86-1/2" side outer borders

two 4-1/2" x 82-1/2" top/bottom outer borders

From Fabric B, cut:

twelve Template 1 pieces

two Template 5 pieces

From Fabric C, cut:

forty-nine Template 3 pieces

From Fabric D, cut:

twelve Template 1 pieces

three Template 5 pieces

From Fabric E, cut:

four Template 1 pieces

two Template 5 pieces

From Fabric F, cut:

forty-nine Template 2-Reversed pieces (set aside for the pieced arc units)

forty Template 2 pieces

From Fabric G, cut:

forty-nine Template 4-Reversed pieces

From Fabric H, cut:

forty-nine Template 2 pieces (set aside for the pieced arc units)

forty Template 2-Reversed pieces

two Template 5 pieces

From Fabric I, cut:

nine 1-1/2" x WOF strips. Sew together, end-to-end, then trim to yield:

two 1-1/2" x 82-1/2" side inner borders

two 1-1/2" x 74-1/2" top/bottom inner borders

forty-nine Template 4 pieces


From Fabric J, cut:

forty-nine Template 3-Reversed pieces


From the Binding Fabric, cut:
ten 2-1/2" x WOF strips for binding

Overview


This quilt is composed of four block types:




A Blocks - make nine



B Blocks - make nine



C Blocks - make ten



D Blocks - make ten

and four plain blocks cut from the background fabric (Fabric A).

Refer to the Quilt Assembly Diagram for proper fabric placement within the blocks.

Appliqué Instructions

For Raw Edge Appliqué Method


Center each arc along one edge of a 12-1/2" Fabric A background square, with the raw ends of each arc aligned with the raw edge of the square. Ensure that corners of the arc extend to the corner of the background squares. Pin or baste in place, then, using a small zigzag stitch, edge stitch around the outer and inner curve. Baste the straight edges of the arcs in the corners using a straight stitch and a 1/8" seam allowance.

For Needle Turn Appliqué Method

Center each arc along one edge of a 12-1/2" Fabric A background square, with the raw ends of each arc aligned with the raw edge of the square. Ensure that corners of the arc extend just beyond the corners of the background squares. (They will align with the corners


once the seam allowance is turned under) Hand-baste in place, 1/4" from each curved edge. Then, turn the raw edges of the inner and outer curve under by 1/8" to meet the basting stitch. Sew the curved edges down with your preferred appliqué stitch. Baste the straight edges of the arcs in the corners using a straight stitch and a 1/8" seam allowance. Remove the hand-basting stitches.

Assemble the A Blocks



Gather nine 12-1/2" Fabric A background squares and all Template 5 pieces. Appliqué one Template 5 piece to each of the nine blocks.

Assemble the B Blocks



Gather:
 one 12-1/2" Fabric A background square
 one Fabric H, Template 2 piece
 one Fabric C, Template 3 piece
 one Fabric I, Template 4 piece
 one Fabric G, Template 4-Reversed piece
 one Fabric J, Template 3-Reversed piece
 one Fabric F, Template 2-Reversed piece


Sew the Templates pieces together, left to right, in the order listed. Use a 1/4" seam allowance and press the seams open or to one side. Refer to the illustration as needed.



Repeat to make nine units.

Stitch one arc to each background square, just as you did in the A Blocks.

Assemble the C Blocks



Gather:

one 12-1/2" Fabric A background square

four Fabric F, Template 2 pieces

four Fabric E, Template 1 pieces

four Fabric H, Template 2-Reversed pieces


Sew one of each Templates piece together, left to right, in the order listed. Use a 1/4" seam allowance and press the seams open or to one side. Refer to the illustration as needed.



Repeat to make four arcs.

Stitch four arcs to each background square, one arc per edge. Repeat the remaining Template 1 pieces (substituting them for Fabric E) to make ten C Blocks.

Assemble the D Blocks



Gather:

one 12-1/2" Fabric A background square

four Fabric H, Template 2 pieces

four Fabric C, Template 3 pieces



four Fabric I, Template 4 pieces

four Fabric G, Template 4-Reversed pieces

four Fabric J, Template 3-Reversed pieces

four Fabric F, Template 2-Reversed pieces


Sew one of each Templates piece together, left to right, in the order listed. Use a 1/4" seam allowance and press the seams open or to one side. Refer to the illustration as needed.



Repeat to make four arcs.

Stitch four arcs to each background square, one arc per edge. Repeat to make ten D Blocks.

Assemble the Quilt



Quilt Assembly Diagram

Step 1: Arrange the blocks in seven rows of six blocks each, placing by following the Quilt Assembly Diagram.

Step 2: Sew the blocks together to form rows, pressing the block seams to the left in the odd numbered units and to the right in the even numbered units.

Step 3: Sew the rows together to form the quilt center, nesting the seams and pressing the row seams open or all in one direction.

Step 4: Sew the side inner border strips to the sides of the quilt center. Press the seams toward the border. Sew the top/bottom inner border strips to the remaining edges of the quilt center. Press the seams toward the border.

Step 5: Sew the side inner outer strips to the sides of the quilt center. Press the seams toward the border. Sew the top/bottom outer border strips to the remaining edges of the quilt center. Press the seams toward the border.

Your quilt top is complete! Baste, quilt, bind and enjoy!

1" box for
scale

ROBERTKAUFMAN
F A B R I C S

GARDEN RINGS

TEMPLATE 1

Tape two parts of Template 1
together along red line.

ROBERTKAUFMAN
GARDEN RINGS
TEMPLATE 2

ROBERTKAUFMAN
F A B R I C S

GARDEN RINGS

TEMPLATE 3

ROBERTKAUFMAN
F A B R I C S

GARDEN RINGS

TEMPLATE 4

1" box for
scale

ROBERTKAUFMAN
F A B R I C S

GARDEN RINGS

TEMPLATE 5

Tape two parts of Template 5
together along red line.

MANI
c s

RINGS

E 5