


GILDED CABINS

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring ARTISAN
ARTIFACTS

Farm Stand_™



Finished quilt measures: 72" x 72"















Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-7000-199 ANTIQUÉ	1/2 yard		H	AMD-21686-421 PEAPOD	1/2 yard
	B	AMD-21687-321 SUNKISSED	1/4 yard		I	AMD-21684-329 FIG	1/2 yard
	C	AMD-21690-8 ORANGE	1/4 yard		J	AMD-21688-47 GRASS	5/8 yard
	D	AMD-21689-137 LEMON	1/4 yard		K	AMD-21690-221 AUBERGINE	5/8 yard
	E	AMD-21685-318 PINK NECTAR	1/3 yard		L	AMD-21689-43 LEAF	2/3 yard
	F	AMD-21685-134 CITRUS	1/3 yard		M	AMD-21684-25 EGGPLANT	2 yards
	G	AMD-21690-281 POMEGRANATE	3/8 yard		Binding*	AMD-21684-329 FIG	5/8 yard
				<i>*Also used for Fabric I</i>			
<p>Copyright 2022, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 4-1/2 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

two 3-1/2" x WOF strips. Subcut:

- sixteen 3-1/2" squares for Piece 1 (Block Centers)

six 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

- two 1-1/2" x 60-1/2" side inner borders
- two 1-1/2" x 62-1/2" side outer borders

From Fabric B, cut:

three 1-1/2" x WOF strips. Subcut:

- sixteen 1-1/2" x 3-1/2" rectangles for Piece 2
- sixteen 1-1/2" x 4-1/2" rectangles for Piece 3

From Fabric C, cut:

four 1-1/2" x WOF strips. Subcut:

- sixteen 1-1/2" x 4-1/2" rectangles for Piece 4
- sixteen 1-1/2" x 5-1/2" rectangles for Piece 5

From Fabric D, cut:

five 1-1/2" x WOF strips. Subcut:

- sixteen 1-1/2" x 5-1/2" rectangles for Piece 6
- sixteen 1-1/2" x 6-1/2" rectangles for Piece 7

From Fabric E, cut:

six 1-1/2" x WOF strips. Subcut:

- sixteen 1-1/2" x 6-1/2" rectangles for Piece 8
- sixteen 1-1/2" x 7-1/2" rectangles for Piece 9

From Fabric F, cut:

seven 1-1/2" x WOF strips. Subcut:

- sixteen 1-1/2" x 7-1/2" rectangles for Piece 10
- sixteen 1-1/2" x 8-1/2" rectangles for Piece 11

From Fabric G, cut:

eight 1-1/2" x WOF strips. Subcut:

- sixteen 1-1/2" x 8-1/2" rectangles for Piece 12
- sixteen 1-1/2" x 9-1/2" rectangles for Piece 13

From Fabric H, cut:

one 2-1/2" x WOF strip. Subcut:

- four 2-1/2" squares for the quilt center. Mark a diagonal line on the back of each square.

eight 1-1/2" x WOF strips. Subcut:

- sixteen 1-1/2" x 9-1/2" rectangles for Piece 14
- sixteen 1-1/2" x 10-1/2" rectangles for Piece 15

From Fabric I, cut:

ten 1-1/2" x WOF strips. Subcut:

- sixteen 1-1/2" x 10-1/2" rectangles for Piece 16
- sixteen 1-1/2" x 11-1/2" rectangles for Piece 17

From Fabric J, cut:

twelve 1-1/2" x WOF strips. Subcut:

- sixteen 1-1/2" x 11-1/2" rectangles for Piece 18
- sixteen 1-1/2" x 12-1/2" rectangles for Piece 19

From Fabric K, cut:

twelve 1-1/2" x WOF strips. Subcut:

- sixteen 1-1/2" x 12-1/2" rectangles for Piece 20
- sixteen 1-1/2" x 13-1/2" rectangles for Piece 21

From Fabric L, cut:

fourteen 1-1/2" x WOF strips. Subcut:

- sixteen 1-1/2" x 13-1/2" rectangles for Piece 22
- sixteen 1-1/2" x 14-1/2" rectangles for Piece 23

From Fabric M, cut:

eight 5-1/2" x WOF strips. Sew together, end-to-end, then trim:

- four 5-1/2" x 75" outer borders


sixteen 1-1/2" x WOF strips. Subcut:

- sixteen 1-1/2" x 14-1/2" rectangles for Piece 24
- sixteen 1-1/2" x 15-1/2" rectangles for Piece 25

From the Binding Fabric, cut:

eight 2-1/2" x WOF strips

Assemble the Blocks



Step 1: Gather:
one Fabric A square
one of each Piece 2-25

Arrange the block pieces as shown. Start at the center of the block and sew pieces together to form the log cabin block, working toward the outermost pieces and sewing in numerical order. Press the seams open or away from the center.


The block will measure 25-1/2" square.

Step 2: Repeat Step 1 to make a total of sixteen blocks.

Step 3: Place a 2-1/2" Fabric H square right sides together in the Fabric M corner of one block, orienting the marked line as shown. Sew on the marked line, trimming away the excess to leave a 1/4" seam allowance and press. Repeat to make four blocks like this for the center of the quilt.



Assemble the Quilt



Step 4: Arrange the blocks into four rows of four blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram, especially the Step 3 Blocks.

Step 5: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 6: Sew the rows together to form the quilt center. Press the row seams open.


Step 7: Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 8: Center and pin one side outer border to the quilt top. Sew the border, starting and stopping 1/4" from each end of the quilt top. Repeat with the remaining side outer border. Repeat with the top and bottom borders. *Note: borders will extend beyond the quilt's edge.*





Step 9: Fold the quilt diagonally, right sides together and align two of the borders directly on top of each other.

Use your ruler to draw a line from the corner of the quilt to the edge of the border.



Step 10: Sew along this marked line, beginning at the point where your border stitching had ended and sew to the edge of the border. Check to be sure the mitered border presses flat from the front, then trim 1/4" away from the marked line, removing the excess border length.





Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2022. All rights reserved.