

# GRINCH CHRISTMAS STOCKINGS

Designed by RK  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring

**How  
The GRINCH STOLE  
CHRISTMAS!**  
Dr. Seuss



Finished size 10" x 18"


Difficulty Rating: **Beginner**

**ROBERT KAUFMAN**  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	
	A	ADE-20276-223 HOLIDAY	1 yard (1 panel)	Copyright 2021, Robert Kaufman For individual use only - Not for resale

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!


## Cutting Instructions

### From Fabric A, cut:

stocking exteriors (4) and linings (4), cuff rectangles (2) and hanging loop rectangles (2)  
(cut each on the lines printed on the panel)

## Assemble the Stockings

**Step 1:** Fold the hanging loop RST in half along the length (matching the long sides). Sew along the raw edge with a 1/4" seam allowance, backstitching at each end. Turn the tube right side out using a safety pin or turning tool. Press. Align the raw ends of the tube and baste together.



**Step 2:** Pin the basted loop at the back edge of one of the stocking Exteriors, raw edges aligned, and baste in place.



Place the remaining stocking Exterior on top, right sides together. The hanging loop will be sandwiched between. Sew together, using a 1/4" seam allowance and backstitching at each end. Leave the top unsewn. *Tip: Shorten the stitch length on your machine to aid in sewing the curves.*




**Step 3:** Repeat Step 2 for the lining, using two matching lining prints. This time, leave a 3" opening on the side of the lining for turning later. Backstitch at both ends of each seam.



**Step 4:** Clip the seam allowance at the curves, taking care not to clip the stitching.

**Step 5:** Fold the cuff RST in half, matching the short sides. Sew along the raw edge with a 1/4" seam allowance, backstitching at each end. Press the seam open. Fold the cuff to form a tube, with wrong sides together and long raw edges aligned. Press and baste the raw edges together.



**Step 6:** Place the cuff around the main body of the stocking exterior, with the cuff facing out and aligning the raw edges of the stocking opening and the cuff. Pin. Baste the cuff in place around the opening with a 1/4" seam allowance.



**Step 7:** Turn the lining piece wrong side out. Insert the exterior stocking/cuff unit inside the lining. The right sides of the stockings should be together and the cuff should be sandwiched between the two stockings. Pin around the opening and sew around the opening, using a 1/2" seam allowance.

**Step 8:** Turn the stocking right side out through the opening in the lining. Tuck the raw edges of the opening in and sew the opening closed.

**Step 9:** Push the lining into the stocking, then fold down the cuff. Give the stocking a good press again, then find a chimney with a hook and wait for Santa!

