Hello Tokyo Quilts



featuring **Hello Tokyo** by The Red Thread

Supplies needed for Pink Quilt:

A) ALL-14001-287 - 3/4 yd B) ALL-14001-267 - 1/6 yd C) ALL-13999-287 - 1/3 yd D) ALL-13999-267 - 1/3 yd E) ALL-14003-267 - 1/3 yd F) ALL-14003-287 - 2/3 yd G) ALL-14002-287 - 2/3 yd H) ALL-14000-287 - 1/2 yd I) ALL-13998-287 - 1 FULL PANEL Fusibile Web - 2/3 yd Backing - 4 yds

Supplies needed for Blue Quilt:

A) ALL-14001-263 - 3/4 yd B) ALL-14001-287 - 1/6 yd C) ALL-13999-287 - 1/3 yd D) ALL-13999-267 - 1/3 yd E) ALL-14003-267 - 1/3 yd F) ALL-14003-263 2/3 yd G) ALL-14002-287 - 2/3 yd H) ALL-14000-267 - 1/2 yd I) ALL-13998-287 - 1 FULL PANEL Fusibile Web - 2/3 yd Backing - 4 yds



For individual use only - Not for resale

Pattern Level: Enthusiastic Novice

"I am a total beginner and want to learn more!"

Step 1 – Cut the Fabric

NOTE: All dimensions include ¼ inch seam allowance. See cutting guide for piece placement.

Fabric A: Cut (2) 14.5" x 12.5" Cut (2) 12.5" x 10.5" Cut (2) 22.5" x 3.5" Cut (1) 16.5" x 7.5"

← 14.5″ →	$\longleftarrow 12.5" \longrightarrow \longleftarrow 12.5" \longrightarrow$
↑ 12.5″	↑ 10.5″ ↓
↑	$\uparrow \qquad \longleftarrow 16.5" \longrightarrow$ 7.5" $\downarrow \qquad \qquad$
12.5″ ↓	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$

Fabric B: Cut (4) 8.5" x 5.5"

$\left \uparrow\uparrow\downarrow\downarrow \otimes 8.5"\rightarrow\right \in$	-8.5"→	$\leftarrow 8.5" \rightarrow$	$\leftarrow 8.5" \rightarrow$	
5.5″ ↓				

Fabric C: Cut (2) 25.5" x 5.5" Cut (1) 16.5" x 4.5"

$ \begin{array}{c} \uparrow & \longleftarrow 25.5" \\ \downarrow & \checkmark \end{array} $	$ \begin{array}{c} \uparrow & \longleftarrow 16.5'' \\ 4.5'' \\ \psi \end{array} $
↑ 5.5″ ↓	

Fabric D: Cut (2) 19.5" x 5.5" Cut (2) 14.5" x 5.5"

$ \begin{array}{c} \uparrow & \longleftarrow 19.5" \longrightarrow \\ 5.5" \\ \downarrow \end{array} $	$ \begin{array}{ccc} & & & & & \\ \uparrow & & & & \\ 5.5'' & & & \\ & & & \\ \end{array} $
$\uparrow \longleftrightarrow 14.5" \longrightarrow $	←14.5″→

Fabric E: Cut (1) 16.5" x 11.5" Cut (2) 6.5" x 8.5"

← 16.5″→ ↑ 11.5″	$ \begin{array}{c} \leftarrow 8.5" \rightarrow \\ \uparrow \\ 6.5" \\ \psi \end{array} $	← 8.5″ →	

Fabric F: Cut (2) 22.5" x 11.5" Cut (2) 8.5" x 6.5"

$\begin{array}{c} \longleftarrow 22.5'' \longrightarrow \\ \uparrow \\ 11.5'' \\ \downarrow \end{array}$	$ \begin{array}{c c} \leftarrow 8.5" \rightarrow & \leftarrow 8.5" \rightarrow \\ \uparrow \\ 6.5" \\ \psi \end{array} $
↑ 11.5″ ↓	

Fabric G: STRIPS ARE FUSSY CUT. Ensure each strip contains the required number of print tiles, print tiles are 3 inches square.

Cut (2) 3.5" x 17.5" strips across width of fabric. They should include 5 complete tiles and approximately 2/3 of a sixth tile. On one strip, the incomplete tile should be at the left hand end, on the other, the right hand end.

Cut (4) 3.5" x 15.5" strips along the length of the fabric. They should include 5 complete tiles plus seam allowance.

Cut (2) 3.5" x 9.5" strips along the length of the fabric. They should include 3 complete tiles plus seam allowance.



Fabric H: Cut (2) 9.5" x 12.5" Cut (2) 17.5" x 8.5"

 ← 9.5" → ↑ 12.5" 	← 9.5″ →	$ \begin{array}{c} \uparrow & \longleftarrow 17.5'' \longrightarrow \\ 8.5'' \\ \downarrow & \\ \end{array} $
↓		↑ 8.5″ ↓

Fabric I: Cut out all six large figures, leaving a generous edge allowance. Cut fusible webbing to size and apply as per manufacturer's instructions. Trim excess fabric from figures, flush to edges. Do not leave a seam allowance.

Step 3 – Assembling the Blocks

Follow the construction diagrams. Note the mirrored positioning of fabrics on second blocks – refer to construction diagram 1.

Leave $\frac{1}{4}$ " seam allowance on all seams.

Press all seams towards darker fabric working the next seam.

Block 1: Make 2

Sew (1) 25.5" x 5.5" fabric C to (1) 8.5" x 5.5" fabric B along 5.5" edge.

Block 2: Make 2

Sew (1) 14.5" x 12.5" fabric A to (1) 14.5" x 5.5" fabric D along 14.5" edge. Sew (1) 17.5" x 8.5" fabric H along 17.5" edge of fabric A/D block.

Block 3: Make 2

Sew (2) 3.5" x 15.5" and (1) 3.5" x 9.5" fabric G along 3.5" edges to form a strip. Take care to match edges of printed tiles along seam lines.

Block 4: Make 2

Sew (1) 8.5" x 5.5" fabric B to (1) 6.5" x 8.5" fabric E along 8.5" edge. Sew (1) 8.5" x 6.5" fabric F to second 8.5" edge of fabric B.

Block 5: Make 2

Sew (1) 9.5" x 12.5" fabric H to (1) 12.5" x 10.5" fabric A along 12.5" edge. Sew (1) 19.5" x 5.5" fabric D along 19.5" edge of fabric H/A block. Position (1) 3.5" x 17.5" fabric G along 17.5" edge of H/A/D block so that the incomplete printed tiles are at the edges of the quilt, sew.

Block 6: Make 2

Sew (1) 22.5" x 11.5" fabric F to (1) 22.5" x 3.5" fabric A along 22.5" edge.

Block 7: Make 1

Sew (1) 16.5" x 4.5" fabric C to (1) 16.5" x 11.5" fabric E along top 16.5" edge. Sew (1) 16.5" x 7.5" fabric A to (1) 16.5" x 11.5" fabric E along bottom 16.5" edge.

Sew completed blocks together as shown in construction diagram 2. Arrange applique figures as shown on quilt top, using the photograph as a guide. Iron into place and sew around edges using blanket or zigzag stitch.

Back, quilt and bind as desired.



	1			_	
	2	2 4		5	
3	6		7	6	3
5		4		2	
				1	-