


HIGHLAND

Designed by Ariga Wilson for RK
www.robertkaufman.com

Featuring ARTISAN
BATIKS

Magical Winter
by Lynn



Finished quilt measures: 51" x 68"









Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMDM-20345-15 IVORY	2-5/8 yards		E	AMDM-20350-312 STARRY NIGHT	1/4 yard
	B	AMDM-20348-14 NATURAL	1 yard		F	AMDM-20349-4 BLUE	1/2 yard
	C	AMDM-20346-63 SKY	1/2 yard		G	AMDM-20347-80 EVENING	1/2 yard
	D	AMDM-20349-80 EVENING	1/4 yard		Binding*	AMDM-20349-80 EVENING <i>*Also used for Fabric D</i>	1/2 yard
<p>Copyright 2021, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 3-1/3 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!
- Square-in-a-square has been abbreviated to SIAS.
- Half-square triangle has been abbreviated to HST.

Cutting Instructions

From Fabric A, cut:

eight 3-1/2" x WOF strips. Subcut:

ninety-six 3-1/2" squares

fourteen 2-7/8" x WOF strips. Subcut:

one hundred ninety-two 2-7/8" squares for the Flying Geese

ten 2-3/8" x WOF strips. Subcut:

one hundred fifty-eight 2-3/8" squares for the SIAS Blocks. Cut each square in half along one diagonal.

From Fabric B, cut:

ten 3-1/2" x WOF strips. Subcut:

one hundred ten 3-1/2" squares

From Fabric C, cut:

two 2-5/8" x WOF strips. Subcut:

thirty-one 2-5/8" squares for the SIAS Blocks

four 2-3/8" x WOF strips. Subcut:

sixty-four 2-3/8" squares for the SIAS Blocks. Cut each square in half along one diagonal.

From Fabric D, cut:

two 2-5/8" x WOF strips. Subcut:

thirty-two 2-5/8" squares for the SIAS Blocks

From Fabric E, cut:

three 2-5/8" x WOF strips. Subcut:

forty-eight 2-5/8" squares for the SIAS Blocks

From each of Fabrics F and G, cut:

three 4-1/4" x WOF strips. Subcut:


twenty-four 4-1/4" squares for the Flying Geese

From the Binding Fabric, cut:


seven 2-1/2" x WOF strips

Assemble the Square in a Square Blocks (SIAS)

Step 1: Sew a Fabric C triangle to opposite sides of a 2-5/8" Fabric D square. Press seam allowances toward the triangles. Repeat on remaining sides of the Fabric D square. Trim the SIAS block to 3-1/2" square. Make thirty-two D/C SIAS Blocks.



Step 2: Repeat Step 1 to make:




thirty-one C/A SIAS Blocks




forty-eight E/A SIAS Blocks

Assemble the Flying Geese Blocks


Step 3: Pin two 2-7/8" Fabric A squares in opposing corners of a Fabric F square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.




Step 4: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.




Step 5: Press the fabric toward smaller triangles. Repeat with the second unit.



Step 6: Place one 2-7/8" Fabric A square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.



Step 7: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 2" x 3-1/2" if necessary. Repeat to make four flying geese blocks.




Step 8: Repeat with all remaining 4-1/4" Fabric F and Fabric G squares and 2-7/8" Fabric A squares to make a total of ninety-six F/A and ninety-six G/A flying geese blocks.



Assemble the Quilt

Step 9: Arrange the blocks into twenty-nine diagonal rows. Note the fabric placement in the Quilt Assembly Diagram.



Step 10: Sew the blocks together to form rows. Press the seams in opposite directions every other row.

Step 11: Sew the rows together to form the quilt center. Press the row seams open or to one side.

Step 12: Trim the outer edge of the quilt to form straight edges, noting how the edge is trimmed 1/4" beyond the seam intersections. The resulting quilt should measure 51" x 68".



Your quilt top is complete! Baste, quilt, bind and enjoy!