HIGHLAND

Designed by Ariga Wilson for RK www.robertkaufman.com

Featuring





Finished quilt measures: 51" x 68"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	2-1/2 yards		E	K001-856 QUICKSILVER	1/2 yard
	В	K001-1837 CHALKBOARD	1/2 yard		F	K001-839 DOVE	1 yard
	С	KOO1-91 STEEL	1/2 yard		G	K001-359 PEPPER	1/3 yard
	D	K001-500 TITANIUM	1/2 yard		Binding*	K001-359 PEPPER Also used for Fabric G	5/8 yard
Copyright 2022, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/3 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4 unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST
- Square-in-a-Square has been abbreviated to SIAS
- Half-Square Triangle has been abbreviated to HST
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

ten 3-1/2" x WOF strips. Subcut:

one hundred ninety-two 2" x 3-1/2" rectangles

one 2-1/2" x WOF strip. Subcut:

seven 2-1/2" squares for the HSTs

nineteen 2-3/8" x WOF strips. Subcut:

two-hundred and eighty-eight 2-3/8" squares for the flying geese

thirty-four 2-3/8" squares for the SIAS units. Cut each square in half along one diagonal.

one 2" x WOF strip. Subcut:

fourteen 2" squares. Cut each square in half along one diagonal.

From each of Fabrics B-D, cut:

three 4-1/4" x WOF strips. Subcut:

twenty-four 4-1/4" squares for the flying geese

From Fabric E. cut:

two 2-5/8" x WOF strips. Subcut:

seventeen 2-5/8" squares for the SIAS blocks

three 2-1/2" x WOF strips. Subcut:

forty-eight 2-1/2" squares for the HSTs

two 2" x WOF strips. Subcut:

twenty-eight 2" squares. Cut each square in half along one diagonal.

From Fabric F, cut:

two 3-7/8" x WOF strips. Subcut:

fourteen 3-7/8" squares. Cut each square in half along one diagonal.

seven 3-1/2" x WOF strips. Subcut:

eighty-two 3-1/2" squares

From Fabric G, cut:

three 2-1/2" x WOF strip. Subcut:

forty-one 2-1/2" squares for the HSTs

one 2" x WOF strip. Subcut:

fourteen 2" squares. Cut each square in half along one diagonal.

From the Binding Fabric, cut:


seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)



Step 1: Pair a 2-1/2" Fabric G square with a 2-1/2" Fabric E square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2" square. Repeat to make eighty-two G/E HSTs.

Repeat to make:



fourteen A/E HSTs

Assemble the A Blocks



Step 2: Gather: one G/E HST one 3-1/2" Fabric F square two 2" x 3-1/2" Fabric A rectangles

Arrange the units into two rows of two. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 3: Sew the units together to form the rows. Press the seams away from the Fabric A rectangles.

Step 4: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The resulting A Block should measure 5" square. Repeat Steps 2-4 to make a total of eighty-two A Blocks.




Assemble the Flying Geese




Step 5: Pin two 2-3/8" Fabric A squares in opposing corners of a 4-1/4" Fabric B square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.



Step 6: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.



Step 7: Press the fabric toward smaller triangles. Repeat with the second unit.



Step 8: Place one 2-3/8" Fabric A square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.

Step 9: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 2" x 3-1/2" if necessary. Repeat to make four flying geese blocks.



Step 10: Repeat with all remaining 2-3/8" Fabric A squares and 4-1/4" Fabric B-D squares to make a total of ninety-six flying geese units from each of Fabrics B-D.







Assemble the B Blocks



Step 11: Gather: one Fabric D flying geese unit one Fabric C flying geese unit one Fabric B flying geese unit



Arrange the units in the order listed above, forming a column. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 12: Sew the units together along the longest edge to form the block. Press the seams in one direction.

The resulting B Block should measure 3-1/2" x 5". Repeat Steps 11 and 12 to make a total of ninety-six B Blocks.



Assemble the Partial Units

Step 13: Gather:

one 2" Fabric A triangle one 2" Fabric E triangle



Sew together, as shown, along two shorter edges. Press. Repeat to make a total of fourteen units like this.

Step 14: Repeat Step 13, this time placing the fabrics in opposite locations to make a total of fourteen units like this. These units will be mirror images of the ones in Step 13.




Step 15: Repeat Step 13, this time using a Fabric E and a Fabric G triangle, placing the Fabric E triangle on the left. Make fourteen like this.



Step 16: Repeat Step 13, this time using a Fabric E and a Fabric G triangle, placing the Fabric G triangle on the left. Make fourteen like this.







Step 17: Gather: one Step 13 unit one Step 14 unit one A/E HST



Sew together, as shown. Sew the triangle pairs to adjacent edges of the HST, noting that the Fabric E edges will touch. Press. Repeat to make a total of fourteen units like this.




Step 18: Gather: one 3-7/8" Fabric F triangle one Fabric A rectangle one Step 15 unit



Sew together, as shown, noting the orientation of each piece. Press. Repeat to make a total of fourteen units like this.




Step 19: Gather: one 3-7/8" Fabric F triangle one Fabric A rectangle one Step 16 unit



Sew together, as shown, noting the orientation of each piece. Press. Repeat to make a total of fourteen units like this.

Assemble the Square in a Square Blocks (SIAS)

Step 20: Sew a 2-3/8" Fabric A triangle to opposite sides of a 2-5/8" Fabric E square. Press seam allowances toward the triangles. Repeat on remaining sides of the Fabric E square. Trim the SIAS block to 3-1/2" square. Repeat to make a total of seventeen units like this.





Step 21: Arrange the A Blocks, B Blocks, SIAS units and partial units blocks in diagonal rows. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 22: Sew the units together to form the diagonal rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 23: Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2022. All rights reserved.