HIGHLIGHTS AND SHADOWS

Designed by Elise Lea for RK www.robertkaufman.com

Featuring Assault Rings And Dots



Finished quilt measures: 64" x 80"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-19074-161 STRAW	1/2 yard		J	AMD-19074-344 COBBLESTONE	1/2 yard
	В	AMD-7000-153 SAND	1/2 yard		K	AMD-7000-187 PLATINUM	1/2 yard
	С	AMD-19074-373 COAL	1/2 yard		L	AMD-7000-336 FOG	1/2 yard
	D	AMD-19074-15 IVORY	1/2 yard		M	AMD-19074-153 SAND	1/2 yard
	E	AMD-19074-410 HAZE	1/2 yard		Ν	AMD-19074-167 CHOCOLATE	1/2 yard
	F	AMD-19074-16 BROWN	1/2 yard		0	AMD-19074-168 CINNAMON	1/2 yard
	G	AMD-19074-336 FOG	1/2 yard	9000 9000	Р	AMD-19074-169 EARTH	1/2 yard
	Н	AMD-19074-286 WILD	1/2 yard	5005	Q	AMD-19074-174 ESPRESSO	1/2 yard
	I	AMD-19074-2 BLACK	1/2 yard		R	AMD-19074-184 CHARCOAL	1/2 yard
			I				

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	s	AMD-19074-186 SILVER	1/2 yard	0 G	O	.MD-19074-184 CHARCOAL o used for Fabric R	5/8 yard
	Т	AMD-19074-305 GRAPHITE	1/2 yard				
F		2019, Robert Kaufman use only - Not for resa				l also need: for backing	

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From each of Fabrics A-T, cut:

one 5" x WOF strip. Subcut:
eight 5" squares for the large HSTs
two 3" x WOF strips. Subcut:
sixteen 3" squares for the small HSTs
one 2-1/2" x WOF strip. Subcut:
sixteen 2-1/2" squares

From the Binding Fabric, cut:

eight 2-1/2" x WOF strips

Assemble the Blocks

Step 1: Gather:

From one light print:

- one 5" square
- two 2-1/2" squares
- two 3" squares

These will be referred to as Print 1 in the Block Assembly instructions.

From one dark print:

- one 5" square
- two 2-1/2" squares
- two 3" squares

These will be referred to as Print 2 in the Block Assembly instructions.



Step 2: Using the 5" squares from Print 1 and Print 2, make two Large Half-Square Triangles. Pair the squares, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make two HSTs from this fabric pair.



Step 3: Using the 3" squares from Print 1 and Print 2, make four Small Half-Square Triangles. Pair one square from each fabric, RST. Repeat the process in Step 2 to make four 2-1/2" HSTs from this fabric pair.



Step 4: Arrange a four-patch with two Small HSTs, one 2-1/2" square from Print 1 and one 2-1/2" square from Print 2. Note the fabric placement and HST orientation. Sew the units together in two rows of two, pressing the seams toward the squares, before sewing the rows together and nesting the seams. Press the final seam to one side.



Step 5: Repeat the process as in Step 4 to make an additional four-patch unit, noting the difference in fabric placement and HST orientation.

Step 6: Gather: the completed four-patch from Step 4 the completed four-patch from Step 5 both Large HSTs from Step 2


Sew together in two rows of two, pressing the seams toward the Large HSTs. Nest the seams and sew the two rows together, pressing the seam open.



The Block will measure 8-1/2" square.

Step 7: Repeat Steps 1-6 to make a total of eighty blocks. Each fabric will be used in eight blocks. Exact fabric placement and pairing is not necessary, so long as each block has a lighter fabric paired with a darker fabric.

Assemble the Quilt



Step 8: Arrange the blocks into eight rows of ten blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 9: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 10: Sew the rows together to form the quilt center. Press the row seams open

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2019. All rights reserved.