HILLSIDE

Designed by Wishwell www.robertkaufman.com

Featuring Silverstone Wishwell



Finished quilt measures: 64" x 84"
Quilt shown in "BLACK" colorstory.
For alternate "CREAM" colorstory see pages 10-11.

Difficulty Rating: **Advanced**



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Colo	r Fab	oric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	\	WELM-19501-181 ONYX	7/8 yard		J	WELM-19499-181 ONYX	7/8 yard
	В	3	WELM-19503-181 ONYX	1 yard	pr 1	K	WELM-19505-155 STONE	1/4 yard
		>	WELM-19502-184 CHARCOAL	7/8 yard		L	WELM-19501-187 PLATINUM	1/4 yard
)	WELM-19499-185 STEEL	7/8 yard		М	WELM-19502-181 ONYX	1/4 yard
	E	=	WELM-19504-185 STEEL	7/8 yard		Ν	WELM-19503-160 TAUPE	1/4 yard
- All	F	:	WELM-19505-181 ONYX	1 yard		0	WELM-19505-187 PLATINUM	1/4 yard
	G	è	WELM-19500-181 ONYX	1 yard		Р	WELM-19501-155 STONE	1/4 yard
	H	ł	WELM-19500-185 STEEL	7/8 yard		Q	WELM-19500-160 TAUPE	1/4 yard
	4		WELM-19504-181 ONYX	7/8 yard		R	WELM-19502-185 STEEL	1/4 yard
					I			n a a o o

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.							
Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	S	WELM-19504-90 PEARL	1/4 yard		Binding*	WELM-19504-181 ONYX *Also used for Fabric I	5/8 yard
	Т	WELM-19503-186 SILVER	1/4 yard				

Copyright 2020, Robert Kaufman For individual use only - Not for resale

You will also need: 5-1/4 yards for backing 4-1/4 yards Fusible web, such as Heat N Bond

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

one 5" x WOF strip. Subcut: eight 5" squares for the HSTs four 4-1/2" x WOF strips. Subcut: fourteen 4-1/2" x 8-1/2" rectangles two of Template 2

From Fabric B, cut:

two 5" x WOF strip. Subcut: ten 5" squares for the HSTs four 4-1/2" x WOF strips. Subcut: fifteen 4-1/2" x 8-1/2" rectangles two of Template 2

From Fabric C, cut:

one 5" x WOF strip. Subcut:
eight 5" squares for the HSTs
four 4-1/2" x WOF strips. Subcut:
sixteen 4-1/2" x 8-1/2" rectangles
two of Template 2

From Fabric D, cut:

one 5" x WOF strip. Subcut:
eight 5" squares for the HSTs
four 4-1/2" x WOF strips. Subcut:
fourteen 4-1/2" x 8-1/2" rectangles
two of Template 2

From Fabric E, cut:

one 5" x WOF strip. Subcut:
five 5" squares for the HSTs
four 4-1/2" x WOF strips. Subcut:
thirteen 4-1/2" x 8-1/2" rectangles
two of Template 2

From Fabric F, cut:

two 5" x WOF strips. Subcut:
eleven 5" squares for the HSTs
four 4-1/2" x WOF strips. Subcut:
sixteen 4-1/2" x 8-1/2" rectangles
two of Template 2

From Fabric G, cut:

two 5" x WOF strips. Subcut:
eleven 5" squares for the HSTs
four 4-1/2" x WOF strips. Subcut:
thirteen 4-1/2" x 8-1/2" rectangles
two of Template 2

From Fabric H, cut:

one 5" x WOF strip. Subcut: six 5" squares for the HSTs two 4-1/2" x WOF strips. Subcut: six 4-1/2" x 8-1/2" rectangles two of Template 2

From Fabric I, cut:

one 5" x WOF strip. Subcut:
eight 5" squares for the HSTs
two 4-1/2" x WOF strips. Subcut:
eight 4-1/2" x 8-1/2" rectangles
two of Template 2

From Fabric J. cut:

one 5" x WOF strip. Subcut:
five 5" squares for the HSTs
four 4-1/2" x WOF strips. Subcut:
thirteen 4-1/2" x 8-1/2" rectangles
two of Template 2

From each of Fabrics K-T, cut:

two of Template 1

From the Binding Fabric, cut:

eight 2-1/2" x WOF strips

Prepare the Templates

Step 1: Copy all templates at 100%.

Step 2: On the fusible web, trace the indicated number of each Template, as instructed on the Template sheets. Be sure to note the quantity. Tip: In addition to the piece number, include the fabric letter shown on the Template. This will help you to ensure you are fusing it to the correct fabric.

Step 3: Cut out each traced shape, leaving 1/4"-1/2" of excess fusible web outside the marked lines. You will NOT cut on the marked/traced lines at this point.

Step 4: Follow in the steps below to fuse each piece to the appropriate fabric. Fuse, following the manufacturer's instructions, then cut out each shape on the marked line. Be sure to cut out the center circle on all of the Template 2 pieces.

Assemble the Half-Square Triangles


Step 5: Pair a 5" Fabric D square with a 5" Fabric G square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make six D/G HSTs.



Step 6: Repeat Step 1 to make:



six H/I HSTs



six F/H HSTs



six G/I HSTs



four D/F HSTs



six D/E HSTs

Step 7: Divide the 5" Fabric A squares in half. With the print oriented as in the illustration, cut one half of the squares on the diagonal, cutting from upper left to lower right. Cut the remaining half of the squares on the diagonal, cutting from upper right to lower left.





Repeat this process for the 5" Fabric E, F, G, I and J squares.





















Fabric E

Fabric F

Fabric G

Fabric I

Fabric J

Repeat this process for the remaining 5" Fabric B and Fabric C squares. Note: These prints are non-directional, so they may all be cut along one diagonal without a need to orient any specific way.





Fabric B

Fabric C

Step 8: Pair Step 7 triangles and sew together in the quantities and orientations shown here. Press.


















two of each

type of A/I HST

three of each type of A/B HST



five of each

type of C/G HST





three of each

two of each

type of B/J HST





two of each type of B/E HST

three of each

type of A/F HST

Assemble the Blocks



Step 9: Gather:

one rectangle in each of Fabrics A, B, C and D two A/B HSTs (one of each style)








Step 10: Sew the HSTs together to form the second row. Press.



Step 11: Sew the rectangles together, to form the block. The resulting A Block will measure 8-1/2" x 20-1/2". Repeat to make three A Blocks.

Step 12: Using the process shown in Steps 9-11, make the following blocks, in the quantities indicated. Note the fabric placement and HST orientation.



Assemble the Flowers



Step 13: Using the Appliqué Placement diagram as a guide, place the assorted Template 2 pieces on each Template 1 piece in the pairings indicated. Pin in place. One piece at a time, peel the paper backing from the Template 2 piece and fuse to the Template 1. Continue by peeling the backing to the Template 2 pieces and fusing to the Blocks as indicated in the Quilt Assembly Diagram. Edge stitch the templates to the block.



Appliqué Placement diagram

Tip:

Flower 1 (Fabrics K and E) will be sewn to an F and an M Block.

Flower 2 (Fabrics L and D) will be sewn to a K and an I Block.

Flower 3 (Fabrics M and A) will be sewn to a D and a G Block.

Flower 4 (Fabrics N and I) will be sewn to a C and a B Block.

Flower 5 (Fabrics O and H) will be sewn to an I and a B Block.

Flower 6 (Fabrics P and G) will be sewn to an O and an M Block.

Flower 7 (Fabrics Q and J) will be sewn to an A and an O Block.

Flower 8 (Fabrics R and B) will be sewn to a G and a J Block.

Flower 9 (Fabrics S and C) will be sewn to an E and an H Block.

Flower 10 (Fabrics T and F) will be sewn to a K and a D Block.



Step 14: Arrange the blocks into eight columns. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 15: Sew the blocks together to form the columns. Press the seams in one direction.

Step 16: Sew the columns together to form the quilt center. Press the seams open or to one side.

Your quilt top is complete! Baste, quilt, bind and enjoy!

HILLSIDE - Cream Colorstory



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	А	WELM-19502-181 ONYX	7/8 yard		D	WELM-19501-187 PLATINUM	7/8 yard
	В	WELM-19502-185 STEEL	1 yard	the same	E	WELM-19505-155 STONE	7/8 yard
	С	WELM-19504-90 PEARL	7/8 yard		F	WELM-19503-186 SILVER	1 yard

HILLSIDE - Cream Colorstory

Fabric amounts based on yardage that is 42" wide.


Color	Fabric	Name/\$KU	Yardage	Color	Fabric	Name/SKU	Yardage
	G	WELM-19501-155 STONE	1 yard		0	WELM-19500-185 STEEL	1/4 yard
media in	Н	WELM-19505-187 PLATINUM	7/8 yard		Р	WELM-19500-181 ONYX	1/4 yard
	I	WELM-19503-160 TAUPE	7/8 yard		Q	WELM-19499-181 ONYX	1/4 yard
	J	WELM-19500-160 TAUPE	7/8 yard		R	WELM-19503-181 ONYX	1/4 yard
	K	WELM-19504-185 STEEL	1/4 yard		S	WELM-19502-184 CHARCOAL	1/4 yard
	L	WELM-19499-185 STEEL	1/4 yard		Т	WELM-19505-181 ONYX	1/4 yard
	М	WELM-19501-181 ONYX	1/4 yard		Binding*	WELM-19503-160 TAUPE *Also used for Fabric I	5/8 yard
	N	WELM-19504-181 ONYX	1/4 yard				
636.36	Copyright	t 2020 Pahart Kaufman				will also need: vards for backing	

Copyright 2020, Robert Kaufman For individual use only - Not for resale 5-1/4 yards for backing Fusible web, such as Heat N Bond

Templates



Templates



This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.