


# HOUNDSTOOTH

Designed by Ariga Mahmoudlou for RK  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring **KONA**<sup>®</sup>  
cotton solids



Finished quilt measures: 48" x 60"

Difficulty Rating: **Intermediate**

**ROBERTKAUFMAN**  
F A B R I C S

*For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).*

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-857 ROASTED PECAN	3/8 yard		F	K001-1332 SIENNA	3/4 yard
	B	K001-1187 KHAKI	1/2 yard		G	K001-150 PAPRIKA	1 yard
	C	K001-1371 TAUPE	3/8 yard		H	K001-1136 ESPRESSO	3/8 yard
	D	K001-1237 MOCHA	3/4 yard		Binding*	K001-1136 ESPRESSO <i>*Also used for Fabric H</i>	1/2 yard
	E	K001-1386 WHEAT	3/4 yard	<div>You will also need: 3-1/8 yards for backing</div>			
Copyright 2020, Robert Kaufman For individual use only - Not for resale							

### Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

**From Fabric A, cut:**

one 5" x WOF strip. Subcut:  
four 5" squares for the HSTs  
one 4-1/2" x WOF strip. Subcut:  
eight 4-1/2" squares  
one 2-1/2" x WOF strip. Subcut:  
fifteen 2-1/2" squares. Mark a diagonal on the back of each square.

**From Fabric B, cut:**

one 5" x WOF strip. Subcut:  
eight 5" squares for the HSTs  
one 4-1/2" x WOF strip. Subcut:  
seven 4-1/2" squares  
two 2-1/2" x WOF strips. Subcut:  
twenty-two 2-1/2" squares. Mark a diagonal on the back of each square.

**From Fabric C, cut:**

one 5" x WOF strip. Subcut:  
eight 5" squares for the HSTs  
one 4-1/2" x WOF strip. Subcut:  
eight 4-1/2" squares  
one 2-1/2" x WOF strip. Subcut:  
fifteen 2-1/2" squares. Mark a diagonal on the back of each square.

**From Fabric D, cut:**

two 5" x WOF strips. Subcut:  
sixteen 5" squares for the HSTs  
two 4-1/2" x WOF strips. Subcut:  
fourteen 4-1/2" squares  
two 2-1/2" x WOF strips. Subcut:  
thirty 2-1/2" squares. Mark a diagonal on the back of each square.

**From Fabric E, cut:**

two 5" x WOF strips. Subcut:  
sixteen 5" squares for the HSTs  
two 4-1/2" x WOF strips. Subcut:  
sixteen 4-1/2" squares  
two 2-1/2" x WOF strips. Subcut:  
thirty 2-1/2" squares. Mark a diagonal on the back of each square.

**From Fabric F, cut:**

two 5" x WOF strips. Subcut:  
sixteen 5" squares for the HSTs  
two 4-1/2" x WOF strips. Subcut:  
fourteen 4-1/2" squares  
two 2-1/2" x WOF strips. Subcut:  
twenty-three 2-1/2" squares. Mark a diagonal on the back of each square.

**From Fabric G, cut:**

three 5" x WOF strips. Subcut:

twenty 5" squares for the HSTs

two 4-1/2" x WOF strips. Subcut:

sixteen 4-1/2" squares

two 2-1/2" x WOF strips. Subcut:

thirty-seven 2-1/2" squares. Mark a diagonal on the back of each square.

**From Fabric H, cut:**

one 5" x WOF strip. Subcut:

eight 5" squares for the HSTs

one 4-1/2" x WOF strip. Subcut:

seven 4-1/2" squares

one 2-1/2" x WOF strip. Subcut:

eight 2-1/2" squares. Mark a diagonal on the back of each square.

**From the Binding Fabric, cut:**


six 2-1/2" x WOF strips

## Assemble the Half-Square Triangles (HSTs)

**Step 1:** Pair a 5" Fabric A square with a 5" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make seven A/B HSTs.



**Step 2:** Repeat Step 1 to make:




eight B/C HSTs




seven C/D HSTs\*



twenty-three D/E HSTs\*



seven E/F HSTs\*



twenty-three F/G HSTs\*




fifteen G/H HSTs\*

*\*Note: These fabric pairs will produce one additional HST that is not used in the quilt.*




## Assemble the Houndstooth Units


**Step 3:** Position one A/B HST as shown. Place a 2-1/2" Fabric B square in the upper left corner, right sides together. Note the orientation of the marked diagonal line. Sew on the marked line, then trim away the excess fabric, leaving a 1/4" seam allowance. Press. Repeat on the lower right corner with a 2-1/2" Fabric A square. Make seven units like this.



**Step 4:** Repeat Step 3 to make:



eight ABCB units



seven BCDC units




eight CDED units




fifteen EDED units




seven DEFE units



eight EFGF units



fifteen GFGF units




seven GFHG units



eight GHGH units

## Assemble the Quilt



**Step 5:** Arrange the blocks into fifteen rows of twelve blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

**Step 6:** Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

**Step 7:** Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.