IMPRESSIONS

Designed by Ariga Wilson for RK www.robertkaufman.com

Featuring Assistand Land Land



Finished quilt measures: 56" x 64"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/\$KU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-21723-14 NATURAL	2/3 yard		J	AMD-21723-56 POND	3/8 yard
	В	AMD-21723-323 WALNUT	1 yard		K	AMD-21720-153 SAND	3/8 yard
	С	AMD-21718-59 OCEAN	3/8 yard		L	AMD-21723-39 WILLOW	3/8 yard
	D	AMD-21720-462 SEA MIST	3/8 yard		Μ	AMD-21718-169 EARTH	3/8 yard
	E	AMD-21718-42 PALM	3/8 yard		N	AMD-21721-39 WILLOW	3/8 yard
	F	AMD-21719-44 FOREST	3/8 yard	J.	0	AMD-21719-69 MIDNIGHT	3/8 yard
	G	AMD-21723-45 MOSS	3/8 yard		P	AMD-21723-390 BREEZE	3/8 yard
	Н	AMD-21721-63 SKY	3/8 yard		Q	AMD-21722-270 MEADOW	3/8 yard
	I	AMD-21718-49 OLIVE	3/8 yard		R	AMD-21719-71 LAGOON	3/8 yard





S AMD-21718-30 3/8 yard FERN



Binding* AMD-21723-14 1/2 yard
NATURAL
*Also used for Fabric A

T AMD-21722-245 3/8 yard MIST

Copyright 2023, Robert Kaufman For individual use only - Not for resale You will also need: 3-3/4 yards for backing

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

one 4-1/2" x WOF strip. Subcut:

four 4-1/2" squares

three 3" x WOF strips. Subcut:

thirty-six 3" squares for the HSTs

six 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 1-1/2" x 50-1/2" top/bottom inner borders

two 1-1/2" x 56-1/2" side inner borders

From Fabric B, cut:

one 4-1/2" x WOF strip. Subcut:

two 4-1/2" squares

two 3" x WOF strips. Subcut:

twenty-four 3" squares for the HSTs

six 3-1/2" x WOF strips. Sew together, end-to-end, then trim:

two 3-1/2" x 56-1/2" top/bottom outer borders

two 3-1/2" x 58-1/2" side outer borders

From Fabric C, cut:

one 4-1/2" x WOF strip. Subcut:

two 4-1/2" squares

Trim the reminder of the strip to 3" wide, then subcut:

eight 3" squares for the HSTs

two 3" x WOF strips. Subcut:

twenty-eight 3" squares for the HSTs, for a total of thirty-six

From each of Fabrics D-T, cut:

one 4-1/2" x WOF strip. Subcut:

two 4-1/2" squares

Trim the reminder of the strip to 3" wide, then subcut:

ten 3" squares for the HSTs

two 3" x WOF strips. Subcut:

fourteen 3" squares for the HSTs, for a total of twenty-four

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 3" Fabric A square with a 3" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make seventy-two A/C HSTs.



Step 2: Repeat Step 1 to make:



forty-eight B/N HSTs



forty-eight D/E HSTs



forty-eight F/G HSTs



forty-eight H/I HSTs



forty-eight J/K HSTs



forty-eight L/M HSTs



forty-eight O/P HSTs



forty-eight Q/R HSTs



forty-eight S/T HSTs

Assemble the Blocks



Step 3: Gather: one 4-1/2" Fabric A square twelve A/C HSTs

Arrange the units as shown. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 4: Sew the HSTs to the left and right of the center square together to form pairs. Press.

Step 5: Sew the units together to form three rows. Press the seams in the middle row toward the center square and press the seams in the top and bottom row toward the outer edges.

Step 6: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The resulting block should measure 8-1/2" square.

Step 7: Repeat Steps 3-6 to make four A/C Blocks with Fabric A centers.



Step 8: Repeat Steps 3-6 to make:



two A/C Blocks with Fabric C centers



two B/N Blocks with Fabric B centers



two B/N Blocks with Fabric N centers



two D/E Blocks with Fabric D centers



two D/E Blocks with Fabric E centers



two F/G Blocks with Fabric F centers



two F/G Blocks with Fabric G centers



two H/I Blocks with Fabric H centers



two H/I Blocks with Fabric I centers



two J/K Blocks with Fabric J centers



two J/K Blocks with Fabric K centers



two L/M Blocks with Fabric L centers



two L/M Blocks with Fabric M centers



two O/P Blocks with Fabric O centers



two O/P Blocks with Fabric P centers



two Q/R Blocks with Fabric Q centers



two Q/R Blocks with Fabric R centers



two S/T Blocks with Fabric S centers



two S/T Blocks with Fabric T centers



Step 9: Arrange the blocks into seven rows of six blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

- **Step 10:** Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.
- **Step 11:** Sew the rows together to form the quilt center. Press the row seams open.
- **Step 12:** Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.
- **Step 13:** Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2023. All rights reserved.