IN FULL FLIGHT

Designed by Ariga Mahmoudlou for RK www.robertkaufman.com

Featuring

KONA® cotton solids



Finished quilt measures: 55" x 64"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1019 BLACK	1-7/8 yards		G	K001-91 STEEL	3/8 yard
	В	K001-1339 SNOW	1/4 yard		Н	K001-295 GRAPHITE	1/3 yard
	C	K001-1333 SILVER	1/4 yard		ı	K001-862 GOTHAM GREY	1/4 yard
	D	K001-856 QUICKSILVER	1/4 yard		J	K001-1071 CHARCOAL	1/4 yard
	E	K001-408 IRON	1/3 yard		K	K001-359 PEPPER	1/4 yard
	F	K001-1223 MED. GREY	3/8 yard		Binding*	K001-1019 BLACK *Also used for Fabric A	5/8 yard
Copyright 2020, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/2 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

five 8-1/2" x WOF strips. Subcut:

one hundred nineteen 1-1/2" x 8-1/2" block sashing strips fourteen 1-1/2" x WOF strips. Sew together, end-to-end, then trim: eight 1-1/2" x 53-1/2" row sashing strips

two 1-1/2" x 64-1/2" side outer borders

From each of Fabrics B, C, J and K, cut:

three 2-1/2" x WOF strips. Subcut: nine 2-1/2" x 8-1/2" rectangles

From each of Fabrics D and I, cut:

three 2-1/2" x WOF strips. Subcut: twelve 2-1/2" x 8-1/2" rectangles

From each of Fabrics E and H, cut:

four 2-1/2" x WOF strips. Subcut: fifteen 2-1/2" x 8-1/2" rectangles

From each of Fabrics F and G, cut:

five 2-1/2" x WOF strips. Subcut: eighteen 2-1/2" x 8-1/2" rectangles

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips


Assemble the Blocks




Step 1: Gather: three Fabric B rectangles two 1-1/2" x 8-1/2" Fabric A block sashing strips

Sew together to form the block, as shown. Press the seams toward the sashing strips. The resulting Block should measure 8-1/2" square. Repeat to make three Blocks from Fabric B.

Step 2: Repeat Step 1 to make:



Assemble the Quilt



Step 3: Arrange the blocks into seven rows of six blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 4: Sew the blocks together to form rows, sewing a block sashing strip between each pair of blocks. Press the seams toward the sashing.

Step 5: Sew the rows together to form the quilt center, sewing a row sashing strip between each row and at the top and bottom of the quilt center. Press the seams toward the row sashing strips.

Step 6: Sew the outer borders to the left and right edges of the quilt center and press.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.