

# IN FULL FLIGHT

Designed by Ariga Mahmoudlou for RK Featuring ARTISAN  
BY [www.robertkaufman.com](http://www.robertkaufman.com)

Patina Handpaints by Linn



Finished quilt measures: 55" x 64"













Difficulty Rating: **Beginner**

**ROBERTKAUFMAN**  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-7000-2 BLACK	1-7/8 yards		G	AMD-20068-403 TEAL BLUE	3/8 yard
	B	AMD-20068-367 PUNCH	1/4 yard		H	AMD-20068-40 EMERALD	1/3 yard
	C	AMD-20068-206 SUNSET	1/4 yard		I	AMD-20068-257 CARIBBEAN	1/4 yard
	D	AMD-20068-48 JUNGLE	1/4 yard		J	AMD-20068-78 PEACOCK	1/4 yard
	E	AMD-20068-153 SAND	1/3 yard		K	AMD-20068-201 JEWEL	1/4 yard
	F	AMD-20068-300 STORM	3/8 yard		Binding*	AMD-7000-2 BLACK	5/8 yard

*\*Also used for Fabric A*

Copyright 2020, Robert Kaufman  
For individual use only - Not for resale

You will also need:  
3-1/2 yards for backing

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### **From Fabric A, cut:**

five 8-1/2" x WOF strips. Subcut:

one hundred nineteen 1-1/2" x 8-1/2" block sashing strips

fourteen 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

eight 1-1/2" x 53-1/2" row sashing strips

two 1-1/2" x 64-1/2" side outer borders

### **From each of Fabrics B, C, J and K, cut:**

three 2-1/2" x WOF strips. Subcut:

nine 2-1/2" x 8-1/2" rectangles

### **From each of Fabrics D and I, cut:**

three 2-1/2" x WOF strips. Subcut:

twelve 2-1/2" x 8-1/2" rectangles

### **From each of Fabrics E and H, cut:**

four 2-1/2" x WOF strips. Subcut:

fifteen 2-1/2" x 8-1/2" rectangles

### **From each of Fabrics F and G, cut:**

five 2-1/2" x WOF strips. Subcut:

eighteen 2-1/2" x 8-1/2" rectangles

### **From the Binding Fabric, cut:**

seven 2-1/2" x WOF strips

## Assemble the Blocks



### **Step 1:** Gather:

three Fabric B rectangles

two 1-1/2" x 8-1/2" Fabric A block sashing strips

Sew together to form the block, as shown. Press the seams toward the sashing strips. The resulting Block should measure 8-1/2" square. Repeat to make three Blocks from Fabric B.

**Step 2:** Repeat Step 1 to make:



three Blocks  
from Fabric C




four Blocks  
from Fabric D



five Blocks  
from Fabric E




six Blocks  
from Fabric F




six Blocks  
from Fabric G



five Blocks  
from Fabric H



four Blocks  
from Fabric I



three Blocks  
from Fabric J



three Blocks  
from Fabric K

## Assemble the Quilt



**Step 3:** Arrange the blocks into seven rows of six blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

**Step 4:** Sew the blocks together to form rows, sewing a block sashing strip between each pair of blocks. Press the seams toward the sashing.

**Step 5:** Sew the rows together to form the quilt center, sewing a row sashing strip between each row and at the top and bottom of the quilt center. Press the seams toward the row sashing strips.

**Step 6:** Sew the outer borders to the left and right edges of the quilt center and press.

Your quilt top is complete! Baste, quilt, bind and enjoy!