# INDEPENDENCE DAY WALL HANGING

Designed by Ariga Wilson for RK www.robertkaufman.com

Featuring Independence Day



Finished quilt measures: 45" x 45"

Difficulty Rating: Beginner



## Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Col	or	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
		Α	AHVD-22299-202 AMERICANA	1 yard (one complete panel)		Е	AHVD-22304-202 AMERICANA	1/8 yard
		В	AHVD-22304-3 RED	1/8 yard	* * *	F	AHVD-22305-202 AMERICANA	1/4 yard
		С	AHVD-22304-9 NAVY	1/8 yard		G	K001-1387 WHITE	2/3 yard
		D	AHVD-22304-4 BLUE	1/8 yard		Binding*	AHVD-22304-3 RED *Also used for Fabric B	3/8 yard
Copyright 2023, Robert Kaufman For individual use only - Not for resale					You will also need: 3 yards for backing			

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

### **Cutting Instructions**

#### From Fabric A, fussy cut:

four 15-1/2" squares so that a motif is in the center of each square

#### From each of Fabrics B-E, cut:

two 2" x WOF strips. Subcut:

two 2" x 15-1/2" rectangles of each fabric

two 2" x 18-1/2" rectangles of each fabric

#### From Fabric F, cut:

four 1-1/2" x WOF strips. Subcut:

1-1/2" x 41-1/2" top/bottom middle borders

1-1/2" x 39-1/2" side middle borders

#### From Fabric G, cut:

five 2-1/2" x WOF strips. Subcut:

two 2-1/2" x 41-1/2" side outer borders

Sew the three remaining strips together end-to-end, then subcut:

two 2-1/2" x 45-1/2" top/bottom outer borders

six 1-1/2" x WOF strips. Subcut:

two 1-1/2" x 39-1/2" top/bottom inner borders

two 1-1/2" x 37-1/2" side inner borders

one 1-1/2" x 37-1/2" horizontal sashing strip

two 1-1/2" x 18-1/2" vertical sashing strips

#### From the Binding Fabric, cut:

five 2-1/2" x WOF strips

#### Assemble the Blocks

**Step 1:** Gather one 15-1/2" Fabric A square, two 2"  $\times$  15-1/2" Fabric B rectangles, and two 2"  $\times$  18-1/2" Fabric B rectangles. Sew the two 2"  $\times$  15-1/2" rectangles to the sides of the square, then press towards the rectangles. Sew the two 2"  $\times$  18-1/2" rectangles to the top and bottom of the unit, then press towards the rectangles.

**Step 2:** Repeat Step 1 to make three additional blocks using matching rectangles of Fabrics C-E for each block.



Fabric C Fabric D







#### Assemble the Quilt

Step 3: Arrange the blocks into two rows of two blocks. Note the fabric placement in the Quilt Assembly Diagram.

Step 4: Place a 1-1/2" x 18-1/2" vertical sashing strip in between each of the blocks. Sew the blocks together to form rows. Press the seams to the left in the odd-numbered rows and to the right in the evennumbered rows.

**Step 5:** Place the 1-1/2" x 37-1/2" horizontal sashing strip between the rows. Sew the rows together to form the quilt

center. Press the row seams open.

**Step 6:** Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

**Step 7:** Sew the side middle borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom middle borders to the quilt center. Press toward the borders.

**Step 8:** Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind, and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2023. All rights reserved.