
IN THE MEADOW

Designed by Valori Wells www.valoriwells.com

Featuring LUCY and OLLIC Valori Wells



Finished quilt measures: 42" x 60"

Pattern Level: Enthusiastic Novice

"I am a total beginner and want to learn more!"



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	А	AVW-17081-205 MULTI	2/3 yard (one panel)		Н	AVW-17085-112 RASPBERRY	1/4 yard
	В	E014-1333 SILVER	1/2 yard		I	AVW-17085-47 GRASS	1/4 yard
7/19	C	AVW-17086-186 SILVER	1/4 yard		J	AVW-17084-296 KUMQUAT	1/4 yard
- N. C.	D	AVW-17086-112 RASPBERRY	1/4 yard	後 数 数 数	K	AVW-17084-246 WATER	1/4 yard
	E	AVW-17086-47 GRASS	1/4 yard		L	AVW-17084-133 GOLD	1/4 yard
	F	AVW-17085-246 WATER	1/4 yard		Binding	Comprised of scrap quilt top. If not usin binding, 1/2 yards fabric is nee	ng scrappy of binding
	G	AVW-17085-130 SUNSHINE	1/4 yard				
Copyright 2017, Robert Kaufman For individual use only - Not for resale				You will also need: 2-7/8 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

one 22-1/2" x 40-1/2" center panel

From Fabric B, cut:

six 2-1/2" x WOF strips. Subcut: four 2-1/2" x 20-1/2" strips sixteen 2-1/2" x 10-1/2" strips

From Fabric C, cut:

two 2-1/2" x WOF strips. Subcut: one 2-1/2" x 20-1/2" strip three 2-1/2" x 10-1/2" strips

From Fabric D, cut:

two 2-1/2" x WOF strips. Subcut: five 2-1/2" x 10-1/2" strips

From Fabric E, cut:

two 2-1/2" x WOF strips. Subcut: two 2-1/2" x 20-1/2" strips three 2-1/2" x 10-1/2" strips

From Fabric F, cut:

two 2-1/2" x WOF strips. Subcut: three 2-1/2" x 20-1/2" strips two 2-1/2" x 10-1/2" strips

From Fabric G, cut:

two 2-1/2" x WOF strips. Subcut: one 2-1/2" x 20-1/2" strip one 2-1/2" x 10-1/2" strip set aside the remaining strip for part of the binding

From Fabric H, cut:

two 2-1/2" x WOF strips. Subcut: three 2-1/2" x 20-1/2" strips one 2-1/2" x 10-1/2" strip

From Fabric I, cut:

two 2-1/2" x WOF strips. Subcut: two 2-1/2" x 20-1/2" strips one 2-1/2" x 10-1/2" strip

From Fabric J, cut:

two 2-1/2" x WOF strips. Subcut: six 2-1/2" x 10-1/2" strips

From Fabric K, cut:

two 2-1/2" x WOF strips. Subcut: five 2-1/2" x 10-1/2" strips

From Fabric L, cut:

two 2-1/2" x WOF strips. Subcut: six 2-1/2" x 10-1/2" strips

Assembly Instructions





Figure 1 - Quilt Assembly Schematic

Step 1: Refer to the schematic (Figure 1) and arrange the strips for section A. Stitch them together and press the seams in one direction. Set aside. Repeat for section B. Set aside.



Step 2: Arrange the strips for section C in vertical rows. Stitch the strips together in each row. Then join the rows together. Figure 2.

Step 3: Repeat the process for section D.

Step 4: Add sections A and B to the top and bottom of the panel. Press toward the panel. Add Sections C and D to the sides of the panel. Press.

Your quilt top is complete! Baste, quilt, bind and enjoy!

Note: Stitch the remainder of each print strip fabric together for the binding. Make sure to distribute the prints throughout the binding.