

CAPPUCINO

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring **KONA**[®]
cotton solids



Finished quilt measures: 64" x 84"

Difficulty Rating: **Intermediate**

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

| Color | Fabric | Name/SKU | Yardage | Color | Fabric | Name/SKU | Yardage |
|---|--------|---------------------------|-------------|--|----------|---|----------|
|  | A | K001-1339 SNOW | 3-1/8 yards |  | I | K001-138 EARTH | 1/4 yard |
|  | B | K001-857 ROASTED PECAN | 1/3 yard |  | J | K001-1162 HONEY | 1/4 yard |
|  | C | K001-1083 COFFEE | 1/3 yard |  | K | K001-499 SCONE | 1/4 yard |
|  | D | K001-178 LEATHER | 1/3 yard |  | L | K001-150 PAPRIKA | 1/4 yard |
|  | E | K001-1082 COCOA | 1/3 yard |  | M | K001-1332 SIENNA | 1/4 yard |
|  | F | K001-1698 CAMEL | 1/4 yard |  | N | K001-1069 CHAMPAGNE | 1/2 yard |
|  | G | K001-1386 WHEAT | 1/4 yard |  | Binding* | K001-857 ROASTED PECAN <i>*Also used for Fabric B</i> | 5/8 yard |
|  | H | K001-406 CAPPUCCINO | 1/4 yard | You will also need: 4 yards for backing | | | |

Copyright 2025, Robert Kaufman
For individual use only - Not for resale

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

nine 5" x WOF strips. Subcut:
 ninety-six 5" squares
 two 4-1/2" x 8-1/2" rectangles
fourteen 4-1/2" x WOF strips. Subcut:
 twelve 4-1/2" x 8-1/2" rectangles
 ninety-six 4-1/2" squares

From Fabrics B-E, cut:

two 5" x WOF strips. Subcut:
 twelve 5" squares

From Fabrics F-M, cut:

one 5" x WOF strip. Subcut:
 six 5" squares

From Fabric N, cut:


three 4-1/2" x WOF strips. Subcut:
 twenty 4-1/2" squares

From the Binding Fabric, cut:


eight 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 5" Fabric A square with a 5" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make twenty-four A/B HSTs.




Step 2: Repeat Step 1 to make:




Assemble the Blocks

Step 3: Gather eight A/B HSTs, four A/F HSTs, and four 4-1/2" Fabric A squares. Arrange the gathered pieces in four rows of four as shown. Sew the pieces together to form rows, then press. Sew the rows together, then press again. Make three A/B/F blocks.



Step 4: Repeat Step 3 to make:



Assemble the Sashing Strips

Step 5: Gather one 4-1/2" x 8-1/2" Fabric A rectangle, one A/G HST, and one 4-1/2" Fabric A square. Arrange the gathered pieces in that order as shown. Sew the pieces together to form a row, then press. Make three A/G sashing strips.



Step 6: Repeat Step 5 to make:



four A/I
Sashing Strips



four A/K
Sashing Strips



three A/M
Sashing Strips

Step 7: Gather two 4-1/2" Fabric A squares, one A/G HST, and one A/I HST. Arrange the gathered pieces as shown. Sew the pieces together to form a row, then press. Make four A/G/I sashing strips.



Step 8: Repeat Step 7 to make:



four A/I/K
sashing strips



five A/G/M
sashing strips



four A/K/M
sashing strips

Assemble the Quilt


Step 9: Arrange the blocks into four rows of three blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 10: Place the sashing strips in between the blocks as shown in the Quilt Assembly Diagram. Place a cornerstone square in between the sashing strips.

Step 11: Sew the blocks and sashing strips together to form rows. Press the seams in sashing rows to the left and to the right in the rows containing blocks.

Step 12: Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete! Baste, quilt, bind, and enjoy!



Quilt Assembly Diagram

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2025. All rights reserved.