

# LITTLE SEUSS

Designed by Robert Kaufman Fabrics  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring



Finished quilt measures: 81" x 81"















For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

Difficulty Rating: Beginner

ROBERTKAUFMAN  
F A B R I C S

## Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ADED-23524-205 PANEL	1 yard (one complete panel)		H	K001-1056 BUTTERCUP	3/8 yards
	B	ADED-23528-10 PINK	1/2 yard		I	K001-1853 SEASCAPE	3/8 yards
	C	ADED-23526-4 BLUE	1/2 yard		J	K001-1452 DENIM	3/8 yard
	D	ADED-23528-5 YELLOW	1/2 yard		K	K001-1293 PISTACHIO	1/3 yard
	E	ADED-23529-61 PERIWINKLE	1/2 yard		L	K001-845 SASSY PINK	3/8 yard
	F	ADED-23529-7 GREEN	1/2 yard		M	K001-1387 WHITE	2-1/2 yard
	G	ADED-23527-205 MULTI	1/4 yard		Binding	K001-1452 DENIM *Also Fabric J	3/4 yard 1/2 yard
				You will also need: 2-1/2 yards for back-			

For individual use only - Not for resale

Copyright 2026, Robert Kaufman

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Length of fabric has been abbreviated to LOF.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### **From Fabric A, fussy cut:**

four 15-1/2" x 15-1/2" squares centered over the motifs

### **From Fabrics B, C, D, and E, cut:**

one 15-1/2" x WOF strip, subcut:  
one 15-1/2" x 15-1/2" square  
eight 4" x 4" squares

### **From Fabric F, cut:**

one 15-1/2" x WOF strip, subcut:  
one 15-1/2" x 15-1/2" square  
nine 4" x 4" squares

### **From Fabric G, cut:**

one 4" x WOF strip, subcut:  
nine 4" x 4" squares

### **From Fabrics H and J, cut:**

one 4" x WOF strip, subcut:  
nine 4" x 4" squares  
four 2" x WOF strip, subcut:  
four 2" x 18-1/2" strips  
four 2" x 15-1/2" strips

### **From Fabrics I and L, cut:**

one 4" x WOF strip, subcut:  
eight 4" x 4" squares  
four 2" x WOF strip, subcut:  
four 2" x 18-1/2" strips  
four 2" x 15-1/2" strips

### **From Fabric K, cut:**

one 4" x WOF strip, subcut:  
eight 4" x 4" squares  
two 2" x WOF strip, subcut:  
two 2" x 18-1/2" strips  
two 2" x 15-1/2" strips

ten 4-1/2" x WOF strips, sew strips end to end then subcut:  
 four 4-1/2" x 70-1/2" sashing strips  
 two 4-1/2" x 62-1/2" sashing strips  
 three 4-1/2" x WOF strips, subcut:  
 six 4-1/2" x 18-1/2" strips  
 eight 2-1/2" x WOF strip, sew strips end to end then subcut: two  
 2-1/2" x 81-1/2" strips for the outer border  
 two 2-1/2" x 77-1/2" strips for the outer border

**Step 1:** Sew one 2" x 15-1/2" Fabric L strip to each side of the 15-1/2" x 15-1/2" Fabric F square. Press towards Fabric L.



**Step 3:** Repeat Steps 1 and 2 pairing the following:




## Panel Block and Fabric J



Fabric B and  
Fabric K



## Panel Block and Fabric I



Fabric E and  
Fabric H




## Panel Block and Fabric I



Fabric C and  
Fabric H



## Panel Block and Fabric L



Fabric D  
and Fabric J

**Step 4:** Gather all of the 4" x 4" squares.

**Step 5:** Sew squares together to form a top border. Note the order of fabrics: H, E, K, B, L, C, I, E, J, G, H, E, K, B, L, C, I, E, J, G, H, F





**Step 5:** Sew squares together to form a left side border. Note the order of fabrics: G, J, F, I, C, L, B, K, E, H, G, J, F, I, C, L, B, K, E, H,

**Step 6:** Sew squares together to form a right side border. Note the order of fabrics: J, G, H, E, K, B, L, C, I, F, J, G, H, E, K, B, L, C, I, F.

**Step 7:** Sew squares together to form a bottom border. Note the order of fabrics: G, J, F, I, C, L, B, K, E, H, G, J, F, I, C, L, B, K, E, H, G, J



**Step 8:** Arrange the blocks into three rows of three blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

**Step 9:** Separate the blocks in each row with a 4-1/2" x 18-1/2" vertical sashing strip.

**Step 10:** Sew the blocks and vertical sashing strips together to form rows. Press the seams toward the sashing strips.

**Step 11:** Separate the rows with a 4-1/2" x 62-1/2" horizontal sashing strip. Press the seams toward the sashing strips.

**Step 12:** Sew the rows and horizontal sashing strips together to form the quilt center. Press the seams toward the sashing strips.

**Step 13:** Sew the side inner borders (4-1/2" x 62-1/2") to the sides of the quilt center. Press toward the borders.


**Step 14:** Sew the top and bottom inner borders (4-1/2" x 70-1/2") to the quilt center. Press toward the borders.

**Step 15:** Sew the pieced side borders to the sides of the quilt center. Press toward the borders.

**Step 16:** Sew the pieced top and bottom borders to the quilt center. Press toward the borders.

**Step 17:** Sew the side outer borders (2-1/2" x 77-1/2") to the sides of the quilt center. Press toward the borders.

**Step 18:** Sew the top and bottom outer borders (2-1/2" x 81-1/2") to the quilt center. Press toward the borders.





Your quilt top is complete! Baste, quilt, bind, and enjoy!