LIBRARY

Designed by Elise Lea for RK www.robertkaufman.com Featuring ARTISAN

Kapua L

С

S

Ten Square Friendly

Finished quilt measures: 75-1/2" x 86"

Difficulty Rating: Beginner

For questions about this pattern, please email Patterns@RobertKaufman.com.

E

A

В

R

1

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
Kopus, Texasility	TEN-1185-42 KAPUA	One Ten Square Pack		Binding*	AMD-21982-279 RAIN *Also included in the Ten Square Pack	5/8 yard
A	AMD-7000-9 NAVY	5-3/4 yards				
Copyright 2 For individual	You will also need: 5-1/4 yards for backing					

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From at least twenty-one Ten Squares in your pack, cut:

one 5" x WOF strip. Subcut:

one 5" square.

one 5" x 4-1/2" rectangle, then trim it to 4-1/2" square.

Note: If you prefer, you can cut an additional 5" square and 4-1/2" square from the Ten Square and save the remaining portion of of your Ten Square Pack for another project.

From Fabric A, cut:

one 12-1/2" x WOF strip. Subcut:

forty-two 12-1/2" x 1" rectangles.

eleven 5" x WOF strips. Subcut:

eighty-four 5" squares.

fifty-three 2-1/2" x WOF strips. Subcut:

thirty-six 2-1/2" x 12-1/2" vertical sashing strips.

Sew the remaining seventeen strips together end-to-end. Subcut:

two 2-1/2" x 82-1/2" side borders.

two 2-1/2" x 76" top/bottom borders.

five 2-1/2" x 72" horizontal sashing strips.

nine 2-1/2" x WOF strips.

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 5" Fabric A square with a 5" square from your Ten Square Pack, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make one-hundred and sixty-eight HSTs.



Assemble the Blocks

Step 2: Gather two HSTs and one 4-1/2" square featuring the same fabric print. Arrange the three pieces in a column as shown. Sew the column together and press the seams towards the center of the unit.

Step 3: Gather two HSTs and one 4-1/2" square featuring the same fabric print, but different from the fabric print used in Step 2. Arrange the three pieces in a column as shown. Sew the column together and press the seams towards the center of the unit.

Step 4: Gather one 12-1/2" x 1" Fabric A rectangle, one Step 2 Unit, and one Step 3 Unit. Arrange the pieces in a row as shown, then sew the row together. Press the seam towards the center of the unit. Make forty-two blocks.









Step 5: Arrange the blocks into six rows of seven blocks. Place a 2-1/2" x 12-1/2" vertical sashing strip in between each of the blocks. Sew the blocks and sashing strips together to form the rows. Press the seams towards the sashing strips.

Step 6: Place a 2-1/2" x 72" horizontal sashing strip in between each of the rows. Sew the rows and sashing strips together to form the quilt center. Press the seams towards the sashing strips.

Step 7: Sew the side borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind, and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2023. All rights reserved.