

LIMEADE

Designed by Angela Walters
www.quiltingismytherapy.com

Featuring

drawn
ANGELA WALTERS



Finished quilt measures: 56" x 59"









Pattern Level: Confident Beginner

*"I have basic block construction down
and would like to learn a new trick!"*

ROBERT KAUFMAN
F A B R I C S

Fabric and Supplies Needed

Fabric amounts based on yardage that is 44" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-199 CACTUS	2-1/2 yards		E	AWT-15461-183 PEWTER	1/4 yard
	B	AWT-15463-239 SORBET	1/4 yard		F	AWT-15460-183 PEWTER	1/4 yard
	C	AWT-15463-183 PEWTER	1/4 yard		G	AWT-15462-183 PEWTER	1/2 yard
	D	AWT-15464-183 PEWTER	1/4 yard		H	AWT-15459-183 PEWTER	1/4 yard
Copyright 2016, Robert Kaufman For individual use only - Not for resale				You will also need: 1/2 yard for binding 3-3/4 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 44" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

seven 5" x WOF strips. Subcut:

fifty 5" squares

three 4-1/2" x WOF strips. Subcut:

forty-eight 4-1/2" x 2-1/2" rectangles

two 4-3/8" x WOF strips. Subcut:

six 8-1/2" x 4-3/8" rectangles

four 3" x WOF strips. Subcut:
forty-eight 3" squares. Cut each square in half once along the diagonal.
ten 1-3/4" x WOF strips. Subcut:
fifty 1-3/4" x 8-1/2" strips

From Fabric B, cut:

two 3-3/8" x WOF strips. Subcut:
twenty-four 3-3/8" squares

From each of Fabrics C-F, cut:

one 1-3/4" x WOF strip. Subcut:
four 1-3/4" x 8-1/2" strips
one 5" x WOF strips. Subcut:
eight 5" squares

From Fabric G, cut:

two 1-3/4" x WOF strip. Subcut:
six 1-3/4" x 8-1/2" strips
two 5" x WOF strips. Subcut:
twelve 5" squares

From Fabric H, cut:

one 1-3/4" x WOF strip. Subcut:
three 1-3/4" x 8-1/2" strips
one 5" x WOF strips. Subcut:
six 5" squares


From the binding fabric, cut:

six 2-1/2" x WOF strips

Assemble the A Blocks


Step 1: Pair each 5" Fabric A square with a 5" Fabric C-G square, right sides together. Draw a diagonal line on the wrong side of the Fabric A square. Sew 1/4" away from the line on both sides. Cut along the line, forming two half-square triangle (HST) blocks. Press the seam toward Fabric A. Trim to 4-1/2" square. Repeat for all Fabric C-G squares.

Step 2: Sew two matching HST units together, with Fabric A sides pointed out. Repeat for all HST blocks, forming fifty pairs.




Step 3: Sew a 1-3/4" x 8-1/2" Fabric A strip to each side of the 1-3/4" x 8-1/2" Fabric C-G strips. Press the seams toward Fabric A. These will be referred to as the stripe units.

Step 4: Sew a HST unit to each side of a matching stripe unit, as illustrated. Press seams toward the stripe unit. Repeat for all C-G pieces. You will have four blocks of Fabrics C-F, six Fabric G blocks and three Fabric H blocks. The block should measure 8-1/2" x 12-1/4".




Assemble the B Blocks



Step 1: Sew a Fabric A triangle to two opposite sides of a Fabric B square. Press seams toward the triangles. Sew Fabric A triangles to the remaining sides of the square. Press toward the triangles. If necessary, trim the block to 4-1/2" square.

Step 2: Sew a 2-1/2" x 4-1/2" Fabric A rectangle to opposite sides of the square-in-a-square block.

Assemble the Quilt



Step 1: Arrange the quilt in seven columns, as shown in the Quilt Assembly Diagram. Place the 8-1/2" x 4-3/8" rectangles at the top and bottom of Columns 2, 4 and 6.

Step 2: Sew the units into columns, pressing seams open.

Step 3: Sew the Columns together, pressing seams open.

Your quilt top is now complete! Baste, quilt, bind and enjoy!