

Linear Pillow

Designed by Robert Kaufman Fabrics

Featuring **VIVID**  **STUDIO RIK** 





Finished project measures 24" x 24"

Pattern Level: Confident Beginner

"I have basic block construction down and would like to learn a new trick!"

ROBERT KAUFMAN
F A B R I C S

Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	
	A	SRK-15249-201 JEWEL	2/3 yard	You will also need: 26" x 26" quilt batting 24" x 24" Pillow Form
	B	K001-146 GLACIER	1 yard	

Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Remember to measure twice and cut once!

Cutting Instructions

Fabric A



- Cut around the large square and one small square.

Fabric B

- Cut two rectangles 16" x 24-1/2"

Assembly Instructions

- Cut the Fabric A large square down the center twice to yield four squares.




- Trim the two outer edges of each square as listed:

A: leave as-is

B: Trim 1"


C: Trim 2"

D: Trim 3"




- Rotate each square 180° so that the outer corners are now in the center.

- Sew the squares back together into a single square.




- Trim the square to 24-1/2" x 24-1/2".
- Place the Fabric A small square in the center of the large square and sew around the perimeter a scant 1/4" from the edge to complete the pillow top.
- Lay the pillow top on the batting and baste. Quilt as desired (the pillow shown is quilted with random straight lines echoing the stripes.).



- Hem one long edge of each Fabric B rectangle by folding the edge 1/4" to the wrong side and then 1/4" again and pressing. Topstitch along the fold.

- Lay the Fabric B rectangles right sides together with the Pillow Top. Align the unhemmed edges of the rectangles with the raw edges of the pillow top. The rectangles will overlap in the center of the pillow.
- Sew around the perimeter using a 1/2" seam allowance.
- Turn the pillow cover right side out, push out the corners and insert the pillow form.



Enjoy your pillow!!