

# LUMINESCENT

Designed by Ariga Wilson for RK  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring ARTISAN  
BATIKS

Winter Pines



Finished quilt measures: 50" x 60"









Difficulty Rating: **Beginner**

ROBERTKAUFMAN  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-7000-2 BLACK	2 yards		E	AMDM-23144-277 WINTER	1/2 yard
	B	AMDM-23143-85 VANILLA	1/2 yard		F	AMDM-23143-277 WINTER	1/2 yard
	C	AMDM-23141-65 POWDER	1/2 yard		G	AMDM-23141-9 NAVY	1/2 yard
	D	AMDM-23143-65 POWDER	1/2 yard		Binding*	AMDM-23144-277 WINTER <i>*Also used for Fabric E</i>	1/2 yard
Copyright 2025, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/4 yards for backing			

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### **From Fabric A, cut:**

two 4-1/2" x WOF strips. Subcut:  
fifteen 4-1/2" squares  
two 5-1/4" x WOF strip. Subcut:  
fifteen 5-1/4" squares  
five 2-7/8" x WOF strip. Subcut:  
sixty 2-7/8" squares  
four 2-1/2" x WOF strip. Subcut:  
sixty 2-1/2" squares  
eighteen 1-1/2" x WOF strips. Subcut:  
thirty 1-1/2" x 10-1/2" strips for the top/bottom block borders  
thirty 1-1/2" x 8-1/2" strips for the side block borders  
sixty 1-1/2" squares

### **From each of Fabrics B, D and F, cut:**

one 5-1/4" x WOF strip. Subcut:  
two 5-1/4" squares  
Trim the remainder of the strip to 4-1/2" wide, then subcut:  
three 4-1/2" squares  
one 2-7/8" x WOF strip. Subcut:  
twelve 2-7/8" squares  
one 2-1/2" x WOF strip. Subcut:  
eight 2-1/2" squares  
Trim the remainder of the strip to 1-1/2" wide and subcut:  
twelve 1-1/2" squares  
two 1-1/2" x WOF strips. Subcut:  
four 1-1/2" x 10-1/2" strips for the top/bottom block borders  
four 1-1/2" x 8-1/2" strips for the side block borders

### **From each of Fabrics C, E and G, cut:**


one 5-1/4" x WOF strip. Subcut:  
three 5-1/4" squares  
Trim the remainder of the strip to 4-1/2" wide, then subcut:  
two 4-1/2" squares  
one 2-7/8" x WOF strip. Subcut:  
eight 2-7/8" squares  
one 2-1/2" x WOF strip. Subcut:  
twelve 2-1/2" squares  
four 1-1/2" x WOF strips. Subcut:  
six 1-1/2" x 10-1/2" strips for the top/bottom block borders  
six 1-1/2" x 8-1/2" strips for the side block borders  
eight 1-1/2" squares

### **From the Binding Fabric, cut:**


six 2-1/2" x WOF strips

## Assemble the Flying Geese

**Step 1:** Pin two 2-7/8" Fabric A squares in opposing corners of a 5-1/4" Fabric B square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.



**Step 2:** Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.



**Step 3:** Press the fabric toward smaller triangles. Repeat with the second unit.



**Step 4:** Place one 2-7/8" Fabric A square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.



**Step 5:** Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 2-1/2" x 4-1/2" if necessary. Repeat to make eight B/A flying geese blocks.



**Step 6:** Repeat with all remaining 2-7/8" Fabric A squares and 5-1/4" Fabric B-G squares to make a total of:



twelve C/A Flying Geese



eight F/A Flying Geese



eight D/A Flying Geese



twelve G/A Flying Geese



twelve E/A Flying Geese

**Step 7:** Repeat the process from Steps 1-5, this time using the Fabric B-G 2-7/8" squares and the 5-1/4" Fabric A squares to make a total of:



twelve A/B Flying Geese



eight A/E Flying Geese



eight A/C Flying Geese



twelve A/F Flying Geese



twelve A/D Flying Geese



eight A/G Flying Geese



## Assemble the Stitch & Flip Corner Units

**Step 8:** Place a 1-1/2" Fabric A square in the upper right corner of a 2-1/2" Fabric B square, right sides together. Note the orientation of the marked diagonal line. Sew on the marked line, then trim away the excess fabric, leaving a 1/4" seam allowance. Press. Repeat to make eight Fabric B Corner Units




**Step 9:** Repeat the process from Step 8 to make:




twelve Fabric C/A Corner Units



eight Fabric F/A Corner Units



eight Fabric D/A Corner Units



twelve Fabric G/A Corner Units



twelve Fabric E/A Corner Units

**Step 10:** Repeat the process from Step 8, this time using 2-1/2" Fabric A squares and 1-1/2" Fabric B-G squares to make:



twelve Fabric A/B Corner Units



eight Fabric A/E Corner Units



eight Fabric A/C Corner Units



twelve Fabric A/F Corner Units




twelve Fabric A/D Corner Units



eight Fabric A/G Corner Units

## Assemble the Block 1 Units



**Step 11:** Gather:

one 4-1/2" Fabric B square

four A/B Flying Geese

four A/B Corner Units

two side Fabric A Block Borders

two top/bottom Fabric A Block Borders

Arrange the Center Square, Corner Units and Flying Geese into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.

**Step 12:** Sew the units together to form the rows. Press the seams away from the Flying Geese.


**Step 13:** Sew the rows together, nesting the seams and pressing the seams to one side to form the block center.

**Step 14:** Sew the side border pieces to the block center. Press toward the borders. Sew the top/bottom border pieces to the block center. Press toward the borders. The Block should measure 10-1/2" at this point.


**Step 15:** Repeat the process from Steps 11-14 to make:



three Fabric B  
Block 1 Units



two Fabric C  
Block 1 Units




three Fabric D  
Block 1 Units



two Fabric E  
Block 1 Units




three Fabric F  
Block 1 Units



two Fabric G  
Block 1 Units

## Assemble the Block 2 Units



**Step 16:** Gather:

one 4-1/2" Fabric A square


four B/A Flying Geese

four B/A Corner Units

two side Block Fabric B Borders

two top/bottom Fabric B Block Borders


**Step 17:** Repeat the process from Steps 11-14 to make:



two Fabric B Block  
2 Units




three Fabric C  
Block 2 Units




two Fabric D Block  
2 Units



three Fabric E  
Block 2 Units



two Fabric F Block  
2 Units



three Fabric G  
Block 2 Units

## Assemble the Quilt

**Step 17:** Arrange the blocks into six rows of five blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

**Step 18:** Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

**Step 19:** Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete! Baste, quilt, bind and enjoy!

