
LUMINESCENT

Designed by Ariga Wilson for RK www.robertkaufman.com

Featuring



Finished quilt measures: 50" x 60"

Difficulty Rating: Beginner

For questions about this pattern, please email Patterns@RobertKaufman.com.

C

В

R

S

Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	2 yards		E	K001-840 DUCKLING	1/2 yard
	В	K001-1846 LEMON ICE	1/2 yard		F	K001-449 SUNNY	1/2 yard
	с	K001-838 BRIGHT IDEA	1/2 yard		G	K001-149 PAPAYA	1/2 yard
	D	K001-1077 CITRUS	1/2 yard		Binding*	K001-1077 CITRUS Also used for Fabric D	1/2 yard
Copyright 2021, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/4 yards for backing			

Fabric amounts based on yardage that is 42" wide.

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

From Fabric A, cut:

two 4-1/2" x WOF strips. Subcut: fifteen 4-1/2" squares

two 5-1/4" x WOF strip. Subcut: fifteen 5-1/4" squares

five 2-7/8" x WOF strip. Subcut: sixty 2-7/8" squares

four 2-1/2" x WOF strip. Subcut:

sixty 2-1/2" squares

eighteen 1-1/2" x WOF strips. Subcut: thirty 1-1/2" x 10-1/2" strips for the top/bottom block borders thirty 1-1/2" x 8-1/2" strips for the side block borders sixty 1-1/2" squares

From each of Fabrics B, D and F, cut:

one 5-1/4" x WOF strip. Subcut: two 5-1/4" squares Trim the remainder of the strip to 4-1/2" wide, then subcut: three 4-1/2" squares one 2-7/8" x WOF strip. Subcut: twelve 2-7/8" squares one 2-1/2" x WOF strip. Subcut: eight 2-1/2" squares Trim the remainder of the strip to 1-1/2" wide and subcut: twelve 1-1/2" squares

two 1-1/2" x WOF strips. Subcut: four 1-1/2" x 10-1/2" strips for the top/bottom block borders four 1-1/2" x 8-1/2" strips for the side block borders

From each of Fabrics C, E and G, cut:

one 5-1/4" x WOF strip. Subcut: three 5-1/4" squares Trim the remainder of the strip to 4-1/2" wide, then subcut: two 4-1/2" squares one 2-7/8" x WOF strip. Subcut: eight 2-7/8" squares one 2-1/2" x WOF strip. Subcut: twelve 2-1/2" squares four 1-1/2" x WOF strips. Subcut: six 1-1/2" x 10-1/2" strips for the top/bottom block borders six 1-1/2" x 8-1/2" strips for the side block borders

eight 1-1/2" squares

From the Binding Fabric, cut:

six 2-1/2" x WOF strips

Step 1: Pin two 2-7/8" Fabric A squares in opposing corners of a 5-1/4" Fabric B square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.

Step 2: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.

Step 3: Press the fabric toward smaller triangles. Repeat with the second unit.

Step 4: Place one 2-7/8" Fabric A square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.

Step 5: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 2-1/2" x 4-1/2" if necessary. Repeat to make eight B/A flying geese blocks.

Step 6: Repeat with all remaining 2-7/8" Fabric A squares and 5-1/4" Fabric B-G squares to make a total of:

twelve C/A Flying Geese



Step 7: Repeat the process from Steps 1-5, this time using the Fabric B-G 2-7/8" squares and the 5-1/4" Fabric A squares to make a total of:

twelve A/B Flying Geese





twelve A/D Flying Geese







twelve A/F Flying Geese

eight F/A Flying Geese



eight A/G Flying Geese












Step 8: Place a 1-1/2" Fabric A square in the upper right corner of a 2-1/2" Fabric B square, right sides together. Note the orientation of the marked diagonal line. Sew on the marked line, then trim away the excess fabric, leaving a 1/4" seam allowance. Press. Repeat to make eight Fabric B Corner Units




Step 9: Repeat the process from Step 8 to make:




twelve Fabric E/A Corner Units

Step 10: Repeat the process from Step 8, this time using 2-1/2" Fabric A squares and 1-1/2" Fabric B-G squares to make:



Assemble the Block 1 Units



Step 11: Gather: one 4-1/2" Fabric B square four A/B Flying Geese four A/B Corner Units two side Fabric A Block Borders two top/bottom Fabric A Block Borders


Arrange the Center Square, Corner Units and Flying Geese into three rows of three. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 12: Sew the units together to form the rows. Press the seams away from the Flying Geese.

Step 13: Sew the rows together, nesting the seams and pressing the seams to one side to form the block center.

Step 14: Sew the side border pieces to the block center. Press toward the borders. Sew the top/bottom border pieces to the block center. Press toward the borders. The Block should measure 10-1/2" at this point.


Step 15: Repeat the process from Steps 11-14 to make:




three Fabric B Block 1 Units



two Fabric E Block 1 Units



two Fabric C Block 1 Units



three Fabric F Block 1 Units




three Fabric D Block 1 Units




two Fabric G Block 1 Units

Assemble the Block 2 Units




Step 16: Gather: one 4-1/2" Fabric A square four B/A Flying Geese four B/A Corner Units two side Block Fabric B Borders two top/bottom Fabric B Block Borders


Step 17: Repeat the process from Steps 11-14 to make:



two Fabric B Block 2 Units




three Fabric C Block 2 Units




two Fabric D Block 2 Units





two Fabric F Block 2 Units



three Fabric G Block 2 Units


Assemble the Quilt

Step 17: Arrange the blocks into six rows of five blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 18: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 19: Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete! Baste, quilt, bind and enjoy!



This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2021. All rights reserved.