LUMINOUS

Designed by Ariga Mahmoudlou for RK www.robertkaufman.com





Finished quilt measures: 48" x 60"

Difficulty Rating: Beginner

For questions about this pattern, please email Patterns@RobertKaufman.com.

В

R

C

S

Fabric and Supplies Needed

Fabric Color Name/SKU Yardage Color Fabric Name/SKU Yardage K001-1387 2-1/2 yards G K001-1228 1/4 yard А WHITE MELON В K001-481 1/4 yard Н K001-274 1/4 yard SANGRIA PRIMROSE С K001-451 1/4 yard K001-1281 1/4 yard VALENTINE PEACH 1/4 yard 1/3 yard D K001-490 J K001-1291 HONFYSUCKLE PINK Е 1/4 yard K001-419 Κ K001-1283 7/8 yard AZALEA PEARL PINK F K001-190 1/4 yard Binding* 1/2 yard K001-490 CAMELLIA HONEYSUCKLE *Also used for Fabric D Copyright 2020, Robert Kaufman You will also need: 3-1/8 yards for backing For individual use only - Not for resale

Fabric amounts based on yardage that is 42" wide.

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

From Fabric A, cut:

three 4-1/2" x WOF strips. Subcut: twenty 4-1/2" squares for the block centers twelve 3" x WOF strips. Subcut: one hundred sixty 3" squares for the HSTs twelve 2-7/8" x WOF strips. Subcut: one hundred sixty 2-7/8" squares for the Flying Geese

From each of Fabrics B and I, cut:

one 5-1/4" x WOF strip. Subcut: two 5-1/4" squares for the Flying Geese

From each of Fabrics C and H, cut:

one 5-1/4" x WOF strip. Subcut: four 5-1/4" squares for the Flying Geese

From each of Fabrics D and G, cut:

one 5-1/4" x WOF strip. Subcut: six 5-1/4" squares for the Flying Geese

From each of Fabrics E and F, cut:

one 5-1/4" x WOF strip. Subcut: eight 5-1/4" squares for the Flying Geese

From Fabric J, cut:

three 3" x WOF strips. Subcut: forty 3" squares for the HSTs

From Fabric K, cut:

nine 3" x WOF strips. Subcut: one hundred twenty 3" squares for the HSTs

From the Binding Fabric, cut:

six 2-1/2" x WOF strips

Assemble the Flying Geese

Step 1: Pin two 2-7/8" Fabric A squares in opposing corners of a 5-1/4" Fabric B square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.

Step 2: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.

Step 3: Press the fabric toward smaller triangles. Repeat with the second unit.

Step 4: Place one 2-7/8" Fabric A square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.

Step 5: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 2-1/2" x 4-1/2" if necessary. Repeat to make four flying geese blocks.

Step 6: Repeat with all remaining 5-1/4" Fabric B-I squares and 2-7/8" Fabric A squares to make a total of:

eight Fabric B flying geese units









thirty-two

Fabric E flying

geese units















Assemble the Half-Square Triangles (HSTs)



Step 7: Pair a 3" Fabric A square with a 3" Fabric J square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make eighty A/J HSTs.



Step 8: Repeat Step 7 to make two hundred forty A/K HSTs.

Assemble the Blocks



Step 9: Gather: four A/J HSTs twelve A/K HSTs eight Fabric B Flying Geese one 4-1/2" Fabric A square

Arrange the units into five rows of five. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 10: Sew the squares together to form the rows. Press the seams in opposite directions every other row.

Step 11: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.



The resulting B Block should measure 12-1/2" square.

Step 12: Repeat Steps 9-11 to make:



two Fabric C Blocks



three Fabric D Blocks



four Fabric E Blocks



four Fabric F Blocks



three Fabric G Blocks





Assemble the Quilt



Step 13: Arrange the blocks into five rows of four blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 14: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 15: Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.