


# LUMINOUS NINE PATCH

Designed by Ariga Wilson for RK  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring ARTISAN  
BATIKS

Kasuri Lynn



Finished quilt measures: 75" x 92"






Difficulty Rating: **Intermediate**

ROBERTKAUFMAN  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

*Fabric amounts based on yardage that is 42" wide.*

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-20835-63 SKY	1/2 yard		D	AMD-20837-62 INDIGO	2-1/8 yards
	B	AMD-20831-67 DENIM	1 yard		E	AMD-20835-62 INDIGO	2-1/4 yards
	C	AMD-20836-67 DENIM	1-5/8 yards		Binding	AMD-20832-62 INDIGO	5/8 yard
<p>Copyright 2022, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 5-3/4 yards for backing</p>			

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### From Fabric A, cut:

- one 6-1/2" x WOF strip. Subcut:
  - three 6-1/2" squares
- three 2-1/2" x WOF strips. Set aside for strip piecing.

### From Fabric B, cut:

- two 6-1/2" x WOF strips. Subcut:
  - twelve 6-1/2" squares
- eight 2-1/2" x WOF strips. Set aside for strip piecing.



**From Fabric C, cut:**

- four 6-1/2" x WOF strip. Subcut:
  - twenty 6-1/2" squares
- twelve 2-1/2" x WOF strips. Set aside for strip piecing.

**From Fabric D, cut:**

- five 6-1/2" x WOF strip. Subcut:
  - twenty-eight 6-1/2" squares
- seventeen 2-1/2" x WOF strips. Set aside for strip piecing.

**From Fabric E, cut:**


- two 9-3/4" x WOF strips. Subcut:
  - eight 9-3/4" squares. Cut each in half along both diagonals to create thirty-two side setting triangles
- one 5-1/8" x WOF strip. Subcut:
  - two 5-1/8" squares. Cut in half along one diagonal to create four corner setting triangles.
- eight 4" x WOF strips. Sew together, end-to-end, then set aside for the outer border.
- eight 2-1/2" x WOF strips. Set aside for strip piecing.

**From the Binding Fabric, cut:**


- nine 2-1/2" x WOF strips

## Assemble the Nine Patch Blocks

**Step 1:** Sew a strip set, sewing strips together along the longest edge, in this order: Fabric A + Fabric B + Fabric A. Press the seams toward the darker fabric. Cut the strip set into sixteen 2-1/2" wide units.




**Step 2:** Sew a strip set, sewing strips together along the longest edge, in this order: Fabric B + Fabric A + Fabric B. Press the seams toward the darker fabric. Cut the strip set into eight 2-1/2" wide units.




**Step 3:** Using Step 1 and Step 2 units, make a Nine Patch Block. The block will measure 6-1/2" square. Repeat to make eight A/B Blocks.



**Step 4:** Sew a strip set, sewing strips together along the longest edge, in this order: Fabric B + Fabric C + Fabric B. Press the seams toward the darker fabric. Make a second strip set like this. Cut the strip sets into thirty-two 2-1/2" wide units.




**Step 5:** Sew a strip set, sewing strips together along the longest edge, in this order: Fabric C + Fabric B + Fabric C. Press the seams toward the darker fabric. Cut the strip set into sixteen 2-1/2" wide units.




**Step 6:** Using Step 4 and Step 5 units, make a Nine Patch Block. The block will measure 6-1/2" square. Repeat to make sixteen B/C Blocks.




**Step 7:** Sew a strip set, sewing strips together along the longest edge, in this order: Fabric C + Fabric D + Fabric C. Press the seams toward the darker fabric. Make a three strip sets like this. Cut the strip sets into forty-eight 2-1/2" wide units.




**Step 8:** Sew a strip set, sewing strips together along the longest edge, in this order: Fabric D + Fabric C + Fabric D. Press the seams toward the darker fabric. Make a second strip set like this. Cut the strip sets into twenty-four 2-1/2" wide units.




**Step 9:** Using Step 7 and Step 9 units, make a Nine Patch Block. The block will measure 6-1/2" square. Repeat to make twenty-four C/D Blocks.



**Step 10:** Sew a strip set, sewing strips together along the longest edge, in this order: Fabric D + Fabric E + Fabric D. Press the seams toward the darker fabric. Make a four strip sets like this. Cut the strip sets into sixty-four 2-1/2" wide units.




**Step 11:** Sew a strip set, sewing strips together along the longest edge, in this order: Fabric E + Fabric D + Fabric E. Press the seams toward the darker fabric. Make a second strip set like this. Cut the strip sets into thirty-two 2-1/2" wide units.





**Step 12:** Using Step 10 and Step 11 units, make a Nine Patch Block. The block will measure 6-1/2" square. Repeat to make thirty-two D/E Blocks.




## Notes Before You Begin

**Step 13:** Arrange the blocks into seventeen diagonal rows. Note the fabric placement in the Quilt Assembly Diagram.

**Step 14:** Sew the blocks together to form rows. Press the seams toward the square units. Sew the side setting triangles to the ends of the rows, as shown.

**Step 15:** Sew the rows together to form the quilt center. Press the row seams open. Sew the corner setting triangles to the quilt center. Press.

**Step 16:** Measure the length of the quilt through the center. Cut two side border strips to this length. Sew the borders to the sides of the quilt center. Press toward the border. Measure the width of the quilt through the center. Cut two top/bottom border strips to this width.



Sew the borders to the top and bottom of the quilt center. Press toward the border.

Your quilt top is complete! Baste, quilt, bind and enjoy!