
LUMINOUS NINE PATCH

Designed by Ariga Mahmoudlou for RK Featuring ARIAN GOOD VIDES www.robertkaufman.com



Finished quilt measures: 75" x 92"



ROBERTKAUFMAN F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
A	AMD-20043-63 SKY	1/2 yard		D	AMD-20045-4 BLUE	2-1/8 yards
В	amd-20046-8 Orange	1 yard		Е	AMD-20042-62 INDIGO	2-1/4 yards
c	AMD-20042-137 LEMON	1-5/8 yards		Binding	AMD-20044-11 ROYAL	2/3 yard
	2020, Robert Kaufmar Il use only - Not for resc				will also need: ards for backing	

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

- one 6-1/2" x WOF strip. Subcut:
 three 6-1/2" squares
- three 2-1/2" x WOF strips. Set aside for strip piecing.

From Fabric B, cut:

- two 6-1/2" x WOF strips. Subcut:
 - □ twelve 6-1/2" squares
- eight 2-1/2" x WOF strips. Set aside for strip piecing.

From Fabric C, cut:

- four 6-1/2" x WOF strip. Subcut:
 twenty 6-1/2" squares
- twelve 2-1/2" x WOF strips. Set aside for strip piecing.

From Fabric D, cut:

- five 6-1/2" x WOF strip. Subcut:
 - □ twenty-eight 6-1/2" squares
- seventeen 2-1/2" x WOF strips. Set aside for strip piecing.

From Fabric E, cut:


- two 9-3/4" x WOF strips. Subcut:
 - eight 9-3/4" squares. Cut each in half along both diagonals to create thirty-two side setting triangles
- one 5-1/8" x WOF strip. Subcut:
 - two 5-1/8" squares. Cut in half along one diagonal to create four corner setting triangles.
- eight 4" x WOF strips. Sew together, end-to-end, then set aside for the outer border.
- eight 2-1/2" x WOF strips. Set aside for strip piecing.

From the Binding Fabric, cut:

• nine 2-1/2" x WOF strips

Assemble the Nine Patch Blocks

Step 1: Sew a strip set, sewing strips together along the longest edge, in this order: Fabric A + Fabric B + Fabric A. Press the seams toward the darker fabric. Cut the strip set into sixteen 2-1/2" wide units.



Step 2: Sew a strip set, sewing strips together along the longest edge, in this order: Fabric B + Fabric A + Fabric B. Press the seams toward the darker fabric. Cut the strip set into eight 2-1/2" wide units.

「それのかいてんだけには、「こことをものかいいてんだけには、「こことをものかい」などがには、「こことをものかい」などできょう。	
	10.52
	12.10
	4 1
A PERSON AND A PER	1 A A
	-
これにわれ、前に、前にあれるれ、前に、前に、前にあれるに、住しわれ、前に、前に、前によれ、前に、前に、前に、前に、前に、前に、前に、前に、前に、前に、前に、前に、前に、	10.1
さんていてん そうい さんてい さんてん そうか かい さんてい てん ちょう アイト	The second

Step 3: Using Step 1 and Step 2 units, make a Nine Patch Block. The block will measure 6-1/2" square. Repeat to make eight A/B Blocks.



Step 4: Sew a strip set, sewing strips together along the longest edge, in this order: Fabric B + Fabric C + Fabric B. Press the seams toward the darker fabric. Make a second strip set like this. Cut the strip sets into thirty-two 2-1/2" wide units.

	1.4		31 - N.			
12 23	S.A.S.					
	1					
				 :	· ·	
	1		41 - S. I.		12	<u> 11 -</u>
11/2/20	1			3 8.5		

Step 5: Sew a strip set, sewing strips together along the longest edge, in this order: Fabric C + Fabric B + Fabric C. Press the seams toward the darker fabric. Cut the strip set into sixteen 2-1/2" wide units.

HE SHE T FRAME	and the set is a	C PLAN N PRODA	-	The second second second			
100 50	12.00	96.C202	20-20-3	1.1.1.2. 1.1.1.	1.4010		
1000	232.003	A Story	122 1254	ALC: SALE OF	I Store	12 6 6 9 16 12	Contraction of the second
1. 1.	12.455	CEKS 2 1	1 A 1 A 5 A	ACK COL	1200	ACCENCE OF	- 11 - 14 - 14 - 14 - 14 - 14 - 14 - 14
	(1) (1)	a de la companya de l	1.4.1.2.4.1.1				
10000				A COLORADO	TRA PARTY OF		CALL AND AND AND A
1.1.1	1000	1200100	1. 1. 1.	$\Phi \leq A > A$	L evence:		KALKER BAR
31246	1.4	11.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1	14. 18 M. 19	A CONTRACTOR	alasi zuk	1. St. 1980	COMPENSION STOCK
		•	• • • •	•	•	•	· · · ·

Step 6: Using Step 4 and Step 5 units, make a Nine Patch Block. The block will measure 6-1/2" square. Repeat to make sixteen B/C Blocks.

31	877	
1256		
2.20	<u>CRE</u>	<u>N24</u>
	S.	

Step 7: Sew a strip set, sewing strips together along the longest edge, in this order: Fabric C + Fabric D + Fabric C. Press the seams toward the darker fabric. Make a three strip sets like this. Cut the strip sets into forty-eight 2-1/2" wide units.


Step 8: Sew a strip set, sewing strips together along the longest edge, in this order: Fabric D + Fabric C + Fabric D. Press the seams toward the darker fabric. Make a second strip set like this. Cut the strip sets into twenty-four 2-1/2" wide units.

the second	Y gild and	Y and white	and at	

Step 9: Using Step 7 and Step 9 units, make a Nine Patch Block. The block will measure 6-1/2" square. Repeat to make twenty-four C/D Blocks.



Step 10: Sew a strip set, sewing strips together along the longest edge, in this order: Fabric D + Fabric E + Fabric D. Press the seams toward the darker fabric. Make a four strip sets like this. Cut the strip sets into sixty-four 2-1/2" wide units.



Step 11: Sew a strip set, sewing strips together along the longest edge, in this order: Fabric E + Fabric D + Fabric E. Press the seams toward the darker fabric. Make a second strip set like this. Cut the strip sets into thirty-two 2-1/2" wide units.

the Arrest	ALL DE LES	artist Marth		ation period		the street The
	S. A.			A.		
					Self-B	
235210-14			SIS LAS		A 13500	15 A 45 6 5 7 3
VALE A DESC.		CALL S	120200		115年1月	

Step 12: Using Step 10 and Step 11 units, make a Nine Patch Block. The block will measure 6-1/2" square. Repeat to make thirty-two D/E Blocks.



Step 13: Arrange the blocks into seventeen diagonal rows. Note the fabric placement in the Quilt Assembly Diagram.

Step 14: Sew the blocks together to form rows. Press the seams toward the square units. Sew the side setting triangles to the ends of the rows, as shown.

Step 15: Sew the rows together to form the quilt center. Press the row seams open. Sew the corner setting triangles to the quilt center. Press.

Step 16: Measure the length of the quilt through the center. Cut two side border strips to this length. Sew the borders to the sides of the quilt center. Press toward the border. Measure the width of the quilt through the center. Cut two top/bottom border strips to this width.

Notes Before You Begin



Sew the borders to the top and bottom of the quilt center. Press toward the border.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.