

# MAP IT OUT

Designed by Robert Kaufman Fabrics

Featuring  
**Explore America**



Finished quilt measures: 42" x 58"





Pattern Level: Experienced Intermediate

"I know the ropes and would like to test my skills!"

**ROBERT KAUFMAN**  
F A B R I C S

## Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AOR-15336-195 BRIGHT	2/3 yard		F	K001-410 KUMQUAT	1/8 yard
	B	AOR-15337-200 VINTAGE	1/2 yard		G	K001-455 RIVIERA	1/8 yard
	C	K001-1333 SILVER	1/2 yard		H	K001-1141 FERN	1/8 yard
	D	K001-1513 SKY	1/2 yard		I	K001-1064 CARIBBEAN	1/8 yard
	E	K001-7 TOMATO	1/3 yard		J	K001-1077 CITRUS	1/8 yard
Copyright 2015, Robert Kaufman For individual use only - Not for resale				You will also need: 1/2 yard binding 3 yards backing			

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 40" wide.
- Remember to measure twice and cut once!


## Cutting Instructions

### Fabric A

Cut one panel, 25" x 40-1/2"

### Fabric B

Fussy cut ten 6-1/4" x 6-1/4" squares with posters centered and on point.



### Fabric C

Cut three 5" x WOF strips. Sub-cut twenty 5" x 5" squares, then cut squares on the diagonal to make forty triangles.

### Fabric D

Cut five 3" x WOF strips. Sub-cut sixty 3" x 3" squares, then cut squares on the diagonal to make one hundred and twenty triangles.

### Fabric E

Cut two 5-1/4" x WOF strips. Sub-cut ten 5-1/4" x 5-1/4" squares, then cut twice diagonally, creating four triangles per square. Yield forty triangles.

### Fabric F, G, H, I

From each fabric, cut one 3" x WOF strip. Sub-cut ten 3" x 3" squares each, then cut squares on the diagonal to make twenty triangles of each fabric.

### Fabric J

Cut one 3-1/2" x WOF strip. Sub-cut ten 3-1/2" x 3-1/2" squares.

### Binding

Cut six 2-1/2" x WOF strips. Set aside for binding.

## Assemble the Blocks

### Assemble the A Blocks




Sew one Fabric C triangle to opposite sides of each Fabric B square.



Press seams to the outside. Sew Fabric C triangles to remaining two sides of the square. Press seams to the outside. If necessary, trim block to 8-1/2" square, leaving 1/4" seam allowance at each of the pieced points.

Repeat to make ten A Blocks.

### Assemble the B Blocks



### Half-square triangles:



Sew triangles together in pairs, in the following amounts:

Twenty Fabric D/G units

Twenty Fabric D/F units

Press all seams to the darker fabric.

### Flying Geese:




Sew two Fabric D triangles to the two shorter sides of a Fabric E triangle, creating a flying geese unit. Press seams toward Fabric D. Repeat to create forty flying geese units. Trim unit to 2" x 4" if necessary, taking care to leave a 1/4" seam allowance above the point.

### Square in a Square:

Sew two Fabric H triangles to opposite sides of a Fabric J square.


Wrong Side of Fabric H



Press to the outside. Sew two Fabric I triangles to the remaining sides. Press to the outside. Repeat to create ten square in a square units.


Sew flying geese units to two opposite sides of a square in a square unit.

<Note the orientation and placement of the color in the block assembly diagram>



Press seams to the outside. Repeat to create ten center units.


Sew one D/G half square triangle and one D/F half square triangle to either side of a flying geese unit.



<Note the orientation and placement of the color in the block assembly diagram>

Press seams to the flying geese unit. Repeat to create twenty outer units.

Sew an outer unit to the top and bottom of each center unit.



Press seams open. Repeat to create ten B Blocks.

## Assemble the Quilt

Sew two rows with block order: A-B-A-B-A. Press seams to the left.  
Sew two rows with block order: B-A-B-A-B Press seams to the right.

Sew rows and center panel together, following Quilt Assembly Diagram.



Your quilt top is complete. Baste, quilt, bind and enjoy!