MAPLE TWIST

Designed by Robert Kaufman Fabrics www.robertkaufman.com

Featuring Shades of the Season



Finished quilt measures: 32" x 32"

Pattern Level: Confident Beginner

"I have basic block construction down and would like to learn a new trick!"



Fabric and Supplies Needed

Fabric amounts based on yardage that is 44" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	SRKM-16041-2 BLACK *includes backing	1-1/4 yards		D	SRKM-16046-133 GOLD	1/3 yard
	В	SRKM-16042-15 IVORY	1/2 yard		E	SRKM-16043-163 SPICE *includes binding	5/8 yard
	C	SRKM-16043-7 GREEN	1/3 yard		F	SRKM-16044-191 AUTUMN	1/2 yard
Copyright 2016, Robert Kaufman For individual use only - Not for resale							

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 44" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

one piece 37" x 37 for backing four 4-1/2" squares for block center

From Fabric B, cut:

one 7-1/2" x WOF strip. Subcut: sixteen 2" x 7-1/2" rectangles one 2-1/2" x WOF strip. Subcut: eight 2-1/2" squares for Fabric BC HSTs two 2" x WOF strips for strip piecing

From Fabric C, cut:

one 4-1/2" x WOF strip for strip piecing
one 3-1/2" x WOF strip. Subcut:
two 3-1/2" squares. Cut each once on the diagonal for border accent
Trim the remainder of the strip to 2-1/2". Subcut:
eight 2-1/2" squares for Fabric BC HSTs

From Fabric D, cut:

four 2" x WOF strips. Subcut: eight 2" x 6" rectangles eight 2" x 3-1/2" rectangles twenty-four 2" squares

From Fabric E, cut:


four 2" x WOF strips. Subcut: eight strips 2" x 6" rectangles eight 2" x 3-1/2" rectangles twenty-four 2" squares four 2-1/4" x WOF strips for binding

From Fabric F, cut:

four 3-1/2" x WOF strips. Trim to yield: four 3-1/2" x 26-1/2" for borders


Unit Assembly

Step 1: Sew a 2" Fabric B strip on either side of a 4-1/2" Fabric C strip, along the longest side. Press the seams toward the darker fabric. Cut sixteen 2" Fabric BC units.



Step 2: Pair a 2-1/2" Fabric B and C square, right sides together. Mark a diagonal line on the wrong side of the lighter fabric. Sew 1/4" away on both sides of the marked line. Cut on the marked line, creating two half square triangle blocks (HSTs). Press the seam to the darker fabric and trim to 2" square. Repeat to make sixteen HSTs.

Step 3: Place a 2" Fabric D square on either end of a 7-1/2" Fabric B rectangles, right sides together. Mark a line on the diagonal of both Fabric D squares, noting the orientation of the lines in the illustration.



Sew on the diagonal then trim the excess, leaving a 1/4" seam allowance. Press toward the triangles. Repeat to make eight.



Step 4: Repeat Step 3 with 2" Fabric E squares and 7-1/2" Fabric B rectangles. Make eight.



Step 5: Sew a 2" x 6" Fabric D rectangle to the left edge of a 4-1/2" Fabric A square, stopping 1/4" from the edge of the Fabric A square. This is called a partial seam.



On the top edge of the square sew a Fabric E rectangle (pressing the seams toward the rectangles), then sew a Fabric D rectangle to the right edge. Finish the block by sewing a Fabric E rectangle to the bottom edge of the square, then complete the seam from the first rectangle sewn to the left edge. Repeat to make four blocks.










Step 6: Sew a 2" Fabric D square to the light side of a Fabric BC HST. Press the seams toward the square. Repeat to make four of each style.





Make four Make four

Step 7: Repeat Step 6 with eight 2" Fabric E squares and the remaining HSTs. Repeat to make four of each style.





Make four

Make four

Step 8: Sew a 2" x 3-1/2" Fabric D rectangle to a Fabric E + HST unit. Make four of each.



Make eight

Step 9: Repeat Step 8 with the 2" x 3-1/2" Fabric E rectangles and Fabric D + HST units. Repeat to make four of each style.



Make eight

Step 10: Assemble four identical blocks according to the Block Assembly Diagram.



Quilt Assembly



Step 11: Sew the four blocks together in a 2 x 2 layout, rotating the blocks to match the orientation shown. Press the seams open.

Step 12: Sew a border strip to either side, pressing toward the border. Sew a Fabric C triangle to either side of the remaining border strips, pressing the seams toward the border. Sew to the top & bottom of the table topper.

Your table topper top is finished! Baste, quilt, bind and enjoy!