
# Marsala

Designed by Robert Kaufman Fabrics

Featuring





Finished project measures 74" x 98"



"I have basic block construction down and would like to learn a new trick!"



# Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-355 CAYENNE	7/8 yard		G	K001-1223 MED. GREY	1 yard
	В	K001-359 PEPPER	1-3/8 yards		Н	K001-1332 SIENNA	5/8 yard
	C	K001-500 TITANIUM	3/4 yards		ı	K001-1390 WINE	1-1/8 yards
	D	K001-1007 ASH	1/2 yard		J	K001-1465 DUSTY PEACH	1/4 yard
	E	K001-1054 BURGUNDY	1-1/4 yards		К	K001-1483 SALMON	3/8 yard
	F	K001-1080 COAL	1-1/8 yards	You will also need: 6 yards Backing Fabric 5/8 yards Binding Fabric 80" x 104" Quilt Batting			

## Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Remember to measure twice and cut once!

## **Cutting Instructions**

Tip: All of the rectangles (all fabrics, except J), must be cut at 1-1/2" wide, but you may cut them longer than indicated and trim as you go.

#### Fabric A

- Cut two strips 6" x WOF, then subcut forty-eight rectangles 1-1/2" x 6".
- Cut two strips 7" x WOF, then subcut forty-eight rectangles 1-1/2" x 7".

#### Fabric B

- Cut two strips 11" x WOF, then subcut forty-eight rectangles 1-1/2" x 11".
- Cut two strips 12" x WOF, then subcut forty-eight rectangles 1-1/2" x 12".

#### Fabric C

- Cut two strips 5" x WOF, then subcut forty-eight rectangles 1-1/2" x 5".
- Cut two strips 6" x WOF, then subcut forty-eight rectangles 1-1/2" x 6".

#### Fabric D

- Cut two strips 3" x WOF, then subcut forty-eight rectangles 1-1/2" x 3".
- Cut two strips 4" x WOF, then subcut forty-eight rectangles 1-1/2" x 4".

#### Fabric E

- Cut two strips 10" x WOF, then subcut forty-eight rectangles 1-1/2" x 10".
- Cut two strips 11" x WOF, then subcut forty-eight rectangles 1-1/2" x 11".

#### Fabric F

- Cut two strips 9" x WOF, then subcut forty-eight rectangles 1-1/2" x 9".
- Cut two strips 10" x WOF, then subcut forty-eight rectangles 1-1/2" x 10".

#### Fabric G

- Cut two strips 7" x WOF, then subcut forty-eight rectangles 1-1/2" x 7".
- Cut two strips 8" x WOF, then subcut forty-eight rectangles 1-1/2" x 8".

#### Fabric H

- Cut two strips 4" x WOF, then subcut forty-eight rectangles 1-1/2" x 4".
- Cut two strips 5" x WOF, then subcut forty-eight rectangles 1-1/2" x 5".

#### Fabric I

- Cut two strips 8" x WOF, then subcut forty-eight rectangles 1-1/2" x 8".
- Cut two strips 9" x WOF, then subcut forty-eight rectangles 1-1/2" x 9".

#### Fabric J

- Cut three strips 2-1/2" x WOF, then subcut forty-eight squares 2-1/2" x 2-1/2".


#### Fabric K

- Cut two strips 2" x WOF, then subcut forty-eight rectangles 1-1/2" x 2".
- Cut two strips 3" x WOF, then subcut forty-eight rectangles 1-1/2" x 3".


# Assembly Instructions

### **Step One: Assemble the Blocks**

- Beginning with a Fabric J 2-1/2" square in the middle, sew the strips in numerical order, as pictured. Trim excess fabric as you go.
- Finished block will measure 12-1/2" x 12-1/2".




- Repeat to make a total of forty-eight blocks.



## Step Two: Assemble the Quilt

- Lay the blocks out as pictured and sew eight rows of six blocks each. Sew the rows together to complete the quilt top.



Baste, quilt, bind and enjoy!