

MARSHLAND

Designed by Ariga Wilson for RK
www.robertkaufman.com

Featuring ARTISAN **Marshland** L

Roll Up
Friendly



Finished quilt measures: 54" x 65"





Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
		RU-1153-40 MARSHLAND	One Roll Up		B	AMD-21720-153 SAND	5/8 yard
	A	AMD-7000-62 INDIGO	1 yard		Binding*	AMD-7000-62 INDIGO <small>*Also used for Fabric A</small>	1/2 yard
Copyright 2023, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/2 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From the strips in the Roll Up, cut:

one-hundred and forty 2-1/2" x 9-1/2" rectangles. *Note: At least thirty-five strips are needed to cut the rectangles, but more strips can be used for added variety.*

From Fabric A, cut:

nine 2-1/2" x WOF strips. Subcut:

one-hundred and forty 2-1/2" squares

five 2" x WOF strips. Sew the strips together end-to-end, then subcut:

two 2" x 56-1/2" inner side borders.

two 2" x 48-1/2" inner top/bottom borders.

From Fabric B, cut:

six 3-1/2" x WOF strips. Sew the strips together end-to-end, then subcut:

two 3-1/2" x 59-1/2" outer side borders.

two 3-1/2" x 54-1/2" outer top/bottom borders.

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips.

Assemble the Blocks

Step 1: Gather two 2-1/2" Fabric A squares and two 2-1/2" x 9-1/2" rectangles cut from different fabrics in the roll up.

Step 2: Place a Fabric A square on the right end of one rectangle, then mark a diagonal line as shown. Sew on the marked line, then trim the excess fabric 1/4" away from the sewn seam. Press the seam towards the darker fabric.



Step 3: Repeat Step 2 using the remaining square and rectangle to make a second unit that has the seam rotated opposite of the first unit.



Step 4: Sew the Step 2 unit to the top of the Step 3 unit as shown. Press towards the bottom of the block.



Step 5: Repeat Steps 1-4 to make seventy blocks.

Assemble the Quilt

Step 6: Arrange the blocks into fourteen rows of five blocks. Note the block orientation in the Quilt Assembly Diagram.

Step 7: Sew the blocks together to form rows. Press the seams to the left in the odd-numbered rows and to the right in the even-numbered rows.

Step 8: Sew the rows together to form the quilt center. Press the row seams open.

Step 9: Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 10: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind, and enjoy!



Quilt Assembly Diagram

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2023. All rights reserved.