


MOJAVE

Designed by Ariga Mahmoudlou for RK
www.robertkaufman.com

Featuring **KONA**[®]
cotton solids



2021
KONA[®]
cotton solids
365
CALENDAR
QUILT

Finished quilt measures: 54" x 72"



Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-412 NAUTICAL	3 yards		H	K001-844 PRINCESS	1/4 yard
	B	K001-346 REGATTA	1/4 yard		I	K001-318 GRAPEMIST	1/4 yard
	C	K001-195 EVENING	1/4 yard		J	K001-1336 SLATE	1/4 yard
	D	K001-1003 AMETHYST	1/4 yard		K	K001-1189 LAVENDER	1/4 yard
	E	K001-1191 LILAC	1/4 yard		L	K001-152 CLOUD	1/4 yard
	F	K001-852 NOBLE PURPLE	1/4 yard		M	K001-1029 BLUE BELL	1/4 yard
	G	K001-1452 DENIM	1/4 yard		Binding*	K001-412 NAUTICAL <small>*Also used for Fabric A</small>	5/8 yard
<p>Copyright 2020, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 3-1/2 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

six 4-1/4" x WOF strips. Subcut:
forty-eight 4-1/4" squares
five 4" x WOF strips. Subcut:
forty-eight 4" squares for the HSTs
eight 3-1/2" x WOF strips. Subcut:
forty-eight 3-1/2" x 6-1/2" rectangles
fourteen 2" x WOF strips. Subcut:
forty-eight 2" x 6-1/2" rectangles
forty-eight 2" x 5" rectangles

From each of Fabrics B-M, cut:

one 4" x WOF strip. Subcut:
four 4" squares for the HSTs
Trim the remainder of the strip to 3-1/2" wide, then subcut:
four 3-1/2" squares
one 3-1/4" x WOF strip. Subcut:
four 3-1/4" squares. *Mark a diagonal line on the wrong side of each of these squares.*
Trim the remainder of the strip to TWO 1-1/4" wide strips, then subcut:
four 1-1/4" x 4-1/4" strips
four 1-1/4" x 5" strips

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)


Step 1: Pair a 4" Fabric A square with a 4" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3-1/2" square. Repeat to make eight A/B HSTs.




Step 2: Repeat Step 1 to make eight HSTs from each of Fabrics C-M, pairing each one with Fabric A.




A/C HSTs



A/D HSTs



A/E HSTs



A/F HSTs



A/G HSTs



A/H HSTs



A/I HSTs



A/J HSTs



A/K HSTs



A/L HSTs




A/M HSTs

Assemble the Block Corner Units


Step 3: Gather:

- one 3-1/4" Fabric B square
- one 4-1/4" Fabric A square
- one 1-1/4" x 4-1/4" Fabric B strip
- one 1-1/4" x 5" Fabric B strip
- one 2" x 4-1/4" Fabric A strip
- one 2" x 6-1/2" Fabric A strip

Step 4: Place the 3-1/4" B square RST in one corner of the 4-1/4" Fabric A square, with the marked line oriented as shown here. Sew on the marked line. Trim the seam allowance to 1/4" and press.



Step 5: With the completed Step 4 unit oriented as shown, sew the 1-1/4" x 4-1/4" B strip to the bottom edge of the unit. Press. Sew the 1-1/4" x 5" B strip to the right edge. Press. Sew the 2" x 5" A strip to the right edge. Press. Sew the 2" x 6-1/2" A strip to the bottom edge. Press.




The completed Block Corner Unit should measure 6-1/2" square. Repeat to make four Fabric B Block Corner Units.




Step 6: Repeat Steps 3-5 to make four Block Corner Units from each of Fabrics C-M.




Fabric C Corner Unit



Fabric D Corner Unit




Fabric E Corner Unit




Fabric F Corner Unit




Fabric G Corner Unit




Fabric H Corner Unit




Fabric I Corner Unit




Fabric J Corner Unit



Fabric K Corner Unit



Fabric L Corner Unit



Fabric M Corner Unit


Assemble the Blocks

Step 7: Gather:

one Block Corner Unit from each of Fabrics B, C, H and I
 two HSTs from each of Fabrics B, C, H and I
 one 3-1/2" square from each of Fabrics B, C, H and I
 four 3-1/2" x 6-1/2" Fabric A rectangles

Arrange the units as shown. Note the fabric placement and block orientation in the Block Assembly Diagram.

Step 8: Sew the HSTs and Fabric A rectangles together, as shown, to make four 6-1/2" square units. Press.




Step 9: Sew the four 3-1/2" Fabric B, C, H and I squares together to form a four-patch, using the fabric placement shown in the Block Assembly Diagram.

Step 10: Sew the sections together in three rows of three. Press the unit seams toward the completed Step 8 units.


Step 11: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The completed Block should measure 18-1/2" square. Make four BCHI Blocks.

Step 12: Repeat Steps 7-11 to make:



four EDJK Blocks




four FGLM Blocks


Assemble the Quilt



Step 13: Arrange the blocks into four rows of three blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.



Step 14: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.



Step 15: Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete! Baste, quilt, bind and enjoy!