MORNINGMOON

Designed by Ariga Mahmoudlou for RK Featuring Morningmoon www.robertkaufman.com

Unicorns



Finished quilt measures: 50" x 66"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ABKD-18646-286 WILD	2/3 yard (one complete panel)		Е	K001-487 CORSAGE	1/3 yard
	В	ABKD-18648-286 WILD	5/8 yard		F	ABKD-18649-268 NATURE	3/4 yard
	C	K001-266 BREEZE	1-7/8 yard		Binding*	K001-487 CORSAGE *Also used for Fabric E	1/2 yard
	D	ABKD-18647-300 STORM	1/8 yard				
Copyright 2019, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/4 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

six 9-1/2" x 11-1/2" for the block centers

From Fabric B, cut:

one 4-1/2" x WOF strip. Subcut:
six 4-1/2" squares for the HSTs
eight 2" x WOF strips. Subcut:
twelve 2" x 11-1/2" side block borders
twelve 2" x 12-1/2" top/bottom block borders

From Fabric C, cut:

one 5" x WOF strip. Subcut:
four 5" x 7-1/2" rectangles
two 4-1/2" x WOF strips. Subcut:
twelve 4-1/2" squares for the HSTs
twelve 4" x WOF strips. Subcut:
eight 4" x 7-1/2" rectangles
eight 4" x 16-1/2" rectangles
four 4" x 14-1/2" rectangles

From Fabric D. cut:

one 4-1/2" x WOF strip. Subcut: six 4-1/2" squares for the HSTs

From Fabric E, cut:

five 2" x WOF strips. Sew together, end-to-end, then trim: two 2" x 43-1/2" top/bottom inner borders two 2" x 56-1/2" side inner borders

From Fabric F, cut:

six 4" x WOF strips. Sew together, end-to-end, then trim: two 4" x 50-1/2" top/bottom outer borders two 4" x 59-1/2" side outer borders

From the Binding Fabric, cut:


six 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)


Step 1: Pair a 4-1/2" Fabric C square with a 4-1/2" Fabric D square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4" square. Repeat to make twelve C/D HSTs.



Step 2: Repeat Step 1 to make twelve C/B HSTs.



Step 3: Arrange two C/D and two C/B HSTs in two rows of two to form a four-patch, noting the fabric placement and orientation of the HSTs. Sew together and press. Repeat to make six 7-1/2" square units.



Assemble the Panel Blocks

Step 4: Sew a 2" x 11-1/2" Fabric B strip to the left and right edges of a Fabric A block. Press. Sew a 2" x 12-1/2" Fabric B strip to the top and bottom edges of a Fabric A block. Press.

Repeat Step 4 to make six 12-1/2" x 14-1/2" Panel Blocks.




Assemble the HST Blocks

Step 5: Sew a 5" x 7-1/2" Fabric C rectangle to the left and right edges of an HST four-patch. Press. Sew a 4" x 16-1/2" Fabric C rectangle to the top and bottom edges of the block. Press.

Repeat Step 5 to make two 16-1/2" x 14-1/2" HST Blocks. These will be used in Rows 2 and 4.


Refer to the Quilt Assembly Diagram for fabric placement in these blocks, as not all blocks will have the same fabric placement.



Step 6: Sew a 4" x 7-1/2" Fabric C rectangle to the left and right edges of an HST four-patch. Press. Sew a 4" x 14-1/2" Fabric C rectangle to the top and bottom edges of the block. Press.

Repeat Step 6 to make four 14-1/2" x 14-1/2" HST Blocks. These will be used in Rows 1 and 3.

Refer to the Quilt Assembly Diagram for fabric placement in these blocks, as not all blocks will have the same fabric placement.





Step 7: Arrange the blocks into four rows of three blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 8: Sew the blocks together to form rows. Press the seams toward the Panel Blocks.

Step 9: Sew the rows together to form the quilt center. Press the row seams open.

Step 10: Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 11: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2019. All rights reserved.