

MOSAIC

Designed by Angela Walters
www.quiltingismytherapy.com

Featuring
ANGELA WALTERS

FRAGMENTAL



Finished quilt measures: 55" x 58-1/2"






Pattern Level: Confident Beginner

*"I have basic block construction down
and would like to learn a new trick!"*

ROBERT KAUFMAN
F A B R I C S

Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AWT-15829-150 SALMON	2 yards		D	K001-1007 ASH	1/2 yard
	B	K001-1371 TAUPE	1/4 yard		E	K001-1073 CHOCOLATE	1/4 yard
	C	E014-192 MANGO	1/3 yard	Copyright 2016, Robert Kaufman For individual use only - Not for resale			
				You will also need: 1/2 yard for binding 3-3/4 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 40" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From **Fabric A**, trim each panel to 18 1/2" x 43"

From **Fabric B**, cut:

- three 5-1/2" squares
- three 2-1/2" x 4-1/2" rectangles

From **Fabric C**, cut:

- three 7-1/2" squares
- three 6-1/2" squares
- three 3-1/2" squares

From **Fabric D**, cut:

- six 2-1/2" x 7-1/2" rectangles
- six 4-1/2" squares
- three 7-1/2" squares
- three 5-1/2" squares
- three 3-1/2" squares

From **Fabric E**, cut:

- three 2-1/2" x WOF strips

From the **binding fabric**, cut:

- six 2-1/2" x WOF strips

Half Square Triangle (HST) Block Assembly


Step 1 On the back of a 7-1/2" Fabric D square, draw a diagonal line from one corner to the opposite side. Place on top of a 7-1/2" square of Fabric C. Sew a line 1/4" from each side of the line. Cut on the line and press open to form two HST blocks. Trim blocks to measure 6-1/2" square. Repeat with remaining 7-1/2" squares to make a total of six Fabric C/D (Mango and Gray) HST blocks, each 6-1/2" square.

Step 2 Repeat Step 1, using the 5-1/2" squares of Fabric B and Fabric D (Taupe and Gray) to make six HST blocks. Trim to 4-1/2" square.

Step 3 Repeat Step 1, using the 3-1/2" squares of Fabric C and Fabric D (Mango and Gray) to make six HST blocks. Trim to 2-1/2" square.

Quilt Assembly


Step 1 Using the HST blocks and remaining cut pieces, make three block units. See diagram for placement.



Step 2 Sew a block unit to a short end of the each of the three panels.

Step 3 Cut one Fabric E (Brown) strip in half. Sew one half to the short end of a remaining Fabric E strip. Repeat with the remaining half and strip. Trim both pieced strips to 55".

Step 4 Referring to the diagram, sew the brown strip in between the panels.



Step 5 Your quilt top is complete. Baste, quilt, bind and enjoy!