


# MYSTIC MOUNTAINS

Designed by Robert Kaufman Fabrics  
[www.robertkaufman.com](http://www.robertkaufman.com)

Featuring **KONA**<sup>®</sup>  
cotton solids



Finished quilt measures: 77" x 91"

**Pattern Level: Enthusiastic Novice**





"I am a total beginner and want to learn more!"

**ROBERT KAUFMAN**  
F A B R I C S

For questions about this pattern, please email [Patterns@RobertKaufman.com](mailto:Patterns@RobertKaufman.com).

## Fabric and Supplies Needed

Fabric amounts based on yardage that is 44" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1387 WHITE	6 yards		C	K001-261 BUBBLE GUM	1-1/4 yard
	B	K001-152 CLOUD	1-1/8 yard		D	K001-27 CORNFLOWER	1/2 yard
<p>Copyright 2016, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 5-1/2 yards for backing 5/8 yards for binding</p>			

## Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 44" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

## Cutting Instructions

### From Fabric A, cut:

three 15-1/2" x WOF strips. Subcut:

five 15-1/2" squares. Cut each in half along both diagonals, creating four triangles per square. Set aside eighteen for the side setting triangles. Discard two.

From the remainder of 15-1/2" two strips, cut:

two 8" squares. Cut each in half along one diagonal, creating a total of four corner setting triangles.

five 10-1/2" x WOF strips. Subcut:

twenty 10-1/2" squares

three 7-5/8" x WOF strips. Subcut:

fifteen 7-5/8" squares

three 3-7/8" x WOF strips. Subcut:

thirty 3-7/8" squares. Cut each in half along one diagonal. Set aside for the B Blocks.

four 6" x WOF strips. Subcut:

twenty-three 6" squares. Set aside for the A Block HSTs

eight 3-1/2" x WOF strip. Set aside for the borders.

four 2-1/2" x WOF strips. Subcut:  
sixty 2-1/2" squares.

**From Fabric B, cut:**

three 6-1/2" x WOF strips. Subcut:  
fifteen 6-1/2" squares

four 2-1/4" x WOF strips. Subcut:

sixty 2-1/4" squares. Cut each in half along one diagonal. Set aside for the B Blocks.

**From Fabric C, cut:**

four 6" x WOF strips. Subcut:

twenty-three 6" squares. Set aside for the A Block HSTs

three 5" x WOF strips. Subcut:

twenty-three 5" squares. Set aside for the B Block HSTs

**From Fabric D, cut:**

three 5" x WOF strips. Subcut:

twenty-three 5" squares. Set aside for the B Block HSTs


**From the Binding Fabric, cut:**

nine 2-1/2" x WOF strips



*Note: This quilt uses a time saving construction method for making half square triangle blocks. You will make the units eight at a time, so do not be alarmed if the cut sizes seem too large for the final block.*

## Assemble the Half Square Triangle Units

**Step 1:** On the wrong side of each 6" Fabric A square, mark both diagonals with a pencil.




**Step 2:** Place one 6" Fabric A square RST with a 6" Fabric C square. Sew 1/4" away from both sides of the two marked lines.




**Step 3:** Cut the square in half vertically and horizontally.

**Step 4:** Cut along the marked lines, creating eight half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square, if necessary.




Repeat with all remaining 6" A and C squares, for a total of one hundred-eighty Fabric A/C HSTs. Set aside for the A Blocks.


**Step 5:** Repeat Steps 1-4 using the Fabric C and D squares. Trim each HST to 1-7/8" square for a total of one hundred-eighty Fabric C/D HSTs. Set aside for the B Blocks.



### Assemble the A Blocks





**Step 1:** Gather twelve A/C HSTs, four 2-1/2" Fabric A squares and one 6-1/2" Fabric C square. Sew the HSTs together in sets of three as shown. Press seams to the right.



Repeat to make two sets like this.


**Step 2:** Sew three HSTs together as shown, with a 2-1/2" Fabric A square on each end. Press seams to the left. Repeat to make two sets like this.




**Step 3:** Sew the Step 1 units to the top and bottom of the Fabric C square, noting the orientation in the Block Assembly Diagram. Press seams toward the square.

**Step 4:** Sew the Step 2 units to the sides of the block, noting the orientation in the Block Assembly Diagram. Press seams toward the square.


Repeat to make fifteen 10-1/2" square A Blocks.



## Assemble the B Blocks




**Step 1:** Gather twelve C/D HSTs, eight 2-1/4" Fabric B triangles, one 7-5/8" Fabric A square and four 3-7/8" Fabric A triangles. Sew the HSTs together in sets of three as shown, using a scant 1/4" seam allowance. Sew a Fabric B triangle to each end. Press seams to the right.





Sew a 3-7/8" Fabric A triangle to the top of the unit, pressing the seam toward the triangle. Repeat to make two sets like this.

**Step 2:** Sew three HSTs together as shown, with a Fabric B triangle on each end, using a scant 1/4" seam allowance. Press seams to the left. Sew a 3-7/8" Fabric A triangle to the top of the unit, pressing the seam toward the triangle. Repeat to make two sets like this.




**Step 3:** Sew the Step 1 units to the top and bottom of the Fabric A square, noting the orientation in the Block Assembly Diagram. Press seams away from the square.



**Step 4:** Sew the Step 2 units to the sides of the block, noting the orientation in the Block Assembly Diagram. Press seams away from the square.

Trim to 10-1/2" square. Repeat to make fifteen B Blocks.

## Assemble the Quilt



**Step 1:** Arrange the setting triangles, solid Fabric A squares and the A and B Blocks as shown in diagonal rows as shown in the Quilt Assembly Diagram. Sew the blocks together in rows. Press the seams to the left in odd numbered rows and to the right in even numbered rows.

**Step 2:** Sew the rows together, nesting and pinning seams. Press the row seams all one direction.

**Step 3:** If necessary, trim the edges straight, leaving at least  $\frac{1}{4}$ " seam allowance from the corner of the blocks.

## Add the Borders

**Step 1:** Sew the border strips together, end-to-end, in pairs. Measure the length of the quilt, then trim two borders to that measurement. Sew to the sides of the quilt. Press toward the borders.

**Step 2:** Measure the width of the quilt, then trim two borders to that measurement. Sew to the top and bottom of the quilt. Press toward the borders.

Your quilt top is now complete! Baste, quilt, bind and enjoy!