PAIR OF SQUARES



В

R

1

С

S

А

F

Pattern Level: Confident Beginner

"I have basic block construction down and would like to learn a new trick!"

Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ADE-10788-203 Celebration	1-5/8 yardS		Н	ADE-12778-130 SUNSHINE	fat quarter
	В	ADE-15669-2 BLACK	fat quarter		I	ADE-12778-246 WATER	fat quarter
	С	ADE-15670-2 BLACK	fat quarter	HORTON HE	L	ADE-10789-203 CELEBRATION	fat quarter
Distantic	D	ADE-15670-1 WHITE	1/3 yard		К	ADE-10792-203 CELEBRATION *includes binding	7/8 yards
	E	ADE-15669-4 BLUE	fat quarter		L	ADE-10792-267 ADVENTURE	2/3 yards
	F	ade-12778-47 Grass	fat quarter		M	K001-1387 WHITE	1-1/3 yards
	G	ADE-12778-99 CHERRY	fat quarter	You will also need: 3-7/8 yards for backing Copyright 2015, Robert Kaufman			
				For individual use only - Not for resale			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 40 " wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Fabric A - Cut five 10-1/2" x WOF strips - Sub cut fifteen 10-1/2" squares

Fabric B - Cut five 5-1/2" squares

Fabric C - Cut five 5-1/2" squares

Fabric D - Cut ten 5-1/2" squares

Fabric E - Cut five 5-1/2" squares

Fabric F - Cut five 5-1/2" squares

Fabric G - Cut five 5-1/2" squares

Fabric H - Cut five 5-1/2" squares

Fabric I - Cut five 5-1/2" squares

Fabric J - Cut five 5-1/2" squares

Fabric K

- Cut one 5-1/2" x WOF strip
- Cut five 5-1/2" squares
- Cut eight strips 2-1/2" x WOF for binding

Fabric L

- Cut one 5-1/2" x WOF strip - Cut five 5-1/2" squares

- Cut five 5-1/2" squares - Cut three 5" x WOF strips for top and bottom borders

Fabric M

- Cut twenty-one strips 2" x WOF
- Sub cut twenty-four rectangles 2" x 10-1/2" for sashing
- Set remaining strips aside for sashing assembly.

Assemble the Blocks

Sew a four-patch unit using four different 5-1/2" squares from Fabrics B-L. Mix and match fabrics for a variety of color and value in each block. Press seams to the darker fabric. Repeat to make fifteen 10-1/2" square four-patch units.

Following the Quilt Assembly Diagram shown on page 5, arrange the blocks in six rows of five blocks each, alternating four-patch units with 10-1/2" Fabric A squares.

Assemble the Sashing

Sew a 2" x 10-1/2" sashing strip between the blocks in each row. Press seams to the block.

Sew eighteen remaining 2" Fabric M strips together, end to end, into nine sets of two strips each. Trim seven strips into 2" x 56-1/2" sashing strips. Sew between the rows and at the top and bottom of the quilt center. Press seams to the sashing.

Trim two strips to 2" x 71". Sew to the sides of the quilt center, pressing seams to the sashing.

Assemble the Borders

Sew Fabric L strips together, end to end. Cut to make two 5" x 59-1/2" strips for the top & bottom borders. Sew to the top and bottom of the quilt center. Press seams to the border.

Your quilt top is complete. Baste, quilt, bind and enjoy!

