PARADISE ISLE

Designed by Robert Kaufman Fabrics Featuring Mature Studies



Finished quilt measures: 67" x 72-1/2"

Pattern Level: Enthusiastic Novice



"I am a total beginner and want to learn more!"

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	А	AND-17300-195 BRIGHT	2/3 yard (one panel)		E	AMD-7000-299 RIVIERA	1 yard
	в	AMD-7000-21 LILAC	1/2 yard		F	AMD-7000-81 Turquoise	1 yard
	С	AMD-7000-22 VIOLET	1-3/4 yards		Binding* */	AMD-7000-299 RIVIERA Also used for Fabric E	5/8 yard
		AMD-7000-70 AQUA 2017, Robert Kaufma		You will also need: 4-1/2 yards for backing			
For individual use only - Not for resale							

Fabric amounts based on yardage that is 42" wide.

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:

eight 9-1/2" x 11" rectangles

From Fabric B, cut:

seven 2" x WOF strips. Subcut: twelve 2" x 11" sashing strips twelve 2" x 9-1/2" sashing strips

From Fabric C, cut:

seven 6-1/2" x WOF strips. Sew the strips together, end-to-end, then trim to yield: two 6-1/2" x 55-1/2" top and bottom outer borders two 6-1/2" x 72-1/2" side outer borders

two 2" x WOF strips. Subcut:

two 2" x 41" top/bottom inner borders three 2-1/4" x WOF strips. Sew together, end-to-end, then trim to yield: two 2-1/4" x 50" side inner borders Trim the remainder to 2" wide and cut: nine 2" squares for the cornerstones

From Fabric D, cut:

two 4" x WOF strips. Subcut: twenty-four 3-1/2" x 4" rectangles for the pieced blocks

From Fabric E, cut:

two 4" x WOF strips. Subcut: sixteen 3-1/2" x 4" rectangles for the pieced blocks seven 3-1/4" x WOF strips. Set aside for strip piecing.

From Fabric F, cut:

three 4" x WOF strips. Subcut: thirty-two 3-1/2" x 4" rectangles for the pieced blocks seven 3-1/4" x WOF strips. Set aside for strip piecing.

From the Binding Fabric, cut:

eight 2-1/2" x WOF strips



Assemble the Pieced Blocks

Step 1: Gather: three Fabric D rectangles two Fabric E rectangles four Fabric F rectangles

Arrange together in three rows of three, following the Block Assembly Diagram.

Step 2: Sew together to form rows, pressing the rows in opposite directions every other row. Sew the rows together, pressing the seams open or to one side.

Repeat to make eight pieced blocks.

Assemble the Quilt Center



Step 3: Arrange the Fabric A and Pieced Blocks together as indicated in the Quilt Center Assembly Diagram. Sew each row together, using 11" Fabric B sashing strips between each block. Press seams toward the sashing. Repeat to make four block rows.

Step 4: Gather three Fabric C cornerstone squares and four 9-1/2" Fabric B sashing strips. Sew each row together, using cornerstones between each sashing strip. Press seams toward the sashing. Repeat to make three sashing rows.

Step 5: Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.

Step 6: Sew the Fabric C top and bottom inner borders to the quilt center. Press toward the borders. Sew the Fabric C side inner borders to the sides of the quilt center. Press toward the borders.

Assemble the Pieced Border

Step 7: Sew each 3-1/4" Fabric E strip to a 3-1/4" Fabric F strip, along one long edge. Press toward the darker fabric. Repeat to make seven strip sets. Subcut a total of seventy-six 3-1/4" x 6" units from the strip sets.



Step 8: Sew sixteen units together to form one upper pieced border. Press the seams open or to one side. Repeat to make the bottom pieced border. Sew to the top and bottom of the quilt center, noting the fabric placement in the Quilt Assembly Diagram. Press.



Step 9: Sew twenty-two units together to form one side pieced border. Press the seams open or to one side. Repeat to make the second side pieced border. Sew to the sides of the quilt center, noting the fabric placement in the Quilt Assembly Diagram. Press.



Step 10: Sew the Fabric C top and bottom outer borders to the quilt center. Press toward the borders. Sew the Fabric C side outer borders to the sides of the quilt center. Press toward the borders.

Your quilt top is complete. Baste, quilt, bind and enjoy!