
# Penny's Neighborhood

Designed by Darlene Zimmerman www.feedsacklady.com

Featuring





Finished quilt measures: 69-1/2" x 87"





## Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	Α	ADZ-15091-4 BLUE	1-1/2 yards		J	ADZ-15094-3 RED	1 FQ
	В	ADZ-15092-73 LAKE	2-3/8 yards		K	ADZ-15094-36 ALOE	1 FQ
	С	ADZ-15097-3 RED	1/2 yard		L	ADZ-15094-73 LAKE	1 FQ
	65	Fat Quarter Bund		40 40 40 60 60 60 60 60 60 60 60 60 60 60 60 60	М	ADZ-15095-36 ALOE	1 FQ
		consisting of the following fabrics:		40 H . H . H . H . H . H . H . H . H . H	N	ADZ-15095-73 LAKE	1 FQ
	D	ADZ-15090-200 VINTAGE	1panel	**************************************	0	ADZ-15095-140 SCREAMIN' YELLOW	1 FQ
	Е	ADZ-15092-3 RED	1 FQ		Р	ADZ-15096-36 ALOE	1 FQ
	F	ADZ-15092-140 SCREAMIN' YELLOW	1 FQ		Q	ADZ-15096-73 LAKE	1 FQ
	G	ADZ-15093-3 RED	1 FQ		R	ADZ-15096-122 CAMELLIA	1 FQ
	Н	ADZ-15093-36 ALOE	1 FQ		S	ADZ-15097-36 ALOE	1 FQ
	I	ADZ-15093-73 LAKE	1 FQ		T	ADZ-15097-73 LAKE	1 FQ

You will also need: 5-1/4 yards Backing fabric, Twin-sized Batting

#### Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Remember to measure twice and cut once!

## **Cutting Instructions**

#### Fabric A (Neighborhood Panel)

- Fussycut nine 5-1/2" x 42" strips, centering each house row, then cut forty-eight house squares 5-1/2" x 5-1/2".

#### Fabric B (Sashing)

- Cut thirty 2" x 42" strips, then subcut into one-hundred twenty sashes 2" x 8-1/2".

#### Fabric C (Inner Border)

- Cut four strips 3-1/2" x 42".

#### Fabric D (Dollhouse Panel)

- Trim panel to 23-1/2" x 42-1/2".

#### Fabric F (Sashing Corners)

- Cut eight strips 2" x 21", then subcut into seventy-two squares 2" x 2".

#### Fabrics E, P, Q, and R (Cornerstones)


- Cut five strips 2" x 21" from each fabric, then subcut into forty-eight 2" x 2" squares.

### Fabrics G, H, I, J, K, L, M, N, O, S, and T (Block Sashes)


- Cut seven strips 2" x 21" from each fabric, then subcut twenty sashes 2" x 5-1/2".

## Assembly Instructions

**Step 1:** Frame each of the blocks using four matching 2" x 5-1/2" block sashes and four matching 2" x 2" cornerstones (fig. 1). Press as shown. Make forty-eight blocks.



**Step 2:** Assemble three blocks and two Fabric B sashes for part of a horizontal row (fig. 2). Press toward the sashing. Set aside.




- **Step 3:** Assemble five blocks and four Fabric B sashes for part of a vertical row (fig. 3) Press toward the sashing. Set aside.
- **Step 4**: Sew the Fabric C 3-1/2"x 42" inner border strips to the sides of the Fabric D dollhouse panel. Press toward the borders. Repeat for the top and bottom borders.
- **Step 5:** Trim the width of the Fabric D panel with borders evenly to the same measurement as the Step 2 unit. Trim the length of the panel with borders evenly to the same measurement as the Step 3 vertical row.



fig. 3

**Step 6:** Sew seven blocks together with eight Fabric B sashing strips (use the Step 2 unit) (fig 4). Press toward the Fabric B sashing. Repeat to make four rows.



**Step 7:** Sew seven Fabric B sashing strips and eight Fabric F cornerstones together to make a horizontal sashing strip (fig. 5). Press toward Fabric B sashing. Make six sashing rows.



**Step 8:** Sew three sashing rows and two block rows together as shown (fig. 6). Press toward the sashing rows. Make two.



Make 2

Step 9: Sew ten blocks (including the Step 3 unit), Fabric B sashing strips and Fabric F cornerstones to make a vertical unit (fig, 7). Press toward the sashing. Make two.


\

**Step 10:** Sew the Step 9 units to both sides of the dollhouse panel with borders. Press. Sew one Step 8 unit to the top of the quilt, and the last Step 8 unit to the bottom of the quilt. Press toward the sashing (fig. 8).



fig. 7

Make 2



#### Finishing the Quilt

- **Step 1:** Layer, baste and quilt as desired. Before binding, hand baste a scant 1/4" from the edge of the quilt to hold the layers together.
- **Step 2:** Sew the binding strips together with diagonal seams pressed open. Fold in half, wrong sides together and press to make a double binding. Sew to the quilt with a 1/4" seam, mitering the corners. Trim the excess batting and backing, turn the binding to the back side and stitch down by hand with matching thread.