


PET STORE

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring **WHAT PET SHOULD I GET?**

TM & © 2016 Dr. Seuss Enterprises, L.P. All rights reserved. For Individual Use Only.



Finished quilt measures: 54" x 64-1/2"

Pattern Level: Enthusiastic Novice









"I am a total beginner and want to learn more!"

ROBERT KAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 43" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	ADE-16492-267 ADVENTURE	2/3 yard (one panel)		E	ADE-16495-267 ADVENTURE	1/2 yard
	B	K001-32 SURF	1/2 yard		F	ADE-12778-47 GRASS	1/3 yard
	C	ADE-16494-5 YELLOW	1/8 yard		G	ADE-12778-246 WATER	1-1/4 yards
	D	ADE-16493-3 RED	1/2 yard		H	ADE-10792-3 RED *binding	5/8 yard
<p>Copyright 2016, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 4-3/4 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 43" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, fussy cut:
nine 7-1/2" x 11" rectangles

From Fabric B, cut:

TIP: cut two of each length per strip to maximize the fabric in the WOF strips.

six 2" x WOF strips. Subcut:

twelve 2" X 11" rectangles

twelve 2" X 7-1/2" rectangles

From Fabric C, cut:

one 2" x WOF strip. Subcut:

sixteen 2" X 2" cornerstone squares

From Fabric D, cut:

two 6-1/2" x WOF strips. Subcut:

two 6-1/2" x 38" side inner borders

From Fabric E, cut:

two 6-1/2" x WOF strips. Subcut:

two 6-1/2" x 39-1/2" top/bottom inner borders

From Fabric F, cut:

five 2" x WOF strips. Sew together end to end, then trim to yield:

two 2" x 50" side middle borders

two 2" x 42-1/2" top/bottom middle borders

From Fabric G, cut:

six 6-1/2" x WOF strips. Sew together end to end, then trim to yield:

two 6-1/2" x 53" side outer borders

two 6-1/2" x 54-1/2" top/bottom outer borders

From the Fabric H binding fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Quilt Center



Step 1: Arrange the Fabric A pieces together as indicated in the Quilt Assembly Diagram. Sew each row together, using 2" x 11" Fabric B sashing strips between each block and at the beginning and end of each row. Press seams toward the sashing. Repeat to make three block rows.

Step 2: Gather four cornerstone squares and three 2" x 7-12" Fabric B sashing strips. Sew each row together, using cornerstones between each sashing strip and at the beginning and end of each row. Press seams toward the sashing. Repeat to make four sashing rows.

Step 3: Sew the sashing and block rows together, pinning and nesting the seams. Press seams open or to the sashing.

Add the Borders



Step 4: Sew the Fabric D side inner borders to the sides of the quilt center. Press toward the borders. Sew the Fabric E top and bottom inner borders to the quilt center. Press toward the borders.

Step 5: Sew the Fabric F side middle borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom middle borders to the quilt center. Press toward the borders.

Step 6: Sew the Fabric G side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete. Baste, quilt, bind and enjoy!