PETAL

Designed by Ariga Mahmoudlou for RK Featuring www.robertkaufman.com



С

S

В

A

R

1



Finished quilt measures: 53" x 67"



For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

| Color | Fabric | Name/SKU | Yardage | Color | Fabric | Name/SKU | Yardage |
|--|--------|------------------------|-------------|--|----------------|---|----------|
| | A | E014-1387 WHITE | 3-1/8 yards | | D | K001-1386 WHEAT | 1/2 yard |
| | В | K001-1393 WOODROSE | 1/2 yard | | E | K001-1058 CADET | 1/2 yard |
| | С | K001-1176 ICE PEACH | 1/2 yard | | Binding* *A | K001-1058 CADET Iso used for Fabric E | 1/2 yard |
| Copyright 2020, Robert Kaufman For individual use only - Not for resale | | | | You will also need: 3-1/2 yards for backing | | | |

Fabric amounts based on yardage that is 42" wide.

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

- four 5-1/2" x WOF strips. Subcut: sixteen 5-1/2" x 10-1/2" rectangles
- six 4" x WOF strips. Sew together, end-to-end, then trim:

two 4" x 60-1/2" side outer borders

two 4" x 53-1/2" top/bottom outer borders

three 3-5/8" x WOF strips. Subcut:

thirty-two 3-5/8" squares. Mark a diagonal on the wrong side of each square.

five 2-1/2" x WOF strips. Sew together, end-to-end, then trim:

three 2-1/2" x 60-1/2" column sashing strips

forty 1" x WOF strips. Subcut: sixteen 1" x 15" strips ninety-six 1" x 12" strips

From each of Fabrics B-E, cut:

ten 1-1/2" x WOF strips. Subcut: twenty-eight 1-1/2" x 12" strips

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips


Assemble the Strip Sets


Step 1: Gather: seven 1-1/2" x 12" Fabric B strips six 1" x 12" Fabric A strips

Sew together along the longest edge, alternating Fabric B and Fabric A, to form a strip set. Press toward Fabric B.


Step 2: Trim the strip set to 10-1/2" square. Repeat to make four strip sets, then trimmed to 10-1/2" square units.

| | In the Contract of the Contrac | | THE REPORT OF A DESCRIPTION OF A |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | The second se | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | the second se | and the second | and the second |
| | | | |
| and the second | Interesting of the second s | The second s | Property of the second |
| | | | |
| | the second s | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |






Step 3: Mark a diagonal on two units from upper left to lower right. Mark the remaining units from upper right to lower left. Sew a line of basting stitches 1/8" away from both sides of the marked lines. These lines of stay stitching will prevent the bias edges from stretching and warping in Steps 4 and 5.




Repeat Steps 1-3 with Fabrics C-E to make four strip sets in each color.

Assemble the Blocks

Step 4: Cut the Fabric B units in half along the marked lines, cutting down the center in between the lines of stitching.




Step 5: Rearrange the triangles to form four leaf units, centering and sewing a $1" \times 15"$ Fabric A strip between each set of triangles, as shown.





Step 6: Trim the unit to 10-1/2" square, if needed. Using the stitch and flip technique, place a 3-5/8" square in opposite corners of the block, with the marked line oriented as shown. Stitch on the marked line, then trim away the excess, leaving a 1/4" seam allowance. Press. Repeat to make a total of four blocks from Fabric B.

Step 7: Repeat Steps 1-6 with Fabrics C-E to make four blocks in each color.



Fabric C



Fabric D



Fabric E

Assemble the Quilt



Step 8: Arrange the Blocks together as indicated in the Quilt Assembly Diagram to form columns, noting the fabric placement and block orientation in the diagram. Sew each column together, using the 5-1/2" x 10-1/2" sashing pieces between each block and at the beginning OR end of each column. Press seams toward the sashing. Repeat to make four block columns.

Step 9: Sew the 2-1/2" x 60-1/2" sashing and block columns together. Press seams open or to the sashing.

Step 10: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.