
PILLARS

Designed by Jody Leonardo for RK www.robertkaufman.com

Featuring ARTISAN





Finished quilt measures: 78" x 86"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	А	AMD-7000-2 BLACK	3-3/4 yards		J	AMD-21987-220 PANSY	one fat eighth
	В	AMD-7000-187 PLATINUM	1-3/8 yards		K	AMD-21985-20 AMETHYST	one fat eighth
	С	AMD-21986-455 SEASCAPE	one fat eighth		L	AMD-21985-22 VIOLET	one fat eighth
	D	AMD-21984-471 LARKSPUR	one fat eighth		М	AMD-21982-250 LUPINE	one fat eighth
	E	AMD-21983-59 OCEAN	1/4 yard		N	AMD-21984-221 AUBERGINE	one fat eighth
	F	AMD-21982-59 OCEAN	one fat eighth		0	AMD-21986-470 HYDRANGEA	one fat eighth
	G	AMD-21987-215 SURF	one fat eighth	18	Р	AMD-21983-19 ORCHID	one fat eighth
	Н	AMD-21985-71 LAGOON	one fat eighth		Q	AMD-21982-329 FIG	one fat eighth one fat eighth
N. P.	I	AMD-21982-249 CROCUS	1/4 yard		R	AMD-21986-234 WISTERIA	one fat eighth

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	S	AMD-21987-329 FIG	one fat eighth	V	W	AMD-21982-24 PLUM	one fat eighth
	T	AMD-21983-21 LILAC	one fat eighth		X	AMD-21987-143 CORAL	1/4 yard
	U	AMD-21984-472 DAHLIA	one fat eighth		Y	AMD-21982-279 RAIN	one fat eighth
	V	AMD-21983-26 PETUNIA	one fat eighth			AMD-21982-329 FIG *Also used for Fabric Q	5/8 yard
Fo	2023, Robert Kaufman al use only - Not for resc				will also need: ards for backing		

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

sixteen 6-1/2" x WOF strips. Subcut:

four 6-1/2" x 36-1/2" rectangles.

four 6-1/2" x 30-1/2" rectangles.

four 6-1/2" x 24-1/2" rectangles.

four 6-1/2" x 18-1/2" rectangles.

four 6-1/2" x 12-1/2" rectangles.

four 6-1/2" squares.

eleven 2-1/2" x WOF strips. Subcut:

two 2-1/2" x 26-1/2" rectangles.

three 2-1/2" x 18-1/2" rectangles.

fourteen 2-1/2" x 16-1/2" rectangles.

two 2-1/2" x 14-1/2" rectangles.

four 2-1/2" x 6-1/2" rectangles.

From Fabric B, cut:

seven 6-1/2" x WOF strips. Subcut:

two 6-1/2" x 14-1/2" rectangles.

thirty-four 6-1/2" squares.

From each Fabrics C and G, cut:

one 4-1/2" x WOF strip. Subcut:

one 4-1/2" x 6-1/2" rectangle.

From each of Fabrics D and F, cut:

one 4-1/2" x WOF strip. Subcut:

one 4-1/2" x 18-1/2" rectangle.

From Fabric E, cut:

one 4-1/2" x WOF strip. Subcut:

one 4-1/2" x 18-1/2" rectangle.

two 4-1/2" x 6-1/2" rectangles.

From each of Fabrics H and Y, cut:

one 4-1/2" x WOF strip. Subcut:

one 4-1/2" x 14-1/2" rectangle.

From each of Fabrics I and X, cut:

one 4-1/2" x WOF strip. Subcut:

one 4-1/2" x 26-1/2" rectangle.

From each of Fabrics J-W, cut:

one 4-1/2" x WOF strip. Subcut:

one 4-1/2" x 16-1/2" rectangle.

From the Binding Fabric, cut:

nine 2-1/2" x WOF strips.

Assemble the Blocks

Step 1: Sew a 2-1/2" x 6-1/2" Fabric A rectangle to the bottom of the 4-1/2" x 6-1/2" Fabric C rectangle. Press towards the Fabric A rectangle.



Step 2: Sew a 2-1/2" \times 6-1/2" Fabric A rectangle to the bottom of a 4-1/2" \times 6-1/2" Fabric E rectangle. Press towards the Fabric A rectangle. Make two.



Step 3: Sew a 2-1/2" x 6-1/2" Fabric A rectangle to the bottom of the 4-1/2" x 6-1/2" Fabric G rectangle. Press towards the Fabric A rectangle.



Step 4: Sew a 2-1/2" x 14-1/2" Fabric A rectangle to the left edge of the 4-1/2" x 14-1/2" Fabric H rectangle. Press towards the Fabric A rectangle.



Step 5: Sew a 2-1/2" x 14-1/2" Fabric A rectangle to the left edge of the 4-1/2" x 14-1/2" Fabric Y rectangle. Press towards the Fabric A rectangle.



Step 6: Sew a 2-1/2" \times 16-1/2" Fabric A rectangle to the left edge of the 4-1/2" \times 16-1/2" Fabric J rectangle. Press towards the Fabric A rectangle.



Step 7: Sew a 2-1/2" \times 16-1/2" Fabric A rectangle to the left edge of the 4-1/2" \times 16-1/2" Fabric K rectangle. Press towards the Fabric A rectangle.







Step 9: Sew a 2-1/2" x 16-1/2" Fabric A rectangle to the left edge of the 4-1/2" x 16-1/2" Fabric M rectangle. Press towards the Fabric A rectangle.



Step 10: Sew a 2-1/2" x 16-1/2" Fabric A rectangle to the left edge of the 4-1/2" x 16-1/2" Fabric N rectangle. Press towards the Fabric A rectangle.



Step 11: Sew a 2-1/2" x 16-1/2" Fabric A rectangle to the left edge of the 4-1/2" x 16-1/2" Fabric O rectangle. Press towards the Fabric A rectangle.



Step 12: Sew a 2-1/2" \times 16-1/2" Fabric A rectangle to the left edge of the 4-1/2" \times 16-1/2" Fabric P rectangle. Press towards the Fabric A rectangle.







Step 14: Sew a 2-1/2" \times 16-1/2" Fabric A rectangle to the left edge of the 4-1/2" \times 16-1/2" Fabric R rectangle. Press towards the Fabric A rectangle.



Step 15: Sew a 2-1/2" x 16-1/2" Fabric A rectangle to the left edge of the 4-1/2" x 16-1/2" Fabric S rectangle. Press towards the Fabric A rectangle.



Step 16: Sew a 2-1/2" x 16-1/2" Fabric A rectangle to the left edge of the 4-1/2" x 16-1/2" Fabric T rectangle. Press towards the Fabric A rectangle.



Step 17: Sew a 2-1/2" \times 16-1/2" Fabric A rectangle to the left edge of the 4-1/2" \times 16-1/2" Fabric U rectangle. Press towards the Fabric A rectangle.







Step 19: Sew a 2-1/2" x 16-1/2" Fabric A rectangle to the left edge of the 4-1/2" x 16-1/2" Fabric W rectangle. Press towards the Fabric A rectangle.



Step 20: Sew a 2-1/2" x 18-1/2" Fabric A rectangle to the bottom edge of the 4-1/2" x 18-1/2" Fabric D rectangle. Press towards the Fabric A rectangle.



Step 21: Sew a 2-1/2" \times 18-1/2" Fabric A rectangle to the bottom edge of the 4-1/2" \times 18-1/2" Fabric E rectangle. Press towards the Fabric A rectangle.



Step 22: Sew a 2-1/2" \times 18-1/2" Fabric A rectangle to the bottom edge of the 4-1/2" \times 18-1/2" Fabric F rectangle. Press towards the Fabric A rectangle.



Step 23: Sew a 2-1/2" \times 26-1/2" Fabric A rectangle to the left edge of the 4-1/2" \times 26-1/2" Fabric I rectangle. Press towards the Fabric A rectangle.





Step 24: Sew a 2-1/2" x 26-1/2" Fabric A rectangle to the left edge of the 4-1/2" x 26-1/2" Fabric X rectangle. Press towards the Fabric A rectangle.

Assemble the Columns

Note: The columns are shown rotated 90° clockwise to save space.

Step 25: Sew a 6-1/2" x 14-1/2" Fabric B rectangle between two 6-1/2" x 36-1/2" Fabric A rectangles. Press towards the Fabric B rectangle. This is Column 1.



Step 26: Sew a 6-1/2" Fabric B square to both ends of the Step 4 Unit. Press towards the squares. Sew a 6-1/2" x 30-1/2" Fabric A rectangle to both ends of the column. Press towards the Fabric A rectangles. This is Column 2.



Step 27: Sew a 6-1/2" Fabric B square to both ends of the Step 23 Unit. Press towards the squares. Sew a 6-1/2" x 24-1/2" Fabric A rectangle to both ends of the column. Press towards the Fabric A rectangles. This is Column 3.



Step 28: Sew the Step 6 unit to the top (shown left) side and the Step 7 unit to the bottom (shown right) side of a 6-1/2" Fabric B square. Press towards the Fabric B square. Sew a 6-1/2" Fabric B square to both ends of the column. Press towards the squares. Sew a 6-1/2" x 18-1/2" Fabric A rectangle to both ends of the column. Press towards the Fabric A rectangles. This is Column 4.



Step 29: Sew a Step 2 unit between two 6-1/2" Fabric B squares. Press towards the Fabric B squares. Sew the Step 8 unit to the top (shown left) side and the Step 9 unit to the bottom (shown right). Press towards the Fabric B squares. Sew a 6-1/2" x 12-1/2" Fabric A rectangle to each end of the column. Press towards the rectangles. This is Column 5.



Step 30: Sew a 6-1/2" Fabric B square to each end of the Step 11 unit. Press towards the squares. Sew a 6-1/2" Fabric A square to the bottom (shown right) of the unit. Press towards the Fabric A square.


Step 31: Sew a 6-1/2" Fabric B square to each end of the Step 13 unit. Press towards the squares. Sew the Step 1 unit to the top (shown left) edge of the column. Press towards the Fabric B square.




Step 32: Sew a 6-1/2" Fabric B square to each end of the Step 15 unit. Press towards the squares. Sew a 6-1/2" Fabric A square to the bottom (shown right) of the unit. Press towards the Fabric A square.



Step 33: Sew the Step 30, 31, and 32 units together in that order. Press the seams towards the center.



Step 34: Sew the Step 20, 21, and 22 units together in that order. Press the seams towards the top.



Step 35: Sew a 6-1/2" Fabric B square to each end of the Step 12 unit. Press towards the squares. Sew a 6-1/2" Fabric A square to the top (shown left) of the unit. Press towards the Fabric A square.

Step 36: Sew a 6-1/2" Fabric B square to each end of the Step 10 unit. Press towards the squares. Sew the Step 1 unit to the bottom (shown right) edge of the column. Press towards the Fabric B square.




Step 37: Sew a 6-1/2" Fabric B square to each end of the Step 14 unit. Press towards the squares. Sew a 6-1/2" Fabric A square to the top (shown left) of the unit. Press towards the Fabric A square.



Step 38: Sew the Step 35, 36, and 37 units together in that order. Press the seams towards the center.



Step 39: Sew the 33, 34, and 38 units together in that order. Press the seams towards the center. This is Column 6.



Step 40: Sew a Step 2 unit between two 6-1/2" Fabric B squares. Press towards the Fabric B squares. Sew the Step 16 unit to the top (shown left) side and the Step 17 unit to the bottom (shown right). Press towards the Fabric B squares. Sew a 6-1/2" x 12-1/2" Fabric A rectangle to each end of the column. Press towards the rectangles. This is Column 7.



Step 41: Sew the Step 18 unit to the top (shown left) side and the Step 19 unit to the bottom (shown right) side of a 6-1/2" Fabric B square. Press towards the Fabric B square. Sew a 6-1/2" Fabric B square to both ends of the column. Press towards the squares. Sew a 6-1/2" x 18-1/2" Fabric A rectangle to both ends of the column. Press towards the Fabric A rectangles. This is Column 8.



Step 42: Sew a 6-1/2" Fabric B square to both ends of the Step 24 Unit. Press towards the squares. Sew a 6-1/2" x 24-1/2" Fabric A rectangle to both ends of the column. Press towards the Fabric A rectangles. This is Column 9.



Step 43: Sew a 6-1/2" Fabric B square to both ends of the Step 5 Unit. Press towards the squares. Sew a 6-1/2" x 30-1/2" Fabric A rectangle to both ends of the column. Press towards the Fabric A rectangles. This is Column 10.



Step 44: Sew a 6-1/2" x 14-1/2" Fabric B rectangle between two 6-1/2" x 36-1/2" Fabric A rectangles. Press towards the Fabric B rectangle. This is Column 11.





Step 45: Sew the columns together in numerical order. Pay attention to the orientation of each column in the diagram above. Press the seams open or towards the outside edges.

Your quilt top is complete! Baste, quilt, bind, and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2023. All rights reserved.