PILLOW PACK

Designed by Angela Walters www.quiltingismytherapy.com





Finished projects measures: 42" x 18" and 14" x 14"

Pattern Level: Enthusiastic Novice

ROBERIKAUFM F A B R I C

Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
		FQ-1036-7	one bundle which includes Fabrics A-G*		D*	AWT-15830-269 PARK	fat quarter
	A*	AWT-15829-269 PARK	2/3 yard		E*	AWT-15832-269 PARK	fat quarter
	B*	AWT-15833-269 PARK	fat quarter		F*	AWT-15833-15 IVORY	fat quarter
	C*	AWT-15834-269 PARK	fat quarter		G*	AWT-15831-269 PARK	fat quarter
Copyright 2016, Robert Kaufman For individual use only - Not for resale				You will also need: three 14" square pillow forms and two bags of stuffing (used in the panel pillow)			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 40" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

Cutting note: to maximize the use of your fat quarter pieces, cut as follows:

Square Pillow Cutting:

From each of Fabrics B-G, cut: one 14" x 14" square



Panel Pillow Cutting:

From Fabric A, cut: one 18" x 42-1/2" panel

From each of Fabrics B-G, cut: one 18" x 7-1/2" rectangle for the pieced pillow back

Make the Square Pillows

Pair Fabrics B-G into three sets of two. Place pillow tops right side up on work surface. Place pillow backing pieces right sides together with the top, alining raw edges. Mark a 7" opening on one edge for turning and stuffing. Backstitch at the beginning and ending of your seam at this opening. Pin and sew around remainder of the pillow, using a 1/4" seam. Press the seam open at the 7" opening, which will allow the raw edges to tuck in neatly for the final finishing step.



Clip the corners and turn right side out. Stuff your pillow with a pillow form. Tuck the raw edges of the opening to the inside. Hand stitch the opening closed to complete!

Make the Panel Pillows

Arrange and sew the Fabric B-G rectangles together along the 18" side. Press seam allowances open. This is your pillow backing and should measure 18" \times 42-1/2".



Place pillow panel right side up on work surface.

Place pillow backing right sides together with the top, alining raw edges. Mark a 7" opening on the center bottom edge for turning and stuffing. Backstitch at the beginning and ending of your seam at this opening. Pin and sew around remainder of the pillow, using a 1/4" seam. Press the seam open at the 7" opening, which will allow the raw edges to tuck in neatly for the final finishing step.

Clip the corners and turn right side out.

Stuff your pillow with stuffing. Tuck the raw edges of the opening to the inside. Hand stitch the opening closed to complete!