PLAID STONES

Designed by Ariga Mahmoudlou for RK www.robertkaufman.com

FLANNEL RK



Finished quilt measures: 63" x 81"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	F019-1019 BLACK	1-7/8 yards		J	SRKF-19667-202 AMERICANA	1/4 yard
	В	SRKF-19666-202 AMERICANA	1 yard		K	SRKF-19667-279 RAIN	1/4 yard
	C	SRKF-19665-34 SAGE	1/4 yard		L	SRKF-19667-304 SHADOW	1/4 yard
	D	SRKF-19665-202 AMERICANA	1/4 yard		М	SRKF-19668-409 PIMENTO	1/4 yard
3	E	SRKF-19665-316 COASTAL FOG	1/4 yard		N	SRKF-19669-284 BONE	1/4 yard
	F	SRKF-19666-267 ADVENTURE	1/4 yard		0	SRKF-19669-405 WATERFALL	1/4 yard
	G	SRKF-19666-323 WALNUT	1/4 yard		Р	SRKF-19670-60 PACIFIC	1/4 yard
	Н	SRKF-19667-115 CAYENNE	1/4 yard		Q	SRKF-19670-188 PEPPER	1/4 yard
	I	SRKF-19667-138 HONEY	1/4 yard		Binding*	F019-1019 BLACK *Also used for Fabric	5/8 yard
Copyright 2020, Robert Kaufman For individual use only - Not for resale				You will also need: 5 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

two 19-3/4" x WOF strips. Subcut:

- three 19-3/4" squares. Cut each square in half once along a diagonal to form twelve side setting triangles. Note: two will not be used.
- Trim the reminder of the second strip to 9-3/8" wide, then subcut:
- two 9-3/8" squares. Cut each square in half once along a diagonal to form four corner setting triangles.

seventeen 1-1/2" x WOF strips. Sew together, end-to-end, then trim:

- two 1-1/2" x 38-1/2" row sashing strips
- one 1-1/2" x 51-1/2" row sashing strips
- fourteen 1-1/2" x 12-1/2" block sashing strips
- The remainder will be set aside for the inner borders.

From Fabric B, cut:

seven 4" x WOF strips. Set aside for the outer border. two 3-1/2" x WOF strips. Subcut:

eighteen 3-1/2" squares

From each of Fabrics C-Q, cut:

two 3-1/2" x WOF strips. Subcut:

• eighteen 3-1/2" squares

From the Binding Fabric, cut:

eight 2-1/2" x WOF strips

Assemble the Blocks



Step 1: Gather:

one square from each of Fabrics B-Q


Arrange the units into four rows of four. Note the fabric placement and block orientation in the Block Assembly Diagram, or choose a fabric placement of your choosing.

Step 2: Sew the squares together to form the rows. Press the seams in opposite directions every other row.

Step 3: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

Assemble the Quilt

Step 4: Arrange the blocks into six diagonal rows, following the Quilt Assembly Diagram.



Step 5: Form a corner unit by sewing together one block, one block sashing strip, two side setting triangles and one corner setting triangle. Press. Repeat to make four corner units like this.



Step 6: Sew the remaining blocks and row sashing strips together to form four rows, placing block sashing strips between each block and the side setting triangles where indicated. Press the seams toward the block sashing strips.

Step 7: Sew the rows together to form the quilt center. Press the row seams open. Sew the corner units to the quilt center. Press.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2020. All rights reserved.