POINTED

Designed by Ariga Mahmoudlou for RK Featuring $^{\text{\tiny ASSM}}$ By

By The Brook



Finished quilt measures: 55" x 66"

Difficulty Rating: Beginner



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-7000-65 POWDER	3-1/2 yards		Н	AMD-19386-246 WATER	1/4 yard
	В	AMD-19387-245 MIST	1/4 yard		I	AMD-19394-246 WATER	1/4 yard
	С	AMD-19384-246 WATER	1/4 yard		J	AMD-19396-163 SPICE	1/4 yard
	D	AMD-19386-268 NATURE	1/4 yard		K	AMD-19392-246 WATER	1/4 yard
	E	AMD-19397-268 NATURE	1/4 yard		L	AMD-19385-246 WATER	1/4 yard
	F	AMD-19385-169 EARTH	1/4 yard		М	AMD-19384-268 NATURE	1/4 yard
	G	AMD-19387-69 MIDNIGHT	1/4 yard	E		AMD-19386-246 WATER Also used for Fabric H	5/8 yard
Copyright 2019, Robert Kaufman For individual use only - Not for resale				You will also need: 3-1/2 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A. cut:

fourteen 3" x WOF strips. Subcut:
one hundred ninety-two 3" squares for the HSTs
twenty-four 2-1/2" x WOF strips. Subcut:
one hundred ninety-two 2-1/2" squares
forty-eight 2-1/2" x 8-1/2" block sashing strips
fourteen 1-1/2" x WOF strips. Sew together, end-to-end, then trim:
seven 1-1/2" x 64-1/2" column sashing strips
two 1-1/2" x 55-1/2" top/bottom borders

From each of Fabrics B-M, cut:


two 3" x WOF strips. Subcut: sixteen 3" squares for the HSTs

From the Binding Fabric, cut:


seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 3" Fabric A square with a 3" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make thirty-two A/B HSTs.



Step 2: Repeat Step 1 to make:



thirty-two A/C HSTs




thirty-two A/D HSTs




thirty-two A/E HSTs



thirty-two A/F HSTs




thirty-two A/G HSTs



thirty-two A/H HSTs



thirty-two A/I HSTs



thirty-two A/J HSTs



thirty-two A/K HSTs



thirty-two A/L HSTs



thirty-two A/M HSTs

Step 3: Gather:

Assemble the Blocks






















four 2-1/2" Fabric A squares





Step 6: Repeat Steps 3-5 to make four blocks from each of Fabrics B-M.



Step 7: Arrange the Blocks together as indicated in the Quilt Assembly Diagram, noting the fabric placement and block orientaiton. Sew each column together, using fabric A sashing strips between each block and at the beginning OR end of each column. Press seams toward the sashing. Repeat to make six block columns.

Step 8: Sew the column sashing and block rows together. Press seams open or to the sashing. Sew the top/bottom border to the quilt. Press.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2019. All rights reserved.