ROSE GARDEN

Designed by Ariga Wilson for RK www.robertkaufman.com Featuring KONA® cotton solids



Finished quilt measures: 61" x 77"

Difficulty Rating: Intermediate

For questions about this pattern, please email Patterns@RobertKaufman.com.

В

R

1

A

C

S

Fabric and Supplies Needed

Eabric	amounts	harad	on	vardaaa	that is	12"	wido
TUDIC	unouns	Dasea	OH	yardage	mans	4Z	wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-1283 PEARL PINK	1-7/8 yards		G	K001-1841 DRAGON FRUIT	1/8 yard
	В	K001-110 PEONY	1/3 yard		н	K001-1062 CANDY PINK	1/2 yard
	С	K001-1295 POMEGRANATE	3/8 yard		I	K001-1087 CORAL	1/8 yard
	D	K001-1066 CERISE	1/2 yard		L	K001-141 CARNATION	1/2 yard
	E	K001-451 VALENTINE	1-1/4 yard		К	K001-1225 MED. PINK	1/2 yard
	F	K001-419 AZALEA	1/2 yard		Binding*	K001-1062 CANDY PINK *Also used for Fabric H	5/8 yard
Fc	2022, Robert Kaufmar al use only - Not for resc		You will also need: 4 yards for backing				

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

From Fabric A, cut:

nine 3" x WOF strips. Subcut: one hundred twenty 3" squares for the HSTs fourteen 2-1/2" x WOF strips. Subcut:

ninety-six 2-1/2" x 4-1/2" rectangles forty-eight 2-1/2" squares

From Fabric B, cut:

two 4-1/2" x WOF strips. Subcut: twelve 4-1/2" squares for the block centers

From Fabric C, cut:

four 3" x WOF strips. Subcut: forty-eight 3" squares for the HSTs

From Fabric D, cut:

three 2-1/2" x WOF strips. Subcut: forty-eight 2-1/2" squares six 1-1/2" x WOF strips. Sew together, end to end, then trim: two 1-1/2" x 54-1/2" top/bottom Border 2 pieces two 1-1/2" x 68-1/2" side Border 2 pieces

From Fabric E, cut:

seven 4" x WOF strips. Sew together, end to end, then trim: two 4" x 61-1/2" top/bottom Border 3 pieces two 4" x 70-1/2" side Border 3 pieces three 3" x WOF strips. Subcut: thirty-six 3" squares for the HSTs two 2 1/2" x WOE strips. Subcut:

two 2-1/2" x WOF strips. Subcut: twelve 2-1/2" x 4-1/2" rectangles

From Fabric F, cut:

three 3" x WOF strips. Subcut: thirty-six 3" squares for the HSTs two 2-1/2" x WOF strips. Subcut: twelve 2-1/2" x 4-1/2" rectangles

From Fabric G, cut:

one 3" x WOF strip. Subcut: twelve 3" squares for the HSTs

From Fabric H, cut:

three 3" x WOF strips. Subcut: thirty-six 3" squares for the HSTs two 2-1/2" x WOF strips. Subcut: twelve 2-1/2" x 4-1/2" rectangles

From Fabric I, cut:

one 3" x WOF strip. Subcut: twelve 3" squares for the HSTs

From Fabric J, cut:

three 3" x WOF strips. Subcut: thirty-six 3" squares for the HSTs two 2-1/2" x WOF strips. Subcut: twelve 2-1/2" x 4-1/2" rectangles

From Fabric K, cut: six 2-1/2" x WOF strips. Sew together, end to end, then trim: two 2-1/2" x 52-1/2" top/bottom Border 1 pieces two 2-1/2" x 64-1/2" side Border 1 pieces

From the Binding Fabric, cut:

eight 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)


Step 1: Pair a 3" Fabric A square with a 3" Fabric C square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 2-1/2" square. Repeat to make forty-eight A/C HSTs.



Step 2: Repeat Step 1 to make:



Assemble the Blocks



Step 3: Gather: eight 2-1/2" x 4-1/2" Fabric A rectangles four 2-1/2" x 4-1/2" Fabric E rectangles four 2-1/2" Fabric A squares one Fabric B square four Fabric D squares four A/C HSTs eight C/E HSTs sixteen A/E HSTs

Arrange the units into rows, as shown. Note the fabric placement and block orientation in the Block Assembly Diagram.


Step 4: Sew the indicated HSTs together in pairs, as shown. Press. This will aid in piecing the rows in Step 5.


Step 5: Sew the units together to form the rows. Press the seams in opposite directions every other row.


Step 6: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

The resulting block should measure 16-1/2" square. Repeat to make three blocks like this.

Repeat to make three of each block style, using the fabric placements shown here:








Assemble the Quilt

Step 7: Arrange the blocks into four rows of three blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 8: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 9: Sew the rows together to form the quilt center. Press the row seams open.

Step 10: Sew the side Border 1 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 1 pieces to the quilt center. Press toward the borders.



Step 11: Sew the side Border 2 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 2 pieces to the quilt center. Press toward the borders.

Step 12: Sew the side Border 3 pieces to the sides of the quilt center. Press toward the borders. Sew the top and bottom Border 3 pieces to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2022. All rights reserved.