

ROSE TRELLIS

Designed by Robert Kaufman Fabrics
www.robertkaufman.com

Featuring VICTORIA GARDENS



Finished quilt measures: 61-1/4" x 72-1/2"

Pattern Level: Confident Beginner

*"I have basic block construction down
and would like to learn a new trick!"*

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

| Color | Fabric | Name/SKU | Yardage | Color | Fabric | Name/SKU | Yardage |
|---|--------|---------------------------|-------------|---|--------|--|-----------|
|  | A | SRK-16893-11 ROYAL | 1-2/3 yards |  | H | SRK-16898-11 ROYAL <i>* includes binding</i> | 3/4 yard |
|  | B | SRK-16893-63 SKY | 7/8 yard |  | I | SRK-16898-43 LEAF | 5/8 yard |
|  | C | SRK-16895-15 IVORY | 1/4 yard |  | J | SRK-16895-14 NATURAL | 1/3 yard |
|  | D | SRK-16895-63 SKY | 1/4 yard |  | K | SRK-16898-7 GREEN | 1/3 yard |
|  | E | SRK-16895-129 MARIGOLD | fat eighth |  | L | SRK-16894-11 ROYAL | 5/8 yard |
|  | F | SRK-16896-63 SKY | fat eighth |  | M | SRK-16898-63 SKY | 1/4 yards |
|  | G | SRK-16897-63 SKY | 1/4 yard | <p style="margin: 0;">You will also need: 3-7/8 yards for backing</p> | | | |

Copyright 2017, Robert Kaufman
For individual use only - Not for resale

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

five 5-1/2" x WOF strips. Sew together, end-to-end, the trim to yield:

two 5-1/2" x 41-3/4" top/bottom outer borders

two 5-1/2" x 53" side outer borders

two 8-1/2" x WOF strips. Subcut:

nine 8-1/2" squares

one 6-1/2" x WOF strips. Subcut:

six 6-1/2" squares

From Fabric B, cut:

three 8-7/8" x WOF strips. Subcut:

nine 8-7/8" squares. Cut each square in half along one diagonal to create the side setting triangles.

From Fabric C, cut:

one 4-1/2" x WOF strip. Subcut:

six 4-1/2" squares

From Fabric D, cut:

one 4-1/2" x WOF strip. Subcut:

eight 4-1/2" squares

From each of Fabrics E and F, cut:

four 4-1/2" squares

From Fabric G, cut:

four 1-1/2" x WOF strips. Subcut:

twelve 1-1/2" x 4-1/2"

twelve 1-1/2" x 6-1/2"

From Fabric H, cut:

four 1-1/2" x WOF strips. Subcut:

twelve 1-1/2" x 8-1/2"

twelve 1-1/2" x 6-1/2"

seven 2-1/2" x WOF strips for the binding

From Fabric I, cut:

five 1-1/2" x WOF strips. Subcut:

sixteen 1-1/2" x 4-1/2"

sixteen 1-1/2" x 6-1/2"

six 2" x WOF strips. Sew together, end-to-end, the trim to yield:

two 2" x 48-1/2" top/bottom inner borders

two 2" x 57" side inner borders

From each of Fabrics J and K, cut:

seven 1-1/2" x WOF strips. Subcut:

sixteen 1-1/2" x 6-1/2"

sixteen 1-1/2" x 8-1/2"

From Fabric L, cut:

five 1-1/2" x WOF strips. Subcut:

sixteen 1-1/2" x 4-1/2"

sixteen 1-1/2" x 6-1/2"

six 1-1/2" x WOF strips. Sew together, end-to-end, the trim to yield:

two 1-1/2" x 50-1/2" top/bottom middle borders

two 1-1/2" x 60" side middle borders

From Fabric M, cut:

one 6-1/2" x WOF strips. Subcut:

six 6-1/2" squares

Assemble the A Blocks



Step 1: Sew a 1-1/2" x 4-1/2" Fabric L rectangle to the top and bottom edges of a 4-1/2" Fabric F square. Press toward the rectangles. Sew a 1-1/2" x 6-1/2" Fabric F rectangle to the sides of the center square. Press toward the rectangles.

Step 2: Sew a 1-1/2" x 6-1/2" Fabric K rectangle to the top and bottom edges of the block. Press toward the rectangles. Sew a 1-1/2" x 8-1/2" Fabric K rectangle to the sides of the block. Press toward the rectangles.



Repeat to make four 8-1/2" square A Blocks.

Assemble the B Blocks



Step 3: Sew a 1-1/2" x 4-1/2" Fabric L rectangle to the top and bottom edges of a 4-1/2" Fabric E square. Press toward the rectangles. Sew a 1-1/2" x 6-1/2" Fabric F rectangle to the sides of the center square. Press toward the rectangles.

Step 4: Sew a 1-1/2" x 6-1/2" Fabric K rectangle to the top and bottom edges of the block. Press toward the rectangles. Sew a 1-1/2" x 8-1/2" Fabric K rectangle to the sides of the block. Press toward the rectangles.

Repeat to make four 8-1/2" square B Blocks.



Assemble the C Blocks



Step 5: Sew a 1-1/2" x 4-1/2" Fabric I rectangle to the top and bottom edges of a 4-1/2" Fabric D square. Press toward the rectangles. Sew a 1-1/2" x 6-1/2" Fabric I rectangle to the sides of the center square. Press toward the rectangles.

Step 6: Sew a 1-1/2" x 6-1/2" Fabric J rectangle to the top and bottom edges of the block. Press toward the rectangles. Sew a 1-1/2" x 8-1/2" Fabric J rectangle to the sides of the block. Press toward the rectangles.

Repeat to make eight 8-1/2" square C Blocks.



Assemble the D Blocks




Step 7: Sew a 1-1/2" x 4-1/2" Fabric G rectangle to the top and bottom edges of a 4-1/2" Fabric C square. Press toward the rectangles. Sew a 1-1/2" x 6-1/2" Fabric G rectangle to the sides of the center square. Press toward the rectangles.

Step 8: Sew a 1-1/2" x 6-1/2" Fabric H rectangle to the top and bottom edges of the block. Press toward the rectangles. Sew a 1-1/2" x 8-1/2" Fabric H rectangle to the sides of the block. Press toward the rectangles.



Repeat to make six 8-1/2" square D Blocks.

Assemble the Quilt Center



Step 9: Arrange the A-D Blocks, 8-1/2" Fabric A squares and Fabric B side setting triangles in diagonal rows, following the Quilt Assembly Diagram. Place a Fabric B setting triangle at the end of each row.

Step 10: Sew each row together, pressing the seams in opposite directions with each row so that seams will nest for Step 11. Align in the right angle of each setting triangle with the corner of the block it is sewn to. Note: The points of these triangles will extend beyond the adjacent piece.

Step 11: Sew the rows together, nesting the seams and pressing the seams open or to one side.



Step 12: Sew two side setting triangles together to form the corner units, then sew to each corner of the quilt center.

Add the Borders

Step 13: Sew the Fabric I side inner borders to the sides of the quilt center. Press toward the borders. Sew Fabric I the top and bottom inner borders to the quilt center. Press toward the borders.


Step 14: Sew the Fabric L side middle borders to the sides of the quilt center. Press toward the borders. Sew the Fabric L top and bottom middle borders to the quilt center. Press toward the borders.

Step 15: Pair a 6-1/2" Fabric A square with a Fabric M square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 6" square.



Step 16: Pair two HSTs, RST, matching opposite fabrics together. Mark a diagonal line perpendicular to the seam line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two quarter-square triangles (QSTs). Press toward the seam open or to one side. Trim to 5-1/2" square.

Repeat to make twelve QSTs.





Step 17: Sew one QST unit to each end of the 41-3/4" Fabric A top/bottom outer border strips, noting the fabric placement and QST orientation in the Quilt Assembly Diagram. Press the seams toward the QSTs. Sew these borders to the top and bottom of the quilt, pressing the seams toward the quilt center.

Step 18: Sew two QST units to each end of the 53" Fabric A side outer border strips, noting the fabric placement and QST orientation in the Quilt Assembly Diagram. Press the seams away from the Fabric A piece. Sew these borders to the sides of the quilt, pressing the seams toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!