


# Round the Block

Designed by Robert Kaufman Fabrics

Featuring

 Ready, Set, Go! by Ann Kelle



Finished quilt measures: 36" x 36"






Shown in "Bermuda" Colorway. For other colorways see pages 5 and 6.

**Pattern Level: Enthusiastic Novice**

"I am a total beginner and want to learn more!"

**ROBERT KAUFMAN**  
F A B R I C S

## Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AAK-15132-237 BERMUDA	1/4 yard		D	AAK-15135-237 BERMUDA	1/4 yard
	B	AAK-15133-237 BERMUDA	1/4 yard		E	K001-1513 SKY	3/4 yard
	C	AAK-15134-237 BERMUDA	1/3 yard	<p>You will also need:            1/4 yard Binding Fabric            1-1/2 yards Backing Fabric            42" x 42" quilt batting</p>			

## Notes Before You Begin

- Please read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Press all seam allowances open after each seam is sewn, unless otherwise noted.
- Remember to measure twice and cut once!

## Cutting Instructions

### Fabric A

- Cut four squares 5-1/2" x 5-1/2".

### Fabric B

- Cut six squares 5-1/2" x 5-1/2".

### Fabric C

- Cut eight squares 5-1/2" x 5-1/2".

### Fabric D

- Cut seven squares 5-1/2" x 5-1/2".

### Fabric E

- Cut one strip 5-1/2" x WOF, then subcut into twenty rectangles 2" x 5-1/2".
- Cut four strips 2" x WOF.
- Cut four strips 3" x WOF.

## Assembly Instructions

### Step 1: Make the Rows

- Following the diagram on the right, sew five rows, alternating a 5-1/2" square with a Fabric E 2" x 5-1/2" rectangle. Press seams open.



### Step 2: Assemble the Quilt Top

- Sew a Fabric E 2" x WOF strip between each row. After sewing each seam, you will trim the Fabric E strip so that it is even with the rows. Press seams toward the Fabric E strips.

*Tip: Always lay long pieces, such as rows and sashing, flat on a table or floor and pin them together liberally. This will keep your quilt flat and square.*





### Step 3: Attach the Borders

- Sew a Fabric E 3" x WOF strip to the top and bottom of the quilt top. Trim excess fabric from the ends of the strips.
- Sew a Fabric E 3" x WOF strip to the sides of the quilt top. Trim excess fabric from the ends of the strips.








Your quilt top is complete! Baste, quilt, bind & enjoy.


## Round the Block: Retro Colorway








### Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AAK-15132-256 RETRO	1/4 yard		D	AAK-15135-256 RETRO	1/4 yard
	B	AAK-15133-256 RETRO	1/4 yard		E	K001-1229 MERINGUE	3/4 yard
	C	AAK-15134-256 RETRO	1/3 yard	<p>You will also need:            1/4 yard Binding Fabric            1-1/2 yards Backing Fabric            42" x 42" quilt batting</p>			

## Round the Block: Primary Colorway



### Fabric and Supplies Needed

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AAK-15132-204 PRIMARY	1/4 yard		D	AAK-15135-204 PRIMARY	1/4 yard
	B	AAK-15133-204 PRIMARY	1/4 yard		E	K001-1387 WHITE	3/4 yard
	C	AAK-15134-204 PRIMARY	1/3 yard	<p>You will also need:</p> <p>1/4 yard Binding Fabric</p> <p>1-1/2 yards Backing Fabric</p> <p>42" x 42" quilt batting</p>			