


ROUNDAABOUT

Designed by Ariga Wilson for RK
www.robertkaufman.com

Featuring **KONA**[®]
cotton solids

2024
KONA[®]
cotton solids
365
CALENDAR
QUILT



Finished quilt measures: 48" x 64"




Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	K001-458 STORM	3/4 yard		E	K001-847 SPA BLUE	2/3 yard
	B	K001-1314 ROYAL	2/3 yard		F	K001-1387 WHITE	1-1/4 yards
	C	K001-864 PARIS BLUE	2/3 yard		Binding*	K001-1314 ROYAL	1/2 yard
	D	K001-497 NIAGARA	2/3 yard	*Also used for Fabric C.			
<p>Copyright 2023, Robert Kaufman For individual use only - Not for resale</p>				<p>You will also need: 3-1/8 yards for backing</p>			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

one 5-1/4" x WOF strip. Subcut:
six 5-1/4" squares.
three 5" x WOF strips. Subcut:
twenty-four 5" squares.
two 2-7/8" x WOF strips. Subcut:
twenty-four 2-7/8" squares.

From each of Fabrics B, C, and D cut:

two 5-1/4" x WOF strips. Subcut:
twelve 5-1/4" squares.
four 2-7/8" x WOF strips. Subcut:
forty-eight 2-7/8" squares.

From Fabric E, cut:

one 5-1/4" x WOF strip. Subcut:
six 5-1/4" squares.
two 5" x WOF strips. Subcut:
twelve 5" squares.
two 2-7/8" x WOF strips. Subcut:
twenty-four 2-7/8" squares.

From Fabric F, cut:



three 8-1/2" x WOF strips. Subcut:
twelve 8-1/2" squares.
three 5" x WOF strips. Subcut:
twenty-four 5" squares.

From the Binding Fabric, cut:

six 2-1/2" x WOF strips.

Make the Half-Square Triangles (HSTs)

Step 1: Pair a 5" Fabric A square with a 5" Fabric F square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 4-1/2" square. Repeat to make twenty-four A/F HSTs.



Step 2: Repeat step 1 to make twenty-four E/F HSTs.

Make the Flying Geese

Step 3: Pin two 2-7/8" Fabric A squares in opposing corners of a 5-1/4" Fabric B square, RST. The squares will overlap slightly in the center of the large square. Using a ruler, draw a diagonal line through the squares.



Step 4: Sew scant 1/4" seam on each side of the diagonal line. Set the seam by pressing it flat. Cut along the diagonal line, creating two identical units.



Step 5: Press the fabric toward smaller triangles. Repeat with the second unit.



Step 6: Place one 2-7/8" Fabric A square at the corner of sewn block unit. Draw diagonal line in pencil. Sew a scant 1/4" seam on each side of diagonal line. Set seam (press). Cut along diagonal line, creating two identical units.



Step 7: Press the seam toward smaller triangle. Trim off small dog ears left by the seam allowance. Trim to 2-1/2" x 4-1/2" if necessary. Repeat to make twenty-four A/B flying geese blocks.



Step 8: Repeat Steps 3-7 to make:



twenty-four B/C
flying geese



twenty-four C/D
flying geese



twenty-four D/E
flying geese



twenty-four E/D
flying geese



twenty-four D/C
flying geese




twenty-four C/B
flying geese



twenty-four B/A
flying geese

Assemble the Blocks



Step 9: Gather:

- one 8-1/2" Fabric F square
- two A/E HSTs
- two E/F HSTs
- two A/B flying geese
- two B/C flying geese
- two C/D flying geese
- two D/E flying geese
- two E/D flying geese
- two D/C flying geese
- two C/B flying geese
- two B/A flying geese

Step 10: Sew one A/B flying geese, one B/C flying geese, one C/D flying geese, and one D/E flying geese in a column as shown. Press. Make two.




Step 11: Sew the two columns to two opposite sides of the Fabric F square. Press.




Step 12: Sew one A/F HST, one B/A flying geese, one C/B flying geese, one D/C flying geese, one E/D flying geese, and one E/F HST in a row as shown. Press. Make two.



Step 13: Sew the two rows to the top and bottom of the block. Press. Make twelve.



Assemble the Quilt



Step 14: Arrange the blocks into four rows of three blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 15: Sew the blocks together to form rows. Press the seams to the left in the odd-numbered rows and to the right in the even-numbered rows.

Step 16: Sew the rows together to form the quilt center. Press the row seams open.

Your quilt top is complete! Baste, quilt, bind, and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2023. All rights reserved.