
SERENE COTTAGE

Designed by Debbie Beaves for RK www.robertkaufman.com

Featuring FLOWERHOUSE

Serene Debbie Beaves



Finished quilt measures: 62" x 80"

Difficulty Rating: Intermediate



Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	FLH-20745-7 GREEN	1/2 yard		F	FLH-20747-4 BLUE	1-1/8 yard
	В	FLH-20746-4 BLUE	1/2 yard		G	FLH-20748-15 IVORY	1-1/8 yard
	С	FLH-20746-83 VINTAGE WHITE	1/2 yard		Н	FLH-20749-10 PINK	2/3 yard
	D	FLH-20746-10 PINK	1/2 yard	A K	I	FLH-20745-83 VINTAGE WHITE	1-1/3 yard
	E	FLH-20745-130 SUNSHINE	1/2 yard	10 May 10	Binding	FLH-20744-10 PINK	5/8 yard
Copyright 2022, Robert Kaufman For individual use only - Not for resale				You will also need: 5 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Remember to measure twice and cut once!

Cutting Instructions

From each of Fabrics A-E, cut:

two 6-1/2" x WOF strips. Subcut: eight 6-1/2" squares

From Fabric F, cut:

fifteen 2-1/2" x WOF strips. Set thirteen aside for piecing strip sets.

From the remaining two, subcut:

twenty-seven 2-1/2" squares

From Fabric G, cut:

fifteen 2-1/2" x WOF strips. Set eleven aside for piecing strip sets.

From the remaining four, subcut:

fifty-eight 2-1/2" squares

From Fabric H, cut:

two 4-1/8" x WOF strips. Subcut:

twenty 4-1/8" squares. Cut in half along both diagonals, creating eighty triangles, and set aside for the side setting units.

one 2-1/2" x WOF strip. Subcut:

two 2-1/2" squares. Cut in half along the diagonal and set aside for the corner setting units.

six 2" x WOF strips. Sew together, end-to-end, then set aside for the inner borders.

From Fabric I, cut:

two 6-1/2" x WOF strips. Subcut:

eight 6-1/2" squares


seven 4-1/2" x WOF strips. Sew together, end-to-end, then set aside for the outer borders.

From the Binding, cut:


eight 2-1/2" x WOF strips.

Assemble the Nine-Patch Blocks

Step 1: Sew a Fabric F strip between two Fabric G strips, along the longest edges, to form a strip set. Press toward the darker fabric. Make two strip sets like this, then subcut to make thirty-two 2-1/2" x 6-1/2" units.




Step 2: Sew a Fabric G strip between two Fabric F strips, along the longest edges, to form a strip set. Press toward the darker fabric. Make five strip sets like this, then subcut to make seventy 2-1/2" x 6-1/2" units.



Step 3: Sew a Step 1 unit between two Step 2 units, to form a Nine-Patch Block. Nest the seams and sew together, pressing the seams to one side. Make thirty-two Blocks, each 6-1/2" square.



Step 4: Make three additional Nine-Patch Blocks, for a total of thirty-five, using two completed Step 2 units, two Fabric G squares and one Fabric F square, as shown.



Assemble the Side Setting and Corner Units














Arrange the units into three rows. Note the fabric placement and unit orientation in the Assembly Diagram.

Step 6: Sew the units together to form the rows, aligning the 90-degree corners of triangles at the edges of the adjacent squares. Sew the rows together, pressing the seams in opposite directions every other row. Make twenty-four side setting triangles like this.





Step 7: Gather: one Fabric G square two 4-1/8" Fabric H triangles one 2-1/2" Fabric H triangle

Arrange the units into two rows. Note the fabric placement and unit orientation in the Assembly Diagram.

Step 8: Sew the units together to form the rows, centering the top/single Fabric H triangle on the Fabric G square. Sew the rows together, pressing the seams one side. Make four corner setting triangles like this.




Assemble the Quilt



Step 9: Arrange the blocks into thirteen diagonal rows. Note the fabric placement and block orientation in the Quilt Assembly Diagram.


Step 10: Sew the blocks together to form diagonal rows. Sew the side setting triangles to the ends of each row, aligning the corners. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows. After sewing each row, trim the excess from the side setting triangles to align with the raw edges along the length of the row.



Step 11: Sew the rows together to form the quilt center. Press the row seams open.

Step 12: Sew the corner setting triangles to the corners of the quilt, centering along the edge the block. Press.

Step 13: Trim the quilt center edges so that 1/4" of fabric extends beyond the seam intersections of the side setting and corner setting triangles, as shown.



Step 14: Measure the length of the quilt through the center. Cut two Fabric H side border strips to this length. Sew the borders to the sides of the quilt center. Press toward the border. Measure the width of the quilt through the center. Cut two Fabric H top/bottom border strips to this width. Sew the borders to the top and bottom of the quilt center. Press toward the border.

Step 15: Measure the length of the quilt through the center. Cut two Fabric I side border strips to this length. Sew the borders to the sides of the quilt center. Press toward the border. Measure the width of the quilt through the center. Cut two Fabric I top/bottom border strips to this width. Sew the borders to the top and bottom of the quilt center. Press toward the border.

Your quilt top is complete. Baste, quilt, bind and enjoy!

This pattern may be used for personal purposes only and may not be reproduced in any form without the express permission from Robert Kaufman Fabrics. This pattern is not for resale. All patterns, unless otherwise attributed, are © Robert Kaufman Co., Inc. 2005-2022. All rights reserved.